

L P51-P53

USER'S PAGE NO. 1 E0 84

R0001 PROGRAM NAME- PROC52
 R0003 MOD NO- 2
 R0005 MODIFICATION BY- LONSKA

DATE- NOV 30, 1966
 LOG SECTION- P51-P53
 ASSEMBLY- SUNDISK REV 30

R0007 FUNCTIONAL DESCRIPTION-

R0008 ALIGNS THE IMU TO ONE OF THREE ORIENTATIONS SELECTED BY THE ASTRONAUT. THE PRESENT IMU ORIENTATION IS KNOWN
 R0010 AND IS STORED IN REFSMAT. THE THREE POSSIBLE ORIENTATIONS MAY BE

R0011 (A) PREFERRED ORIENTATION

R0012 AN OPTIMUM ORIENTATION FOR A PREVIOUSLY CALCULATED MANUEVER. THIS ORIENTATION MUST BE CALCULATED AND
 R0014 STORED BY A PREVIOUSLY SELECTED PROGRAM.

R0015 (B) NOMINAL ORIENTATION

R0016 X = UNITY X Z)
 R0017 -SM -SM -SM

R0018 Y = UNITY X R)
 R0019 -SM - -

R0020 Z = UNITY-R)
 R0021 -SM -

R0022 WHERE

R0023 R = THE GEOCENTRIC RADIUS VECTOR AT TIME T(ALIGN) SELECTED BY THE ASTRONAUT
 R0025 -

R0026 V = THE INERTIAL VELOCITY VECTOR AT TIME T(ALIGN) SELECTED BY THE ASTRONAUT
 R0028 -

R0029 (C) REFSMAT ORIENTATION

R0030 THIS SELECTION CORRECTS THE PRESENT IMU ORIENTATION. THE PRESENT ORIENTATION DIFFERS FROM THAT TO WHICH IT
 R0032 WAS LAST ALIGNED ONLY DUE TO GYRO DRIFT(I.E. NEITHER GIMBAL LOCK NOR IMU POWER INTERRUPTION HAS OCCURED
 R0034 SINCE THE LAST ALIGNMENT).

R0035 AFTER A IMU ORIENTATION HAS BEEN SELECTED ROUTINE S52.2 IS OPERATED TO COMPUTE THE GIMBAL ANGLES USING THE
 R0037 NEW ORIENTATION AND THE PRESENT VEHICLE ATTITUDE. CAL52A THEN USES THESE ANGLES, STORED IN THETA D,+1,+2, TO
 R0039 COARSE ALIGN THE IMU. THE STAR SELECTION ROUTINE, R56, IS THEN OPERATED. IF 2 STARS ARE NOT AVAILABLE AN ALARM
 R0041 IS FLASHED TO NOTIFY THE ASTRONAUT. AT THIS POINT THE ASTRONAUT WILL MANUEVER THE VEHICLE AND SELECT 2 STARS
 R0043 EITHER MANUALLY OR AUTOMATICALLY. AFTER 2 STARS HAVE BEEN SELECTED THE IMU IS FINE ALIGNED USING ROUTINE R51. IF
 R0045 THE RENDEZVOUS NAVIGATION PROCESS IS OPERATING(INDICATED BY RNDVZFLG) P20 IS DISPLAYED. OTHERWISE P00 IS
 R0047 REQUESTED.

R0048 CALLING SEQUENCE-

R0049 THE PROGRAM IS CALLED BY THE ASTRONAUT BY DSKY ENTRY.



L P51-P53

USER'S PAGE NO. 2 E0 S4

R0050 SUBROUTINES CALLED-

- | | | | |
|-------|-------------|-------------|--------------|
| R0051 | 1. FLAGDOWN | 7. SS2.2 | 13. NBNINDEX |
| R0052 | 2. R02BOTH | 8. CAL53A | 14. PRIOLARM |
| R0053 | 3. GOPERF4 | 9. FLAGUP | |
| R0054 | 4. MATMOVE | 10. R56 | |
| R0055 | 5. GOFLASH | 11. R51 | |
| R0056 | 6. SS2.3 | 12. GOPERF3 | |

R0057 NORMAL EXIT MODES-

R0058 EXITS TO ENDJOB

R0059 ALARM OR ABORT EXIT MODES-

R0060 NONE

R0061 OUTPUT-

- R0062 THE FOLLOWING MAY BE FLASHED ON THE DSKY
- R0063 1. IMU ORIENTATION CODE
 - R0064 2. ALARM CODE 215 -PREFERRED IMU ORIENTATION NOT SPECIFIED
 - R0065 3. TIME OF NEXT IGNITION
 - R0066 4. GIMBAL ANGLES
 - R0067 5. ALARM CODE 405 -TWO STARS NOT AVAILABLE
 - R0068 6. PLEASE PERFORM P00
- R0069 THE MODE DISPLAY MAY BE CHANGED TO 20

R0070 ERASABLE INITIALIZATION REQUIRED-

- R0071 PPRATFLG SHOULD BE SET IF A PREFERRED ORIENTATION HAS BEEN COMPUTED. IF IT HAS BEEN COMPUTED IT IS STORED IN
- R0073 XSMD,YSMD,ZSMD.
- R0074 RNDVZFLG INDICATES WHETHER THE RENDEZVOUS NAVIGATION PROCESS IS OPERATING.

R0076 DEBRIS-

R0077 WORK AREA

0078	REP	3	LAST	209	15,2000		P54	=	PROG52
0079					33,3772			BANK	33
0080	REP	1			15,2000			SETLOC	P50S
0081					15,2000			BANK	
0082	REP	4	LAST	450	30,2000			SBANK=	LOWSUPER
0083	REP	7	LAST	446	25,1773			EBANK=	SAC
0084	REP	1						COUNT	15/P52
0085	REP	63	LAST	683	15,2000	0 5301 0	PROG52	TC	PHASCHNG
0086					15,2001	00254 1		OCT	00254
0087	REP	46	LAST	690	15,2002	0 5447 0		TC	DOWNFLAG
00875	REP	19	LAST	639	15,2003	00027 1		ADRES	UPDATFLG

BIT 7 FLAG 1



L P51-P53

USER-S PAGE NO. 3 ES S3

0088	RESP	47	LAST	694	15,2004	0 5447 0
00885	RESP	7	LAST	639	15,2005	00031 0
0089	RESP	173	LAST	661	15,2006	0 4555 0
0090	RESP	6	LAST	647	15,2007	17573 0
0091	RESP	30	LAST	689	15,2010	3 4707 0
0092	RESP	37	LAST	629	15,2011	7 0076 1
0093	RESP	164	LAST	690	15,2012	10 000 0
0094	RESP	1			15,2013	0 2016 1
0095	RESP	31	LAST	688	15,2014	3 4711 1
0096	RESP	2	LAST	695	15,2015	0 2017 0
0097	RESP	53	LAST	690	15,2016	3 4712 1
0098	RESP	6	LAST	550	15,2017	55*132 1
0099	RESP	54	LAST	695	15,2020	3 4712 1
0100	RESP	174	LAST	695	15,2021	0 4555 0
0101	RESP	1			15,2022	21041 1
0102	RESP	42	LAST	648	15,2023	0 4106 1
0103	RESP				15,2024	0 2031 1
0104	RESP	1			15,2025	0 2020 1
0105	RESP	64	LAST	694	15,2026	0 5301 0
0106	RESP				15,2027	00014 1
0107	RESP	91	LAST	683	15,2030	0 5112 0
0108	RESP	9	LAST	695	15,2031	3 1132 0
0109	RESP	24	LAST	690	15,2032	7 6214 1
0110	RESP	165	LAST	695	15,2033	50 000 1
0111	RESP				15,2034	0 2035 0
0112	RESP	1			15,2035	0 2041 0
0113	RESP	1			15,2036	0 2110 0
0114	RESP	2	LAST	695	15,2037	0 2041 0
0115	RESP	1			15,2040	1 2120 1
0116	RESP				15,2041	0 0006 1
0117	RESP	13	LAST	652	15,2042	3 4714 1
0118	RESP	32	LAST	518	15,2043	53*046 0
0119	RESP	1			15,2044	3 2155 1
0120	RESP	175	LAST	695	15,2045	0 4555 0
0121	RESP	28	LAST	648	15,2046	20624 0
0122	RESP	43	LAST	695	15,2047	0 4106 1
0123	RESP				15,2050	0 2052 1
0124	RESP				15,2051	0 2044 0
0125	RESP				15,2052	0 0006 1
0126	RESP	33	LAST	695	15,2053	3 1046 1
0127	RESP				15,2054	0 0008 1
0128	RESP				15,2055	1 2057 0
0129	RESP				15,2056	1 2062 0
0130	RESP				15,2057	0 0006 1
0131	RESP	24	LAST	659	15,2060	3 0025 0
0132	RESP	34	LAST	695	15,2061	53*046 0
0133	RESP	10	LAST	695	15,2062	3 1132 0
0134	RESP	32	LAST	695	15,2063	7 4711 0
0135	RESP	166	LAST	695	15,2064	10 000 0

	TC	DOWNFLAG
	ADRES	TRACKPLG
	TC	BANKCALL
	CADR	R02BOTH
	CAP	BIT4
	MASK	STATE +2
	CCS	A
	TC	P52A
	CAP	BIT2
	TC	P52A +1
P52A	CAP	BIT1
	TS	OPTION2
P52B	CAP	BIT1
	TC	BANKCALL
	CADR	GOPERFAR
	TC	GOTOPOCH
	TC	+5
	TC	P52B
	TC	PHASCHNG
	OCT	00014
	TC	ENDOFJOB
	CA	OPTION2
	MASK	THREE
	INDEX	A
	TC	+1
	TC	P52T
	TC	P52J
	TC	P52T
	TCF	P52C
P52T	EXTEND	
	DCA	NEG0
	DXCH	DSPTM1
	CAP	V06N34
	TC	BANKCALL
	CADR	GOFLASH
	TC	GOTOPOCH
	TC	+2
	TC	-5
	EXTEND	
	DCA	DSPTM1
	EXTEND	
	BZF	+2
	TCF	+4
	EXTEND	
	DCA	TIME2
	DXCH	DSPTM1
	CA	OPTION2
	MASK	BIT2
	CCS	A

BIT 5 FLAG 1

IMU STATUS CHECK

IS PPRATPLG SET(PREFERRED ORIENTATION)

YES

NO

FLASH OPTION CODE AND ORIENTATION CODE

NEW CODE - NEW ORIENTATION CODE INPUT

L.S.

PREF

NOM

REF

L P51-P53									
0136				15,2065	1 2073 0	TCP	+8	NCM	
0137	REP	157	LAST 683	15,2066	0 8006 1	TC	INTPRET	LS	
0138				15,2067	77824 1	CALL			
0139	REP	1		15,2070	34508 0		P52LS		
0140				15,2071	77650 1	GOTO			
0141	REP	1		15,2072	32100 1		P52D		
0142	REP	158	LAST 696	15,2073	0 8006 1	TC	INTPRET		
0143				15,2074	77745 1	DLOAD			
0144	REP	35	LAST 695	15,2075	01046 1		DSPTM1		
0145				15,2076	77824 1	CALL			
0146	REP	1		15,2077	34638 0		S52.3		COMPUTE NOMINAL IMU
0147				15,2100	77824 1	P52D CALL			ORIENTATION
0148	REP	1		15,2101	22258 0		S52.2		READ VEHICLE ATTITUDE AND
0149				15,2102	77778 1	EXIT			COMPUTE GIMBAL ANGLES
0150	REP	1		15,2103	3 2158 1	CAP	VB08N22		
0151	REP	176	LAST 695	15,2104	0 4555 0	TC	BANKCALL		DISPLAY GIMBAL ANGLES
0152	REP	29	LAST 695	15,2105	20824 0	CADR	GOPFLASH		
0153	REP	44	LAST 695	15,2108	0 4108 1	TC	GOTOPOOH		
0154				15,2107	0 2113 0	TC	+4		PROCEED
0155	REP	159	LAST 696	15,2110	0 8008 1	P52J TC	INTPRET		RECYCLE- VEHICLE HAS BEEN MANEUVERED
0156				15,2111	77650 1	GOTO			
0157	REP	2	LAST 698	15,2112	32100 1		P52D		
0158	REP	160	LAST 696	15,2113	0 8006 1	TC	INTPRET		
0159				15,2114	77624 1	CALL			
0160	REP	1		15,2115	30756 0		CAL53A		DO COARSE ALIGN
0161				15,2116	77414 0	SET	EXIT		ROUTINE
0162	REP	5	LAST 611	15,2117	01462 0		REPSMFLG		
0163	REP	1		15,2120	3 4720 0	P52C CAP	ALRM15		
0164	REP	177	LAST 696	15,2121	0 4555 0	TC	BANKCALL		
0165	REP	3	LAST 641	15,2122	20751 0	CADR	GOPERF1		
0166	REP	45	LAST 696	15,2123	0 4108 1	TC	GOTOPOOH		
0167				15,2124	0 2126 0	TC	+2		V33
0168	REP	1		15,2125	0 2140 0	TC	P52P		E
0169	REP	161	LAST 696	15,2126	0 8008 1	TC	INTPRET		
0170				15,2127	43234 0	RTB	DAD		
0171	REP	19	LAST 612	15,2130	45505 0		LOADTIME		
0172	REP	1		15,2131	32178 0		TSIGHT1		
0173				15,2132	77624 1	CALL			
0174	REP	1		15,2133	30218 1		LOCSAM		
0175				15,2134	77778 1	EXIT			
0176	REP	178	LAST 696	15,2135	0 4555 0	P52E TC	BANKCALL		DO STAR SELECTION
0177	REP	1		15,2136	30324 1	CADR	PICAPAR		
0178	REP	1		15,2137	0 2145 0	TC	P52J		2 STARS NOT AVAILABLE
0179	REP	182	LAST 696	15,2140	0 8006 1	P52P TC	INTPRET		2 STARS AVAILABLE
0180				15,2141	77824 1	CALL			
0181	REP	2	LAST 209	15,2142	30523 0		R51		
0182				15,2143	77778 1	ENDP50S EXIT			
0183	REP	46	LAST 696	15,2144	0 4108 1	TC	GOTOPOOH		
0196	REP	27	LAST 678	15,2145	0 5537 0	P52I TC	ALARM		
0197				15,2146	00405 0	OCT	405		



L P51-P53

0198	REF	3	LAST	551	15,2147	3	4743	0	CAP	V05N09	
0199	REF	179	LAST	696	15,2150	0	4555	0	TC	BANKCALL	
0200	REF	30	LAST	696	15,2151	20824	0		CADR	GOFLASH	
0201	REF	47	LAST	696	15,2152	0	4108	1	TC	GOTOPOOH	
0202	REF	2	LAST	696	15,2153	0	2140	0	TC	P52P	
0203	REF	2	LAST	695	15,2154	0	2120	0	TC	P52C	
0204					15,2155	01442	1		V06N34	VN	00834
0205					15,2156	01426	0		V06N22	VN	00822
0206	REF	2	LAST	153	4720				ALRM15	EQUALS	OCT15
0207	REF	1			16,2000					SETLOC	P50S2
0208					16,2505					BANK	
0209					16,2505	01531	1		V06N89*	VN	0689

PROCEED - DO FINE ALIGN-R51
 RECYCLE- VEHICLE HAS BEEN MANUEVERED

R0210 NAME-P52LS
 R0211 FUNCTION - TO DISPLAY THE LANDING SITE LATITUDE,
 R0212 LONGITUDE AND ALTITUDE. TO ACCEPT NEW DATA VIA
 R0213 THE KEYBOARD. TO COMPUTE THE LANDING SITE
 R0214 ORIENTATION FOR P52 OR P54
 R0215
 R0216 LET'
 R0217 RLS = LANDING SITE VECTOR IN REF COORDINATES
 R0218 R = CSM POSITION VECTOR IN REF COORDINATES
 R0219 V = CSM VELOCITY VECTOR IN REF COORDINATES
 R0220 THEN THE LANDING SITE ORIENTATION IS'
 R0221 XSMO = UNIT(RLS)
 R0222 YSMO = UNIT(ZSMO)*XSMO
 R0223 ZSMO = UNIT(R*V)*RLS
 R0224 CALL - CALL
 R0225 P52LS
 R0226 INPUTS- DSPTM1=TIME OF ALIGNMENT
 R0227 RLS=LANDING SITE VECTOR IN MOON FIXED COORINATES
 R0228 OUTPUTS- XSMO,YSMO,ZSMO
 R0229 SUBROUTINES- RP-TO-R ,LAT-LONG,LLASRD,LLASRDA,CSMPREC
 R0230 DEBRIS- VAC, SEE SUBROUTINES

R0231					16,2506	43020	1	P52LS	STQ	SET
0232					16,2507	00300	1			QMAJ
0233	REF	2	LAST	70	16,2510	01463	1			LUNAFLAG
0234	REF	16	LAST	621	16,2511	77745	1		DLOAD	
0235					16,2512	01046	1			DSPTM1
0236	REF	36	LAST	696	16,2513	02607	1		STORE	TSIGHT
0237	REF	2	LAST	91	16,2514	43175	0		VLOAD	SET
0238					16,2515	02026	1			RLS
0239	REF	7	LAST	599	16,2516	00462	1			ERADFLAG
0240	REF	7	LAST	635	16,2517	14001	0		STODL	0D
0241					16,2520	02807	1			TSIGHT
0242	REF	3	LAST	697	16,2521	34007	1		STCALL	6D
0243					16,2522	55341	1			RP-TO-R
0244	REF	3	LAST	596	16,2523	77742	0		VSR2	
0245					16,2524	16152	0		STODL	ALPHAV
0246	REF	8	LAST	618	16,2525	02607	1			TSIGHT
0247	REF	4	LAST	697	16,2525	02607	1			

L P51-P53

0248				16,2526	77624	1	CALL	
0249	RESP	4	LAST	599	16,2527	28322	0	LAT-LONG
0252				16,2530	77624	1	CALL	
0253	RESP	2	LAST	599	16,2531	61336	0	LLASRD
0254				16,2532	77776	1	EXIT	
0255	RESP	1			16,2533	3 2505	0	LSDISP
0256	RESP	180	LAST	697	16,2534	0 4555	0	CAP
0257	RESP	31	LAST	697	16,2535	20624	0	TC
0258	RESP	48	LAST	697	16,2536	0 4106	1	CADR
0259				16,2537	0 2541	0	TC	GOTOPOCH
0260	RESP	1			16,2540	0 2533	0	TC
0261	RESP	163	LAST	698	16,2541	0 6006	1	TC
0262				16,2542	77624	1	CALL	INTPRET
0263	RESP	3	LAST	614	16,2543	61345	1	LLASDA
0264				16,2544	45145	0	DLOAD	CALL
0265	RESP	5	LAST	697	16,2545	02607	1	TSIGHT
0266	RESP	5	LAST	635	16,2546	26373	1	LALOTORV
0267				16,2547	53575	0	VLOAD	UNIT
0268	RESP	9	LAST	697	16,2550	02152	0	ALPHAV
0269	RESP	3	LAST	71	16,2551	14307	0	STODL
0270	RESP	6	LAST	698	16,2552	02607	1	XSMO
0271	RESP	38	LAST	668	16,2553	34041	0	STCALL
0272	RESP	5	LAST	598	16,2554	27022	1	IDEC1
0273				16,2555	47375	0	VLOAD	CMPREC
0274	RESP	22	LAST	668	16,2556	00001	0	VXV
0275	RESP	18	LAST	668	16,2557	00007	0	RATT
0276				16,2560	53435	0	VXV	UNIT
0277	RESP	4	LAST	698	16,2561	00307	0	XSMO
0278	RESP	2	LAST	71	16,2562	00323	0	STORE
0279				16,2563	53435	0	VXV	UNIT
0280	RESP	5	LAST	698	16,2564	00307	0	XSMO
0281	RESP	3	LAST	71	16,2565	34315	1	STCALL
0282	RESP	3	LAST	697	16,2566	00300	1	YMDJ
0283	RESP	1			14,2000			QMAJ
0284				14,2002				SETLOC
R0285	NAME- AUTOMATIC OPTICS POSITIONING ROUTINE							
R0286	FUNCTION- (1) TO POINT THE STAR LOS OF THE OPTICS AT A STAR OR LANDMARK DEFINED BY THE PROGRAM OR BY DSKY INPUT.							
R0288	(2) TO POINT THE STAR LOS OF THE OPTICS AT THE LEM DURING RENDEZVOUS TRACKING OPERATIONS.							
R0290	CALLING SEQUENCE- CALL R52							
R0291	INPUT- 1. TARG1FLG AND TARG2FLG- PRESET BY CALLER							
R0292	2. RNDVZFLG AND TRACFLG- PRESET BY CALLER							
R0293	3. STAR CODE- PRESET BY CALLER. ALSO INPUT THROUGH DSKY							
R0294	4. LAT, LONG AND ALT OF LANDMARK- INPUT THROUGH DSKY							
R0295	5. NO. OF MARKS(MARKINDX)- PRESET BY CALLER							
R0296	OUTPUT- DRIVE SHAFT AND TRUNNION CDUS							

L P51-P53

USER=3 PAGE NO. 7 R5 83

R0297 SUBROUTINES- 1. FIXDELAY 7. CLEANDSP
 R0298 2. GOPERF1 8. GODSPR
 R0299 3. GOFLASH 9. REFLASHR
 R0300 4. R53 10. R52.2
 R0301 5. ALARM 11. R52.3
 R0302 6. SR52.1

0303	REF	1				COUNT	15/R52		
0304				14,2002	43020	1	R52	STQ	CLEAR
0305	REF	2	LAST	91	14,2003	02576	1		SAVQR52
0306	REF	1			14,2004	04265	1		ADVTRK
0307					14,2005	77778	1	R52VRB	EXIT
0308					14,2006	0 0006	1		EXTEND
0309	REF	8	LAST	500	14,2007	3 0036	1		DCA
0310	REF	6	LAST	446	14,2010	53=161	1		DxCH
0311	REF	164	LAST	698	14,2011	0 8006	1		TC
0312					14,2012	43131	0		SSP
0313	REF	25	LAST	686	14,2013	01304	1		CLEAR
0314					14,2014	00000	1		OPTIND
0315	REF	1			14,2015	00271	0		0
0316					14,2016	77778	1		R53FLAG
0317	REF	165	LAST	699	14,2017	0 6006	1	R52A	EXIT
0318					14,2020	43014	0		TC
0319	REF	1			14,2021	00073	0		SET
0320	REF	4	LAST	610	14,2022	00705	0		INTPRET
0321	REF	1			14,2023	30103	0		BCN
0322					14,2024	77414	0		TRUNFLAG
0323	REF	1			14,2025	03660	1		TARG1FLG
0324	REF	8	LAST	236	14,2026	3 1314	0	R52C	R52H
0325					14,2027	0 0006	1		CLEAR
0326	REF	1			14,2030	6 2131	0		EXIT
0327	REF	181	LAST	698	14,2031	0 4555	0	R52D	TERMIFLG
0328	REF	1			14,2032	26176	0		CA
0329	REF	1			14,2033	1 2161	1		EXTEND
0330	REF	1			14,2034	1 2124	0		BZMP
0331	REF	43	LAST	663	14,2035	0 5435	0		R52M
0332	REF	2	LAST	699	14,2036	00013	0		TC
0333	REF	29	LAST	689	14,2037	3 4701	0	R52JA	RANKCALL
0334	REF	38	LAST	695	14,2040	7 0075	1		CADR
0335	REF	167	LAST	695	14,2041	10 000	0		SR52.1
0336	REF	1			14,2042	0 2052	1		TOP
0337	REF	33	LAST	550	14,2043	3 4705	1		R52L
0338	REF	39	LAST	699	14,2044	7 0074	0		R52J
0339	REF	168	LAST	699	14,2045	10 000	0		UPFLAG
0340	REF	2	LAST	699	14,2046	1 2052	0		ADRES
0341	REF	1			14,2047	3 2151	0		TRUNFLAG
0342	REF	182	LAST	699	14,2050	0 4555	0		CAP
0343	REF	2	LAST	384	14,2051	20602	1		BIT10
0344	REF	9	LAST	699	14,2052	3 1314	0	R52E	STATE +1

IS OPTICS MODE IN AGC

MANUAL
AGC

GR 90 DEGREES
GR 50 DEGREES
LS 50 DEGREES
SET TRUNFLAG BIT 4 FLAG 0
IS THIS A LEM

YES
NO, IS R53FLAG SET

YES
NO

IS OSS IN CMC MODE

L P51-P53

USER'S PAGE NO. 9 E5 S3

0387	REP	48	LAST	700	14,2132	7 0074 0		MASK	STATE	
0388	REP	173	LAST	700	14,2133	10 000 0		CCS	A	
0389	REP	3	LAST	700	14,2134	0 2065 0		TC	R52P	YES
0390					14,2135	0 0004 0		INHINT		NO
0391	REP	1			14,2136	3 7661 1		CAP	PRIO24	
0392	REP	26	LAST	665	14,2137	0 5042 1		TC	FINDVAC	
0393	REP	9	LAST	700	E5,1773			EBANK-	SAC	
0394	REP	1			14,2140	0 2144 1		ZCADR	R53JOB	
0394	REP	1			14,2141	30065 1				
0395					14,2142	0 0003 1		RELINT		
0396	REP	4	LAST	701	14,2143	1 2065 1		TCP	R52P	
0397	REP	167	LAST	700	14,2144	0 6008 1	R53JOB	TC	INIPRET	
0398					14,2145	77624 1		CALL		
0399	REP	2	LAST	611	14,2146	31322 0			R53	
0400					14,2147	77776 1	ENDPLAC	EXIT		INTERPRETER RETURN TO ENDOFJOB(R22 USES)
0401	REP	92	LAST	695	14,2150	0 5112 0		TC	ENDOFJOB	
0402					14,2151	01534 1	V06N92	VN	00692	
0403					14,2152	01531 1	V06N89A	VN	0689	
0404					14,2153	10464 0	SHAXIS	ZDEC	.5376381241	B-1
0404					14,2154	12470 1				
0405					14,2155	00000 1		ZDEC	0	
0405					14,2156	00000 1				
0406					14,2157	15373 1		ZDEC	.8431766920	B-1
0406					14,2160	11554 0				
0407	REP	32	LAST	700	14,2161	3 4701 0	R52L	CAP	BIT10	IS THIS A LEM
0408	REP	47	LAST	701	14,2162	7 0075 1		MASK	STATE +1	
0409	REP	174	LAST	701	14,2163	10 000 0		CCS	A	
0410	REP	2	LAST	699	14,2164	0 2124 1		TC	R52J	YES
0411	REP	1			14,2165	3 2174 1		CAP	OCT404	
0412	REP	185	LAST	700	14,2166	0 4555 0		TC	BANKCALL	
0413	REP	1			14,2167	21671 1		CADR	PRIOCLARM	
0414	REP	2	LAST	226	14,2170	1 2176 1		TCP	TERM52	TERMINATE
0415	REP	5	LAST	701	14,2171	1 2065 1		TCP	R52P	PROCEED
0416	REP	6	LAST	701	14,2172	1 2065 1		TCP	R52P	NO PROVISION FOR NEW DATA
0417	REP	93	LAST	701	14,2173	1 5112 1		TCP	ENDOFJOB	
0418					14,2174	00404 1	OCT404	OCT	404	
04185					14,2175	00264 1	1.8SEC	DEC	180	
0419	REP	3	LAST	226	14,2176	0 5425 1	TERM52	TC	CLEARMRK	
0421	REP	186	LAST	701	14,2177	0 4555 0		TC	BANKCALL	KILL MARK SYSTEM
0422	REP	6	LAST	590	14,2200	16063 0		CADR	MKRELEAS	
0423	REP	143	LAST	689	14,2201	.3 4714 1		CAP	ZERO	
0424	REP	3	LAST	236	14,2202	55*323 0		TS	OPTCADR	
0425	REP	187	LAST	701	14,2203	0 4555 0		TC	BANKCALL	CLEAR OUT EXTENDED VERRS



L P51-P53

USBR=S PAGE NO. 10 E5 S3

0426	REP	3	LAST	563	14,2204	20484	0	CADR	KLEBEX
0427	REP	49	LAST	698	14,2205	0	4108	TC	GOTOPOOH
0428					14,2206	43020	1	ADVORB	STO
0429	REP	4	LAST	700	14,2207	02576	1		SET
0430	REP	2	LAST	699	14,2210	04085	0		SAVORS2
0431					14,2211	43014	0		ADVTRK
0432	REP	17	LAST	697	14,2212	01463	1		SET
0433	REP	8	LAST	697	14,2213	00462	1		LUNAPLAG
0434					14,2214	77650	1		ERADPLAG
0435	REP	1			14,2215	30005	1	GOTO	R52VRB

NOW GO TO POO

SETS UP ADVANCED ORBIT TRACKING

L P51-P53

USER'S PAGE NO. 11 ES 93

R0436 NAME -SSO ALIAS LOCSAM
R0437 NAME- LOCSAM
R0438 FUNCTION -TO COMPUTE QUANTITIES LISTED BELOW ,USED IN THE
R0439 IMU ALIGNMENT PROGRAMS
R0440 DEFINE'
R0441 RATT=POSITION VECTOR OF CM WRT PRIMARY BODY
R0442 VATT=VELOCITY VECTOR OF CM WRT PRIMARY BODY
R0443 RE =RADIUS OF EARTH
R0444 RM =RADIUS OF MOON
R0445 ECLIPOL= POLE OF ECLIPTIC SCALED BY TANGENTIAL VELOCITY OF EARTH
R0446 WRT TO SUN OVER THE VELOCITY OF LIGHT
R0447 REM =POSITION OF MOON WRT EARTH
R0448 RES =POSITION OF SUN WRT EARTH
R0449 C = VELOCITY OF LIGHT
R0450
R0451
R0452 EARTH IS PRIMARY MOON IS PRIMARY
R0453
R0454 VEARTH=-1(RATT) VEAARTH=-1(REM+RATT)
R0455
R0456
R0457 VMOON= 1(REM-RATT) VMOON =-1(RATT)
R0458
R0459
R0460 VSUN = 1(RES) VSUN =1(RES-REM)
R0461
R0462
R0463 CEARTH=COS(SIN (RE/RATT)+5) CEARTH=COS 5
R0464
R0465
R0466 CMOON= COS 5 CMOON=COS(SIN CRM/RATT)+5)
R0467
R0468
R0469 CSUN = COS 15 CSUN = COS 15
R0470
R0471
R0472 VEL/C = VSUN X ECLIPOL + VATT/C
R0473
R0474
R0475
R0476 CALL - DLOAD CALL
R0477 DESIRED TIME
R0478 LOCSAM
R0479 INPUTS - MPAC = TIME
R0480
R0481 OUTPUTS- VEARTH,VMOON,VSUN,CEARTH,CMOON,CSUN,VEL/C
R0482
R0483 SUBROUTINES- LSPOS,CSMCONIC
R0484
R0485 DEBRIS - VAC AREA,SEE SUBROUTINES



L P51-P53

USER=8 PAGE NO. 12 PS 83

Address	Operation	Count	Address	Count	Operation
R0486					
0487	REP 2 LAST 698	14,2000			SETLOC P5031
0488		14,2216			BANK
0489	REP 1				COUNT* \$\$/550
0490	REP 1	14,2216	LOCSAM	=	550
0491		14,2216	550	STO	
0492	REP 4 LAST 698	14,2217			QMAJ
0493	REP 7 LAST 698	14,2220		STCALL	TSIGHT
0494	REP 1	14,2221			LSPOS
0495	REP 2 LAST 93	14,2222		STOVL	VMOON
0496		14,2223			2D
0497	REP 2 LAST 93	14,2224		STODL	VSUN
0498	REP 8 LAST 704	14,2225			TSIGHT
0499	REP 39 LAST 698	14,2226		STCALL	TDEC1
0500	REP 5 LAST 586	14,2227			CSMCONIC
0501		14,2230		SSP	TIX,2
0502	REP 10 LAST 624	14,2231			S2
0503		14,2232			0
0504	REP 1	14,2233			MOONCNTR
0505		14,2234		EARTCNTR	VLOAD
0506	REP 3 LAST 704	14,2235			VSU
0507	REP 23 LAST 698	14,2236			VMOON
0508		14,2237			RATT
0509	REP 4 LAST 704	14,2240		UNIT	
0510	REP 24 LAST 704	14,2241		STOVL	VMOON
0511		14,2242			RATT
0512	REP 3 LAST 93	14,2243		UNIT	VCOMP
0513	REP 1	14,2244		STODL	VEARTH
0514		14,2245			RSUBE
0515	REP 1	14,2246		CALL	
0516	REP 1	14,2247			OCCOS
0517	REP 1	14,2250		STODL	CEARTH
0518	REP 1	14,2251			CSS5
0519	REP 3 LAST 704	14,2252		STOVL	CMOON
0520		14,2253			VSUN
0521	REP 4 LAST 704	14,2254		UNIT	
0522	REP 1	14,2255		STCALL	VSUN
0523		14,2256			ENDSAM
0524	REP 5 LAST 704	14,2257		MOONCNTR	VLOAD
0525		14,2260			VSR8
0526	REP 5 LAST 704	14,2261			VMOON
0527		14,2262		VSR1	BVSU
0528	REP 6 LAST 704	14,2263			VSUN
0529	REP 6 LAST 704	14,2264		UNIT	
0530		14,2265		STOVL	VSUN
0531	REP 25 LAST 704	14,2266			VMOON
0532		14,2267		VAD	UNIT
0533	REP 4 LAST 704	14,2270			RATT
				VCOMP	
				STOVL	VEARTH



ASSEMBLE REVISION 249 OF AGC PROGRAM COLOSSUS BY NASA 2021111-041

20'35 OCT. 28, 1968 PANDORA .080 PAGE 706

L P51-P53

USBR-S PAGE NO. 14 E5 S3

0575
0575

15,2201 07564 1 CSSUN 2DEC .24148
15,2202 15042 0

COS 15 /4

L P51-P53

USER'S PAGE NO. 15 E5 S3

R0576 PROGRAM NAME - PICAPAR DATE DEC 20 68
 R0577 MOD 1 LOG SECTION P51-P53
 R0578 ASSEMBLY SUNDISK REV40

R0579 BY KEN VINCENT

R0580

R0581 FUNCTION

R0582 THIS PROGRAM READ THE IMU-CDUS AND COMPUTES THE VEHICLE ORIENTATION
 R0583 WITH RESPECT TO INERTIAL SPACE. IT THEN COMPUTES THE SHAFT AXIS (SAX)
 R0584 WITH RESPECT TO REFERENCE INERTIAL. EACH STAR IN THE CATALOG IS TESTED
 R0585 TO DETERMINE IF IT IS OCCULTED BY EITHER THE EARTH, SUN OR MOON. IF A
 R0586 STAR IS NOT OCCULTED THEN IT IS PAIRED WITH ALL STAR OF LOWER INDEX.
 R0587 THE PAIRED STAR IS TESTED FOR OCCULTATION. PAIRS OF STARS THAT PASS
 R0588 THE OCCULTATION TESTS ARE TESTED FOR GOOD SEPARATION. A PAIR OF STARS
 R0589 HAVE GOOD SEPARATION IF THE ANGLE BETWEEN THEM IS LESS THAN 66DEGREES
 R0590 AND MORE THAN 40DEGREES. THOSE PAIRS OF STARS WITH GOOD SEPARATION
 R0591 ARE THEN TESTED TO SEE IF THEY LIE IN CURRENT FIELD OF VIEW (WITHIN
 R0592 33DEGREES OF SAX). THE PAIR WITH MAXIMUM SEPARATION IS CHOSEN FROM
 R0593 THOSE WITH GOOD SEPARATION, AND IN FIELD OF VIEW.

R0594 CALLING SEQUENCE

R0595 L TC BANKCALL
 R0596 L+1 CADR PICAPAR
 R0597 L+2 ERROR RETURN - NO STARS IN FIELD OF VIEW
 R0598 L+3 NORMAL RETURN

R0600

R0601 OUTPUT

R0602 BESTI, BESTJ - SINGLE PREC, INTEGERS, STAR NUMBERS TIMES 6
 R0603 VFLAG - FLAG BIT SET IMPLIES NO STARS IN FIELD OF VIEW

R0604

R0605 INITIALIZATION

R0606 1) A CALL TO LOCSAM MUST BE MADE
 R0607 2) VEARTH = -UNIT(R) WHERE R HAS BEEN UPDATED TOO APPROXIMATE TIME OF
 R0608 SIGHTINGS.

R0609

R0610 DEBRIS

R0611 WORK AREA

R0612 X, Y, ZNB

R0613 SINCDU, COSCDU

R0614 STARAD - STAR +5

R0615

REP	1								COUNT	14/PICAP
0616	REP	3	LAST	704	14,2000				SETLOC	P50S1
0617					14,2324				BANK	
0618	REP	3	LAST	584	14,2324	0	4804	1	PICAPAR	TC MAKECADR
0619	REP	3	LAST	554	14,2325	55	777	0	TS	CMIN
0620	REP	168	LAST	701	14,2326	0	6006	1	TC	INTPRET
0621					14,2327		77624	1	CALL	
0622	REP	6	LAST	673	14,2330		47432	1	CALL	CDUTRIG
0623					14,2331		77624	1		
0624	REP	1			14,2332		34587	1	CALL	CALCSMSC



L P51-P53

USER=S PAGE NO. 16 E5 83

0625				14,2333	77601 0
0626				14,2334	00001 0
0627				14,2335	71214 0
0628	REP	1		14,2336	01465 1
0629	REP	1		14,2337	11456 0
0630	REP	8	LAST 611	14,2340	24303 1
0631	REP	4	LAST 424	14,2341	02714 1
0632				14,2342	63361 0
0633	REP	1		14,2343	30502 0
0634	REP	4	LAST 417	14,2344	02730 1
0635				14,2345	74370 0
0636				14,2346	00344 1
0637	REP	1		14,2347	30504 0
0638				14,2350	77655 1
0639				14,2351	53505 1
0640	REP	21	LAST 677	14,2352	01736 1
0641	REP	1		14,2353	02760 1
0642				14,2354	66331 0
0643	REP	25	LAST 636	14,2355	00051 0
0644				14,2356	00006 1
0645	REP	11	LAST 704	14,2357	00052 0
0646				14,2360	00006 1
0647				14,2361	52100 1
0648	REP	1		14,2362	30364 0
0649	REP	1		14,2363	30513 0
0650				14,2364	45173 0
0651	REP	2	LAST 622	14,2365	31744 1
0652	REP	1		14,2366	30457 1
0653				14,2367	73014 0
0654	REP	4	LAST 283	14,2370	01710 0
0655	REP	1		14,2371	30361 0
0656	REP	31	LAST 676	14,2372	00046 0
0657				14,2373	52104 0
0658	REP	1		14,2374	30376 0
0659	REP	2	LAST 708	14,2375	30361 0
0660				14,2376	45173 0
0661	REP	3	LAST 708	14,2377	46033 0
0662	REP	2	LAST 708	14,2400	30457 1
0663				14,2401	76614 0
0664	REP	5	LAST 708	14,2402	01710 0
0665	REP	1		14,2403	30373 0
0666	REP	4	LAST 708	14,2404	31744 1
0667				14,2405	45237 0
0668	REP	5	LAST 708	14,2406	46033 0
0669	REP	1		14,2407	30506 1
0670				14,2410	43240 0
0671	REP	2	LAST 708	14,2411	30373 0
0672	REP	1		14,2412	30510 0
0673				14,2413	77644 1
0674	REP	3	LAST 708	14,2414	30373 0

```

SETPD 0
SET DLOAD VFLAG = 1
DPZERO
STOVL BESTI
VXSC XNB PDVL SIN33 ZNB
AXT,1 VXSC 228D COS33
VAD
VXM UNIT REFSMAT
STORE SAX SSP S1 S2 S3
TIX,1 GOTO PIC2
VLOAD* CALL CATLOG,1 OCCULT
BQN LXA,2 CULTFLAG PIC1 X1 GOTO PIC4
TIX,2 GOTO PIC1
VLOAD* CALL CATLOG,2 OCCULT
BQN VLOAD* CULTFLAG PIC3 CATLOG,1
DOT* DSJ CATLOG,2
BQN DAD CSS66
BPL PIC3

```

X1 = 37 X 6 + 6
 SAX = SHAFT AXIS
 S1=S2=6
 MAJOR STAR
 SEPERATION LESS THAN 66 DEG.
 SEPERATION MORE THAN 40 DEG.



L P51-P53

USER=8 PAGE NO. 17 E5 S3

0675				14,2415	50373 0	VLOAD*	DOT
0676	REP	6	LAST	708	14,2416	31744 1	CATLOG,1
0677	REP	2	LAST	708	14,2417	02780 1	SAX
0678				14,2420	50025 0	DSU	BMN
0679	REP	1		14,2421	30512 1		MAJOR STAR IN CONE
0680	REP	3	LAST	708	14,2422	30381 0	CSS33
0681				14,2423	50373 0		PIC1
0682	REP	7	LAST	709	14,2424	46033 0	VLOAD*
0683	REP	3	LAST	709	14,2425	02780 1	CATLOG,2
0684				14,2426	51025 1		SAX
0685	REP	2	LAST	709	14,2427	30512 1	DSU
0686	REP	1		14,2430	30433 0		BPL
0687				14,2431	77650 1		CSS33
0688	REP	4	LAST	708	14,2432	30373 0	STRATGY
0689				14,2433	77614 1		STRATGY
0690	REP	2	LAST	708	14,2434	01605 0	BONCLR
0691	REP	1		14,2435	30452 1		VFLAG
0692				14,2436	65120 1		NEWPAR
0693	REP	9	LAST	708	14,2437	00302 0	XCHK,1
0694	REP	2	LAST	70	14,2440	00303 1	XCHK,2
0695				14,2441	47773 1		BESTI
0696	REP	8	LAST	709	14,2442	31744 1	BESTJ
0697	REP	9	LAST	709	14,2443	46033 0	STRAT
0698				14,2444	43008 0		VLOAD*
0699	REP	3	LAST	709	14,2445	01545 1	CATLOG,1
0700	REP	1		14,2446	30436 0		CATLOG,2
0701				14,2447	45345 1		BOPINV
0702				14,2450	77644 1		VFLAG
0703	REP	5	LAST	709	14,2451	30373 0	STRAT -3
0704				14,2452	87130 1		DSU
0705	REP	10	LAST	709	14,2453	00302 0	BPL
0706	REP	3	LAST	709	14,2454	00303 1	PIC3
0707				14,2455	77650 1		SKA,1
0708	REP	6	LAST	709	14,2456	30373 0	SKA,2
0709				14,2457	51321 0		BESTI
0710	REP	1		14,2460	02736 1		BESTJ
0711	REP	1		14,2461	00017 1		GOTO
0712				14,2462	77654 0		PIC3
0713	REP	1		14,2463	30476 1		BVSU
0714				14,2464	75240 0		CULTRIX
0715	REP	2	LAST	709	14,2465	30476 1	CSS
0716	REP	272	LAST	683	14,2466	00160 0	BZE
0717				14,2467	75240 0		CULTED
0718	REP	3	LAST	709	14,2470	30476 1	SIGN
0719	REP	273	LAST	709	14,2471	00162 1	CULTED
0720				14,2472	43040 1		MPAC +3
0721	REP	4	LAST	709	14,2473	30476 1	SIGN
0722	REP	6	LAST	708	14,2474	01630 0	CULTED
0723	REP	13	LAST	624	14,2475	00052 0	MPAC +5
0724				14,2476	77614 1		CLRGO
							CULTED
							SETGO

L P51-P53

USER=3 PAGE NO. 19 E5 53

P0742 NAME-R51 FINE ALIGN
 R0743 FUNCTION-TO ALIGN THE STABLE MEMBER TO REFSMAT
 R0744 CALLING SEQ- CALL R51
 R0745 INPUT- BESTI,BESTJ(PAIR OF STAR NO)
 R0746 OUTPUT- GYRO TORQUE PULSES
 R0747 SUBROUTINES- R52,R54,R55(SXINB,NBSM,AXISGEN)
 0748 RESP 1

COUNT 14/R51

0749				14,2523	77776	1	R51
0750	REP	55	LAST	695	14,2524	3 4712	1
0751	REP	4	LAST	610	14,2525	54 304	1
0752	REP	6	LAST	610	14,2526	54 301	1
0753	REP	189	LAST	707	14,2527	0 6008	1
0754				14,2530	43014	0	R51.2
0755	REP	3	LAST	610	14,2531	00866	1
0756	REP	5	LAST	699	14,2532	00865	1
0757				14,2533	77778	1	R51.3
0758	REP	65	LAST	695	14,2534	0 5301	0
0759				14,2535	05024	1	
0760				14,2536	13000	0	
0761	REP	5	LAST	711	14,2537	50 304	0
0762	REP	11	LAST	709	14,2540	3 0302	0
0763				14,2541	0 0008	1	
0764	REP	1			14,2542	7 2701	1
0765	REP	6	LAST	611	14,2543	54 735	1
0766	REP	1			14,2544	3 2700	1
0767	REP	188	LAST	701	14,2545	0 4555	0
0768	REP	15	LAST	661	14,2546	20763	1
0769	REP	50	LAST	702	14,2547	0 4108	1
0770				14,2550	0 2555	0	
0771				14,2551	0 2544	0	
0772	REP	24	LAST	649	14,2552	3 6211	0
0773	REP	13	LAST	617	14,2553	0 5415	1
0774	REP	94	LAST	701	14,2554	1 5112	1
0775	REP	170	LAST	711	14,2555	0 6006	1
0776				14,2556	45034	1	
0777	REP	20	LAST	696	14,2557	45505	0
0778	REP	1			14,2560	32363	0
0779				14,2561	72131	1	
0780	REP	26	LAST	708	14,2562	00051	0
0781				14,2563	00000	1	
0782	REP	6	LAST	711	14,2564	00304	0
0783				14,2565	77700	0	
0784	REP	1			14,2566	30571	1
0785	REP	3	LAST	611	14,2567	36617	1
0786	REP	2	LAST	711	14,2570	30572	1
0787	REP	2	LAST	91	14,2571	02611	0
0788				14,2572	77776	1	R51ST
0789	REP	12	LAST	644	14,2573	4 1011	1
0790	REP	1			14,2574	6 2677	0

EXIT
 CAP BIT1
 TS STARIND
 TS MARKINDX
 TC INTPRET
 CLEAR CLEAR
 TARG2FLG
 TARG1FLG
 EXIT
 TC PHASCHNG
 OCT 05024
 OCT 13000
 INDEX STARIND
 CA BESTI
 EXTEND
 MP 1/6TH
 TS STARCODE
 CAP V01N70
 TC BANKCALL
 CADR GOFLASHR
 TC GOTOPOOH
 TC +5
 TC -5
 CAP SIX
 TC BLANKET
 TCF ENDOFJOB
 TC INTPRET
 RTB CALL
 LOADTIME
 PLANET
 SSP LXA,1
 S1
 0
 STARIND
 TIX,1
 R51ST
 STCALL STARS2V2
 R51ST +1
 STORE STARS2V1
 EXIT
 CS MODREG
 AD OCT66

RESTART GR 4 FOR R52 - R53

2ND STAR
 1ST STAR
 IS THIS P54

L P51-P53

USER=8 PAGE NO. 20 E5 S3

0791				14,2575	0 0008	1	
0792	REP	1		14,2576	1 2872	1	
0793	REP	171	LAST	711	14,2577	0 8008	1
0794				14,2600	77824	1	
0795	REP	4	LAST	613	14,2601	30002	0
0796				14,2602	77824	1	
0797	REP	1		14,2603	31266	1	
0798	REP	4	LAST	711	14,2604	02817	0
0799				14,2605	77776	1	
0800	REP	189	LAST	711	14,2606	0 4555	0
0801	REP	7	LAST	701	14,2607	16083	0
0802	REP	172	LAST	712	14,2610	0 8008	1
0803				14,2611	45145	0	
0804	REP	9	LAST	704	14,2612	02807	1
0805	REP	2	LAST	711	14,2613	32363	0
0806				14,2614	77776	1	
0807	REP	7	LAST	711	14,2615	10 304	1
0808	REP	1		14,2618	0 2857	1	
0809	REP	173	LAST	712	14,2617	0 8008	1
0810				14,2620	53521	1	
0811	REP	22	LAST	708	14,2621	01738	1
0812	REP	5	LAST	443	14,2622	02738	1
0818				14,2623	77775	1	
0819	REP	5	LAST	712	14,2624	02817	0
0820				14,2625	24007	0	
0821	REP	3	LAST	711	14,2626	02811	0
0822				14,2627	24015	0	
0823	REP	2	LAST	91	14,2630	02601	1
0824	REP	6	LAST	712	14,2631	38744	0
0825	REP	1		14,2632	30702	1	
0826				14,2633	45014	0	
0827	REP	1		14,2634	00354	0	
0828	REP	1		14,2635	30843	0	
0829	REP	2	LAST	444	14,2636	47334	0
0830				14,2637	77824	1	
0831	REP	1		14,2640	32203	1	
0832				14,2641	77614	1	
0833	REP	2	LAST	640	14,2642	01273	0
0834				14,2643	77776	1	
0835	REP	2	LAST	155	14,2644	3 5856	1
0836	REP	190	LAST	712	14,2645	0 4555	0
0837	REP	4	LAST	896	14,2646	20751	0
0838	REP	51	LAST	711	14,2647	0 4108	1
0839				14,2650	0 2652	1	
0840				14,2651	0 2654	1	
0841	REP	191	LAST	712	14,2652	0 4555	0
0842	REP	3	LAST	897	14,2653	32120	0
0843	REP	174	LAST	712	14,2654	0 6008	1
0844				14,2655	77650	1	
0845	REP	1		14,2656	32143	0	

EXTEND	
BZF	R51B
TC	INTPRET
CALL	
	R52
CALL	
	SXTSM
STORE	STARSAV2
EXIT	
TC	BANKCALL
CADR	MKRELEAS
TC	INTPRET
DLOAD	CALL
	TSIGHT
	PLANET
EXIT	
CCS	STARIND
TC	R51.4
TC	INTPRET
MOV	UNIT
	REFSMAT
STORE	STARAD
VLOAD	
	STARSAV2
STOVL	6D
	STARSAV1
STOVL	12D
	PLANVEC
STCALL	STARAD +8
	R54
BOFF	CALL
	FREEFLAG
	R51K
	AXISGEN
CALL	
	R55
CLEAR	
	PPRATPLG
EXIT	
CAF	OCT14
TC	BANKCALL
CADR	GOPERF1
TC	GOTOPOCH
TC	+2
TC	+3
TC	BANKCALL
CADR	P52C
TC	INTPRET
GOTO	
	ENDP50S

YES

AOP WILL MAKE CALLS TO SIGHTING
COMPUTE LOS IN SM FROM MARK DATA

STAR DATA TEST

GYRO TORQUE

V33



L P51-P53

USER-S PAGE NO. 21 E5 S3

0846	REP	175	LAST	712	14,2657	0 6006	1	R51.4	TC	INTPRET
0847					14,2660	53521	1		MOV	UNIT
0848	REP	23	LAST	712	14,2601	01736	1			REFSMAT
0849	REP	3	LAST	712	14,2662	26601	1		STOVL	PLANVEC
0850	REP	6	LAST	712	14,2663	02617	0			STARSAV2
0851	REP	4	LAST	712	14,2664	02611	0		STORE	STARSAV1
0852					14,2665	77731	1		SSP	
0853	REP	8	LAST	712	14,2306	00305	1			STARIND
0854					14,2667	00000	1			0
0855					14,2670	77650	1		GOTO	
0856	REP	1			14,2671	30530	1			R51.3
0857	REP	176	LAST	713	14,2672	0 6006	1	R51B	TC	INTPRET
0858					14,2673	77624	1		CALL	
0859	REP	1			14,2674	32252	0			R56
0860					14,2675	77650	1		GOTO	
0861	REP	1			14,2676	30602	0			R51A
0862					14,2677	00066	1	OCT66	OCT	00066
0863					14,2700	00306	1	V01N70	VN	0170
0864					14,2701	05253	0	1/6TH	DEC	.1666667

L P51-P53

USER=8 PAGE NO. 22 E5 83

```

R0865 R55- R55 GYRO TORQUE
R0866 FUNCTION-COMPUTE AND SEND GYRO PULSES
R0867 CALLING SEQ- CALL R55
R0868 INPUT- X,Y,ZDC- REFSM*AT WRT PRESENT STABLE MEMBER
R0869 OUTPUT- GYRO PULSES
R0870 SUBROUTINES- CALCOTA,GOFLASH,GODSPR,IMUPINE,IMUPULSE,GOPERF1
R0870 R55 3 LAST 705 15,2000 SETLOC P508
R0871 R55 15,2203 BANK
R08715 R55 1 COUNT* SS/R55
R0872 R55 15,2203 77620 0 R55 STO
R0873 R55 6 LAST 710 15,2204 02777 1 QMIN
R0874 R55 15,2205 77624 1 CALL
R0875 R55 3 LAST 534 15,2208 47140 1 CALCOTA
R0876 R55 15,2207 77776 1 PULSEM EXIT
R0877 R55 1 15,2210 3 2234 0 R55.1 CAP
R0878 R55 192 LAST 712 15,2211 0 4555 0 TC V08N93
R0879 R55 32 LAST 698 15,2212 20824 0 CADR BANKCALL
R0880 R55 52 LAST 712 15,2213 0 4106 1 TC GOFLASH
R0881 R55 1 15,2214 0 2218 0 TC GOTOPOCH
R0882 R55 1 15,2215 0 2231 0 TC R55.2
R0883 R55 66 LAST 711 15,2216 0 5301 0 R55.2 TC R55RET
R0884 R55 15,2217 00314 1 OCT PHASCHNG
R0885 R55 1 15,2220 3 2235 1 CA 00314
R0886 R55 193 LAST 714 15,2221 0 4555 0 TC R55CDR
R0887 R55 5 LAST 439 15,2222 17125 1 TC BANKCALL
R0888 R55 194 LAST 714 15,2223 0 4555 0 CADR IMUPULSE
R0889 R55 8 LAST 439 15,2224 17516 0 TC BANKCALL
R0890 R55 1 15,2225 0 5644 1 CADR IMUSTALL
R0891 R55 67 LAST 714 15,2226 0 5301 0 TC CURTAINS
R0892 R55 15,2227 05024 1 TC PHASCHNG
R0893 R55 15,2230 13000 0 OCT 05024
R0894 R55 177 LAST 713 15,2231 0 6006 1 R55RET OCT 13000
R0895 R55 15,2232 77650 1 TC INTPRET
R0896 R55 7 LAST 714 15,2233 02777 1 GOTO
R0897 R55 15,2234 01535 0 V08N93 VN QMIN
R0898 R55 16 LAST 535 15,2235 02757 0 R55CDR ECADR 0693
R0899 R55 1 14,2702 R54 = OGC
CHKSDATA

```

R0900 ROUTINE NAME- CHKSDATA
R0902 MOD NO- 0
R0904 MODIFICATION BY- LONSKA

DATE- JAN 9, 1967
LOG SECTION- P51-P53
ASSEMBLY-

R0906 FUNCTIONAL DESCRIPTION - CHECKS THE VALIDITY OF A PAIR OF STAR SIGHTINGS. WHEN A PAIR OF STAR SIGHTINGS ARE MADE
R0908 BY THE ASTRONAUT THIS ROUTINE OPERATES AND CHECKS THE OBSERVED SIGHTINGS AGAINST STORED STAR VECTORS IN THE
R0910 COMPUTER TO INSURE A PROPER SIGHTING WAS MADE. THE FOLLOWING COMPUTATIONS ARE PERFORMED

```

R0912 OS1 = OBSERVED STAR 1 VECTOR
R0913 OS2 = OBSERVED STAR 2 VECTOR
R0914 SS1 = STORED STAR 1 VECTOR
R0915 SS2 = STORED STAR 2 VECTOR
R0916 A1 = ARCCOS(OS1 - OS2)

```

L P51-P53

USER'S PAGE NO. 23 E5 S3

R0917 A2 = ARCCOS(SS1 - SS2)
 R0918 A = ABS(2(A1 - A2))

R0919 THE ANGULAR DIFFERENCE IS DISPLAYED FOR ASTRONAUT ACCEPTENCE
 R0920 EXIT MODE 1. FREEFLAG SET IMPLIES ASTRONAUT WANTS TO PROCEED
 R0921 2. FREEFLAG RESET IMPLIES ASTRONAUT WANTS TO RECYCLE (BRANCE)
 R0923 OUTPUT - 1.VERS 6,NOLIN 3- DISPLAYS ANGULAR DIFFERENCE BETWEEN 2 SETS OF STARS.
 R0925 2.STAR VECTORS FROM STAR CATALOG ARE LEFT IN 6D AND 12D.

R0926 ERASABLE INITIALIZATION REQUIRED -
 R0927 1.MARK VECTORS ARE STORED IN STARAD AND STARAD +6.
 R0928 2.CATALOG VECTORS ARE STORED IN 6D AND 12D.

R0929 DEBRIS -

R09295	REF	4	LAST	707	14,2000		SETLOC	P50S1		
0930					14,2702		BANK			
09305	REF	1					COUNT*	\$\$/R50		
0931					14,2702	43020 1	CHKSDATA	STO	SET	
0932	REF	8	LAST	714	14,2703	02777 1			QMIN	
0933	REF	2	LAST	712	14,2704	00074 1			FREEFLAG	
0934					14,2705	77760 0	CHKSAB	AXC,1	SET X1 TO STORE EPHEMERIS DATA	
0935	REF	7	LAST	712	14,2708	02735 1			STARAD	
R0936										
0937					14,2707	47773 1	CHKSB	VLOAD*	DOT*	CAL. ANGLE THETA
0938					14,2710	00001 0			0,1	
0939					14,2711	00007 0			6,1	
0940					14,2712	85552 0		SL1	ACOS	
0941	REF	1			14,2713	00025 0		STORE	THETA	
0942					14,2714	43014 0		BOFF	INVERT	BRANCH TO CHKSD IF THIS IS 2ND PASS
0943	REF	3	LAST	715	14,2715	00354 0			FREEFLAG	
0944	REF	1			14,2716	30726 1			CHKSD	
0945	REF	4	LAST	715	14,2717	00174 0			FREEFLAG	CLEAR FREEFLAG
0946					14,2720	71360 1		AXC,1	DLOAD	SET X1 TO MARK ANGLES
0947					14,2721	00008 1			6D	
0948	REF	2	LAST	715	14,2722	00025 0			THETA	
0949					14,2723	00023 0		STORE	18D	
0950					14,2724	77850 1		GOTO		
0951	REF	1			14,2725	30707 1			CHKSB	RETURN TO CAL. 2ND ANGLE
0952					14,2726	45345 1	CHKSD	DLOAD	DSU	
0953	REF	3	LAST	715	14,2727	00025 0			THETA	
0954					14,2730	00023 0			18D	COMPUTE POS DIFF
0955					14,2731	47046 0		ABS	RTB	
0956	REF	3	LAST	495	14,2732	45541 0			SCNAGREE	
0957	REF	1			14,2733	01046 1		STORE	NORMEM1	
0958					14,2734	77414 0		SET	EXIT	
0959	REF	5	LAST	715	14,2735	00074 1			FREEFLAG	
09594	REF	144	LAST	701	14,2736	3 4714 1		CAP	ZERO	
09595	REF	195	LAST	714	14,2737	0 4555 0		TC	BANKCALL	
09596	REF	5	LAST	642	14,2740	20607 1		CADR	CLEANDSP	
0960	REF	1			14,2741	3 2755 1		CAP	VB6N5	

L P51-P53

USER=8 PAGE NO. 24 E5 S3

```

0961 REP 196 LAST 715 14,2742 0 4555 0 TC BANKCALL
0962 REP 33 LAST 714 14,2743 20624 0 CADR GOPLASH
0963 REP 53 LAST 714 14,2744 1 4108 0 TCP GOTOPOCH
0964 REP 1 14,2745 0 2752 0 TC CHKSDA
0965 REP 178 LAST 714 14,2746 0 8008 1 TC INTPRET
0966 14,2747 52014 0 CLEAR GOTO
0967 REP 6 LAST 715 14,2750 00274 0 FREEFLAG
0968 REP 9 LAST 715 14,2751 02777 1 QMIN
0969 REP 179 LAST 718 14,2752 0 8008 1 CHKSDA TC INTPRET
0970 14,2753 77850 1 GOTO
0971 REP 10 LAST 716 14,2754 02777 1 QMIN
0972 14,2755 01405 1 VB&N5 VN 605
R0973 NAME - CAL53A
R0974 NAME - CAL53A
R0975 FUNCTION - COARSE ALIGN THE IMU, IF NECESSARY.
R0976 CALLING SEQUENCE - CALL CAL53A
R0977 INPUT - PRESENT GIMBAL ANGLES - CDUX, CDUY, CDUZ
R0978 DESIRED GIMBAL ANGLES - THETAD, +1, +2
R0979 OUTPUT - THE IMU COORDINATES ARE STORED IN REFSMAT
R0980 SUBROUTINES USED - 1. IMUCOARS 2. IMUSTALL 3. CURTAINS
0981 REP 2 LAST 715 TO 716' 44 44* COUNT 14/R50

0982 14,2756 45020 1 CAL53A STO CALL
0983 14,2757 00035 1 29D
0984 REP 2 LAST 696 14,2760 22258 0 S62.2
0985 14,2761 66234 1 RTB SSP
0986 REP 1 14,2762 32238 1 HODDUS
0987 REP 27 LAST 711 14,2763 00051 0 S1
0988 14,2764 00001 0 1
0989 14,2765 40370 1 AXT,1 SETPD
0990 14,2766 00003 1 3
0991 14,2767 00005 1 4
0992 14,2770 70543 1 CALOOP DLOAD* SR1
0993 REP 16 LAST 587 14,2771 01181 0 THETAD +3D,1
0994 14,2772 70523 1 PDDL* SR1
0995 14,2773 00005 1 4,1
0996 14,2774 51425 0 DSU ABS
0997 14,2775 45208 1 PUSH DSU
0998 REP 1 14,2776 31053 0 DEGREE1
0999 14,2777 71240 1 BWN DLOAD
1000 REP 1 14,3000 31027 0 CALOOP1
1001 14,3001 51025 1 DSU BPL
1002 REP 1 14,3002 31054 1 DEG359
1003 REP 2 LAST 716 14,3003 31027 0 CALOOP1
1004 14,3004 77778 1 COARFINE EXIT
1005 REP 197 LAST 716 14,3005 0 4555 0 TC BANKCALL
1006 REP 4 LAST 421 14,3006 16602 1 CADR IMUCOARS
1007 REP 198 LAST 716 14,3007 0 4555 0 TC BANKCALL
1008 REP 9 LAST 714 14,3010 17518 0 CADR IMUSTALL
1009 REP 2 LAST 714 14,3011 0 5644 1 TC CURTAINS
    
```

PROCEED

MAKE FINAL COMP OF GIMBAL ANGLES

READ CDUS

PERFORM COARSE ALIGNMENT

REQUEST MODE SWITCH



L P51-P53

USER'S PAGE NO. 25 E5 S3

1010	REP 199	LAST 716	14,3012	0 4555 0	TC	BANKCALL
1011	REP 1		14,3013	17012 1	CADR	IMUPIN20
1012	REP 200	LAST 717	14,3014	0 4555 0	TC	BANKCALL
1013	REP 10	LAST 716	14,3015	17516 0	CADR	IMUSTALL
1014	REP 3	LAST 716	14,3016	0 5644 1	TC	CURTAINS
1015	REP 180	LAST 716	14,3017	0 6006 1	TC	INTPRET
1016			14,3020	77234 1	RTB	VLOAD
1017	REP 1		14,3021	31263 1		SET1/PDT
1018	REP 3	LAST 480	14,3022	11456 0		ZEROVEC
1019	REP 18	LAST 427	14,3023	01472 1	STORE	GCOMP
1020			14,3024	52014 0	SET	GOTO
1021	REP 1		14,3025	01060 0		DRIFTPLG
1022	REP 1		14,3026	31031 1		FINEONLY
1023			14,3027	77700 0	CALOOP1	TIX,1
1024	REP 1		14,3030	30770 1		CALOOP
1025			14,3031	75160 1	FINEONLY	AXC,1
1026	REP 31	LAST 528	14,3032	02871 0		AXC,2
1027	REP 24	LAST 713	14,3033	01735 1		XSM
1028			14,3034	77624 1	CALL	REFSMAT
1029	REP 1		14,3035	31040 1		MATMOVE
1030			14,3036	77650 1	GOTO	
1031			14,3037	00035 1		29D
1032			14,3040	77773 1	MATMOVE	VLOAD*
1033			14,3041	00001 0		0,1
1034			14,3042	10001 1	STORE	0,2
1035			14,3043	77773 1	VLOAD*	
1036			14,3044	00007 0		6D,1
1037			14,3045	10007 1	STORE	6D,2
1038			14,3046	77773 1	VLOAD*	
1039			14,3047	00015 0		12D,1
1040			14,3050	10015 1	STORE	12D,2
1041			14,3051	77616 0	RVQ	
1042			14,3052	00056 1	DEGREE1	DEC 46
1043			14,3053	37722 1	DEG359	DEC 16338
1044	REP 4	LAST 714	15,2000		SETLOC	P50S
1045			15,2236		BANK	
1046			15,2236	0 0004 0	RDCDUS	INHINT
1047	REP 16	LAST 661	15,2237	3 0032 0	CA	CDUX
1048	REP 12	LAST 586	15,2240	50 120 1	INDEX	FIXLOC
1049			15,2241	54 001 1	TS	1
1050	REP 7	LAST 661	15,2242	3 0033 1	CA	CDUY
1051	REP 13	LAST 717	15,2243	50 120 1	INDEX	FIXLOC
1052			15,2244	54 002 1	TS	2
1053	REP 10	LAST 661	15,2245	3 0034 0	CA	CDUZ
1054	REP 14	LAST 717	15,2246	50 120 1	INDEX	FIXLOC
1055			15,2247	54 003 0	TS	3
1056			15,2250	0 0003 1	RELINT	
1057	REP 5	LAST 537	15,2251	0 6030 1	TC	DANZIG

TEST FOR MALFUNCTION

TRANSFER MATRIX

READ CDUS

R1058 NAME - GIMB
R1059 FUNCTION - DETERMINE AND COMPUTE THE DESIRED GIMBAL ANGLES TO BE USED

FOR COARSE ALIGNMENT.

L P51-P53

```

R1061 CALLING SEQUENCE - CALL GIMB
R1062 INPUT - DESIRED IMU INERTIAL ORIENTATION VECTORS-XSMD,YSMD,ZSMD
R1063 OUTPUT - GIMBAL ANGLES LEFT IN THETAD,+1,+2
R1064 SUBROUTINES USED - 1.COUTRIG 2.CALCSMSC 3.CALCGA
1065 REP 2 LAST 697 16,2000
1066 SETLOC P50S2
1067 REP 1 BANK
COUNT 14/INFLT

1068 16,2567 41345 0 CALCSMSC DLOAD DMP
1069 REP 1 16,2570 00737 1 SINCDUY
1070 REP 2 LAST 535 16,2571 00747 0 COSCDUZ
1071 16,2572 77676 0 DCOMP
1072 16,2573 70525 1 PDDL SR1
1073 REP 2 LAST 535 16,2574 00741 0 SINCDUZ
1074 16,2575 41325 0 PDDL DMP
1075 REP 1 16,2576 00745 1 COSCDUY
1076 REP 3 LAST 718 16,2577 00747 0 COSCDUZ
1077 16,2800 76466 1 VDEF VSL1
1078 REP 5 LAST 708 16,2801 02714 1 STORE XNB
1079 16,2802 41345 0 DLOAD DMP
1080 REP 3 LAST 535 16,2803 00743 1 SINCDUX
1081 REP 3 LAST 718 16,2804 00741 0 SINCDUZ
1082 16,2805 77752 1 SL1
1083 16,2806 00033 1 STORE 26D
1084 16,2807 77605 1 DMP
1085 REP 2 LAST 718 16,2810 00737 1 SINCDUY
1086 16,2811 41325 0 PDDL DMP
1087 REP 3 LAST 535 16,2812 00751 1 COSCDUX
1088 REP 2 LAST 718 16,2813 00745 1 COSCDUY
1089 16,2814 77625 0 DSJ
1090 16,2815 41325 0 PDDL DMP
1091 REP 4 LAST 718 16,2816 00743 1 SINCDUX
1092 REP 4 LAST 718 16,2817 00747 0 COSCDUZ
1093 16,2820 77676 0 DCOMP
1094 16,2821 41325 0 PDDL DMP
1095 REP 4 LAST 718 16,2822 00751 1 COSCDUX
1096 REP 3 LAST 718 16,2823 00737 1 SINCDUY
1097 16,2824 41325 0 PDDL DMP
1098 REP 3 LAST 718 16,2825 00745 1 COSCDUY
1099 16,2826 00033 1 26D
1100 16,2827 55415 1 DAD VDEF
1101 16,2830 77772 0 VSL1
1102 REP 5 LAST 708 16,2831 02730 1 STORE ZNB
1103 16,2832 76435 1 VXV VSL1
1104 REP 6 LAST 718 16,2833 02714 1 XNB
1105 REP 4 LAST 417 16,2834 02722 1 STORE YNB
1106 16,2835 77616 0 RVO

R1107 NAME - P51 - IMU ORIENTATION DETERMINATION
R1108 MOD.NO.2 21 DEC 66
R1110 MOD BY STURLAUGSON
    
```

LOG SECTION - P51-P53
ASSEMBLY SUNDISK REV15

L P51-P53

USER'S PAGE NO. 27 E5 93

R1112 FUNCTIONAL DESCRIPTION

R1113 DETERMINES THE INERTIAL ORIENTATION OF THE IMU. THE PROGRAM IS SELECTED BY DISK ENTRY. THE SIGHTING
 R1115 ROUTINE IS CALLED TO COLLECT THE CDU COUNTERS AND SHAFT AND TRUNNION ANGLES FOR A SIGHTED STAR. THE DATA IS
 R1117 THEN PROCESSED AS FOLLOWS.

R1118 1. SEXTANT ANGLES ARE COMPUTED IN TERMS OF NAVIGATIONAL BASE COORDINATES. LET SA AND TA BE THE SHAFT AND
 R1120 TRUNNION ANGLES, RESPECTIVELY. THEN,

R1121
$$V = (\sin(TA) \cdot \cos(SA), \sin(TA) \cdot \sin(SA), \cos(TA))$$
 (A COLUMN VECTOR)
 R1122 NB

R1124 THE OUTPUT IS A HALF-UNIT VECTOR STORED IN STARM.
 R1125

R1126 2. THIS VECTOR IN NAV_BASE COORDS. IS THEN TRANSFORMED TO ONE IN STABLE MEMBER COORDINATES.

R1128
$$V = \begin{matrix} T & T & T \\ 0 & *Q & *Q \\ 1 & 2 & 3 \end{matrix} \begin{matrix} * \\ * \\ * \end{matrix} V$$
, WHERE
 R1129
 R1130

R1131
$$Q = \begin{pmatrix} \cos(IG) & 0 & -\sin(IG) \\ 0 & 1 & 0 \\ \sin(IG) & 0 & \cos(IG) \end{pmatrix}$$
, IG=INNER GIMBAL ANGLE
 R1132
 R1134
 R1136
 R1138

THE GIMBAL ANGLES ARE COMPUTED FROM THE CDU COUNTERS AT NBSM (USING AXIS-ROT AND CDULOGIC)

R1139
$$Q = \begin{pmatrix} \cos(MG) & \sin(MG) & 0 \\ -\sin(MG) & \cos(MG) & 0 \\ 0 & 0 & 1 \end{pmatrix}$$
, MG=MIDDLE GIMBAL ANGLE
 R1140
 R1141
 R1142
 R1143
 R1144

R1145
$$Q = \begin{pmatrix} 1 & 0 & 0 \\ 0 & \cos(OG) & \sin(OG) \\ 0 & -\sin(OG) & \cos(OG) \end{pmatrix}$$
, OG=OUTER GIMBAL ANGLE
 R1146
 R1147
 R1148
 R1149
 R1150

R1151 3. THE STAR NUMBER IS SAVED AND THE SECOND STAR IS THEN SIMILARLY PROCESSED.

R1153 4. THE ANGLE BETWEEN THE TWO STARS IS THEN CHECKED AT CkSDATA.

R1154 5. REFSMAT IS THEN COMPUTED AT AXISGEN AS FOLLOWS.

R1155 LET S₁ AND S₂ BE TWO STAR VECTORS EXPRESSED IN TWO COORDINATE SYSTEMS, A AND B (BASIC AND STABLE MEMBER).
 R1156
 R1158

R1159 DEFINE, - -

L P51-P53

```

R1160      U = S
R1161      A  A1

R1162      -
R1163      V = UNIT(S X S )
R1164      A  A1 A2

R1165      -
R1166      W = U X V
R1167      A  A  A

R1168      AND
R1169      -
R1170      U = S
R1171      B  B1

R1172      -
R1173      V = UNIT(S X S )
R1174      B  B1 B2

R1175      -
R1176      W = U X V
R1177      B  B  B

R1178      THEN
R1179      X = U *U + V *V + W *W
R1180      B1 A B1 A B1 A

R1181      -
R1182      Y = U *U + V *V + W *W
R1183      B2 A B2 A B2 A

R1184      -
R1185      Z = U *U + V *V + W *W
R1186      B3 A B3 A B3 A

R1187      THE INPUTS CONSIST OF THE FOUR HALF-UNIT VECTORS STORED AS FOLLOWS

R1188      -
R1189      S IN 8-11 OF THE VAC AREA
R1190      A1

R1191      -
R1192      S IN 12-17 OF THE VAC AREA
R1193      A2

R1194      -
R1195      S IN STARAD
R1196      B1

R1197      -
    
```

(REPSMAT)



L P51-P53

USER=S PAGE NO. 29 E5 S3

R1198 S IN STARAD +6
R1199 B2

R1200 CALLING SEQUENCE

R1201 THE PROGRAM IS CALLED BY THE ASTRONAUT BY DSKY ENTRY.

R1202 SUBROUTINES CALLED.

R1203 GOPERF3
R1204 GOPERF1R
R1205 GDSFR
R1206 IMUCOARS
R1207 IMUPIN20
R1208 R53
R1209 SXTNB
R1210 NBSM
R1211 MKRELEAS
R1212 CHKSDATA
R1213 MATMOVE

R1214 ALARMS

R1215 NONE.

R1216 ERASABLE INITIALIZATION

R1217 IMU ZERO FLAG SHOULD BE SET.

R1218 OUTPUT

R1219 REFSMAT
R1220 REFSMPLG

R1221 DEBRIS

R1222 WORK AREA
R1223 STARAD
R1224 STARIND
R1225 BESTI
R1226 BESTJ

1227	REP	5	LAST	715	14,2000			SETLOC	P50S1
1228					14,3054			BANK	
1229	REP	1						COUNT	14/P5153
1230	REP	2	LAST	200	14,3054		P53	EQUALS	P51
1231	REP	42	LAST	381	14,3054	4	1320 0	P51	CS IMODES30
1232	REP	26	LAST	690	14,3055	7	4702 1		MASK BIT9
1233	REP	175	LAST	701	14,3056	10	000 0		CCS A
1234	REP	1			14,3057	0	3063 1		TC P51A



L

P51-P53

USBR#S PAGE NO. 30 E5 S3

1235	REP	29	LAST	700	14,3080	0 5537	0		TC	ALARM
1236					14,3081	0 00210	1		OCT	210.
1237	REP	54	LAST	716	14,3082	0 4106	1		TC	GOTOPOOH
1238	REP	201	LAST	717	14,3083	0 4555	0	P51A	TC	BANKCALL
1239	REP	1			14,3084	17607	0		CADR	ROZZERO
1240	REP	1			14,3085	3 4720	0	P51AA	CAP	PRFMSTAO
1241	REP	202	LAST	722	14,3086	0 4555	0		TC	BANKCALL
1242	REP	5	LAST	712	14,3087	20751	0		CADR	GOPERF1
1243	REP	55	LAST	722	14,3070	0 4106	1		TC	GOTOPOOH
1244	REP	1			14,3071	0 3134	1		TC	P51B
1245	REP	68	LAST	714	14,3072	0 5301	0		TC	PHASCHNG
1246					14,3073	05024	1		OCT	05024
1247					14,3074	13000	0		OCT	13000
1248	REP	1			14,3075	3 4714	1		CAP	P51ZERO
1249	REP	17	LAST	716	14,3076	55=155	0		TS	THETAD
1250	REP	18	LAST	722	14,3077	55=156	0		TS	THETAD +1
1251	REP	19	LAST	722	14,3100	55=157	1		TS	THETAD +2
1252	REP	1			14,3101	3 3281	1		CAP	V6N22
1253	REP	203	LAST	722	14,3102	0 4555	0		TC	BANKCALL
1254	REP	2	LAST	442	14,3103	20577	0		CADR	GODSPRET
1255	REP	1			14,3104	3 3282	1		CAP	V41K
1256	REP	204	LAST	722	14,3105	0 4555	0		TC	BANKCALL
1257	REP	3	LAST	722	14,3106	20577	0		CADR	GODSPRET
1258	REP	205	LAST	722	14,3107	0 4555	0		TC	BANKCALL
1259	REP	5	LAST	716	14,3110	16602	1		CADR	IMUCCOARS
1260	REP	206	LAST	722	14,3111	0 4555	0		TC	BANKCALL
1261	REP	11	LAST	717	14,3112	17516	0		CADR	IMUSTALL
1262	REP	4	LAST	717	14,3113	0 5644	1		TC	CURTAINS
1263	REP	207	LAST	722	14,3114	0 4555	0		TC	BANKCALL
1264	REP	2	LAST	717	14,3115	17012	1		CADR	IMUFIN20
1265	REP	208	LAST	722	14,3116	0 4555	0		TC	BANKCALL
1266	REP	12	LAST	722	14,3117	17516	0		CADR	IMUSTALL
1267	REP	5	LAST	722	14,3120	0 5644	1		TC	CURTAINS
1268	REP	181	LAST	717	14,3121	0 6006	1		TC	INTPRET
1269					14,3122	77234	1		RTB	VLOAD
1270	REP	2	LAST	717	14,3123	31283	1			SET1/PDT
1271	REP	4	LAST	717	14,3124	11456	0			ZEROVEC
1272	REP	19	LAST	717	14,3125	01472	1		STORE	GCMP
1273					14,3126	77414	0		SET	EXIT
1274	REP	2	LAST	717	14,3127	01060	0			DRIFTPLG
1275	REP	69	LAST	722	14,3130	0 5301	0		TC	PHASCHNG
1276					14,3131	05024	1		OCT	05024
1277					14,3132	13000	0		OCT	13000
1278	REP	1			14,3133	1 3065	0		TCF	P51AA

TERM.
V 33

ZERO THE GIMBALS

NOW DISPLAY COARSE ALIGN VERR 41

CAGING OR BAD END
SCHEDULE IFAILQC AND IMUFIN20 TASKS, IN 5
AND 20 SECS. DIRECT RETURN AND NO STALL,
IF CAGING, BUT TA WILL ZERO C/A ENABLE.
IF PUT TO SLEEP, IMUFIN20 WILL WAKE US
UP.

COARSE ALIGN DONE - RECYCLE FOR FINE

L P51-P53

USER=3 PAGE NO. 31 E5 S3

P1279 DO STAR SIGHTING AND COMPUTE NEW REPSMAT

1280	REP 70	LAST 722	14,3134	0 5301 0	P51B	TC PHASCHNG	
1281			14,3135	00014 1		OCT 00014	
1282	REP 182	LAST 722	14,3138	0 8008 1		TC INTPRET	
1283			14,3137	40331 1		SSP SETPD	
1284	REP 9	LAST 713	14,3140	00305 1		STARIND	INDEX-STAR 1 OR 2
1285			14,3141	00000 1		0	
1286			14,3142	00001 0		0	
1287			14,3143	77414 0		CLEAR EXIT	
1288	REP 4	LAST 711	14,3144	00888 1		DARG2PLG	SHOW STAR MARK-NOT LAND MARK
1289	REP 56	LAST 711	14,3145	3 4712 1		CAP BIT1	
1290	REP 7	LAST 711	14,3146	54 301 1		TS MARKINDX	INITIALIZE FOR ONE MARK
1291	REP 71	LAST 723	14,3147	0 5301 0	P51C	TC PHASCHNG	
1292			14,3150	05024 1		OCT 05024	
1293			14,3151	13000 0		OCT 13000	
1294	REP 10	LAST 511	14,3152	0 5253 0		TC CHECKMM	
1295			14,3153	00085 1		MM 53	BACKUP PROGRAM
1296	REP 1		14,3154	1 3162 0		TCF P51C.1	NOT P53
1297	REP 183	LAST 723	14,3155	0 8008 1		TC INTPRET	
1298			14,3156	77824 1		CALL	
1299	REP 2	LAST 713	14,3157	32252 0		R58	
1300			14,3160	77650 1		GOTO	
1301	REP 1		14,3161	31185 1		P51C.2	
1302	REP 184	LAST 723	14,3162	0 8008 1	P51C.1	TC INTPRET	
1303			14,3163	77624 1		CALL	
1304	REP 3	LAST 701	14,3164	31322 0		R53	SIGHTING ROUTINE
1305			14,3165	77624 1	P51C.2	CALL	COMPUTE LOS IN SM FROM MARK DATA
1306	REP 2	LAST 712	14,3166	31286 1		SXTSM	
1307			14,3167	77606 1		PUSH	
1308			14,3170	53135 0		SLOAD BZE	
1309	REP 10	LAST 723	14,3171	00305 1		STARIND	
1310	REP 1		14,3172	31177 1		P51D	
1311			14,3173	45575 1		VLOAD STADR	
1312	REP 7	LAST 713	14,3174	75180 1		STORE STARS2V2	DOWNLINK
1313			14,3175	77650 1		GOTO	
1314	REP 1		14,3176	31205 1		P51E	
1315			14,3177	45575 1	P51D	VLOAD STADR	
1316	REP 5	LAST 713	14,3200	61166 1		STODL STARS2V1	
1317	REP 10	LAST 712	14,3201	02607 1		TSIGHT	
1318			14,3202	77624 1		CALL	
1319	REP 3	LAST 712	14,3203	32363 0		PLANET	
1320	REP 4	LAST 713	14,3204	02601 1		STORE PLANVEC	
1321			14,3205	77776 1	P51E	EXIT	
1322	REP 72	LAST 723	14,3206	0 5301 0		TC PHASCHNG	
1323			14,3207	05024 1		OCT 05024	
1324			14,3210	13000 0		OCT 13000	
1325	REP 209	LAST 722	14,3211	0 4555 0		TC BANKCALL	
1326	REP 8	LAST 712	14,3212	16083 0		CADR MKRELEAS	ZERO MARKSTAT



L P51-P53

USER=S. PAGE NO. 32 E5 83

1327	REP	11	LAST	723	14,3213	10	304	1
1328	REP	1			14,3214	1	3223	0
1329	REP	73	LAST	723	14,3215	0	5301	0
1330					14,3216	0	5024	1
1331					14,3217	1	13000	0
1332	REP	57	LAST	723	14,3220	3	4712	1
1333	REP	12	LAST	724	14,3221	54	304	1
1334	REP	1			14,3222	1	3147	1
1335	REP	74	LAST	724	14,3223	0	5301	0
1336					14,3224	0	5024	1
1337					14,3225	1	13000	0
1338	REP	185	LAST	723	14,3226	0	6006	1
1339					14,3227	4	5145	0
1340	REP	11	LAST	723	14,3230	0	2607	1
1341	REP	4	LAST	723	14,3231	3	2383	0
1342					14,3232	2	4015	0
1343	REP	5	LAST	723	14,3233	0	2801	1
1344					14,3234	2	4007	0
1345	REP	6	LAST	723	14,3235	0	2811	0
1346	REP	8	LAST	715	14,3236	2	8736	1
1347	REP	8	LAST	723	14,3237	0	2817	0
1348	REP	9	LAST	724	14,3240	3	8744	0
1349	REP	2	LAST	714	14,3241	3	0702	1
1350					14,3242	7	7414	0
1351	REP	7	LAST	716	14,3243	0	0314	1
1352	REP	1			14,3244	3	1246	0
1353	REP	2	LAST	722	14,3245	0	3065	1
1354					14,3246	7	7624	1
1355	REP	3	LAST	712	14,3247	4	7334	0
1356					14,3250	7	5160	1
1357	REP	4	LAST	534	14,3251	0	2713	0
1358	REP	25	LAST	717	14,3252	0	1735	1
1359					14,3253	4	5014	0
1360	REP	6	LAST	696	14,3254	0	1682	1
1361	REP	2	LAST	717	14,3255	3	1040	1
1362					14,3256	5	2014	0
1363	REP	7	LAST	724	14,3257	0	1462	0
1364	REP	2	LAST	712	14,3260	3	2143	0
1365	REP	3	LAST	697	4720			
1366	REP	145	LAST	715	4714			
1367	REP	16	LAST	652	4715			
1368					14,3261	0	1426	0
1369					14,3262	1	2200	0
1370	REP	13	LAST	659	14,3263	3	0025	0
1371	REP	10	LAST	529	14,3264	5	5074	1
1372	REP	6	LAST	717	14,3265	1	6030	0

CCS	STARIND
TCP	P51P
TC	PHASCHNG
OCT	05024
OCT	13000
CAP	BIT1
TS	STARIND
TCP	P51C
TC	PHASCHNG
OCT	05024
OCT	13000
TC	INTPRET
DLOAD	CALL
	TSIGHT
	PLANET
STOVL	12D
	PLANVEC
STOVL	6D
	STARSAV1
STOVL	STARAD
	STARSAV2
STCALL	STARAD +6
	CHKSDATA
BCN	EXIT
	FREEFLAG
	P51G
TC	P51AA
CALL	
	AXISGEN
AXC,1	AXC,2
	XDC
	REFSMAT
CLEAR	CALL
	REFSMPLG
	MATMOVE
SET	GOTO
	REFSMPLG
	ENDP50S
PRFMSTAG =	OCT15
P51ZERO =	ZERO
P51FIVE =	FIVE
V6N22	VN
V41K	VN
SET1/PDT	CA
	TIME1
TS	1/PIPADT
TCP	DANZIG

STAR 2

GO DO SECOND STAR

CHECK STAR ANGLES IN STARAD AND

COME BACK WITH REFSMMAT IN XDC



L P51-P53

USER-S PAGE NO. 33 E5 83

P1373 SXTSM COMPUTES AN LOS VECTOR IN SM COORD FROM OCCU AND ICPU MARK DATA

1374				14,3266	77620 0	SXTSM	STO		
1375	REP	6	LAST	705	14,3287	00300 1		QMAJ	
1376				14,3270	70740 0		LXC,1	DLOAD*	
1377	REP	33	LAST	613	14,3271	01330 0		MARKSTAT	
1378				14,3272	00001 0			QD,1	
1379	REP	12	LAST	724	14,3273	02607 1		STORE	TSIGHT
1380				14,3274	66744 0		LXC,2	SLOAD*	
1381	REP	13	LAST	724	14,3275	00304 0		STARIND	
1382	REP	1			14,3276	46456 1		MKNDCDR,2	
1383				14,3277	76744 1		LXC,2	VLOAD*	
1384	REP	274	LAST	709	14,3300	00154 1		MPAC	
1385				14,3301	00001 0			0,1	
1386				14,3302	10001 1		STORE	0,2	
1387				14,3303	77743 1		DLOAD*		
1388				14,3304	00006 1			5,1	
1389				14,3305	10006 0		STORE	5,2	
1390				14,3306	77624 1		CALL		
1391	REP	4	LAST	568	14,3307	46000 0		SXTNB	COMPUTE LOS VECTOR FROM OCCU IN MCVAC
1392				14,3310	62150 1		LXA,1	INCR,1	
1393	REP	34	LAST	725	14,3311	01330 0		MARKSTAT	
1394				14,3312	00002 0			2	INCREMENT TO BASE ADR OF ICPU
1395				14,3313	45130 1		SXA,1	CALL	
1396	REP	28	LAST	716	14,3314	00050 1		S1	
1397	REP	2	LAST	568	14,3315	47541 1		NBSM	TRANSFORM LOS TO SM
1398				14,3316	77650 1		GOTO		
1399	REP	7	LAST	725	14,3317	00300 1		QMAJ	
1400	REP	9	LAST	568	14,3320	03674 1	MKNDCDR	ECADR	MARKDOWN
1401	REP	2	LAST	169	14,3321	03502 0		ECADR	MARKDOWN



L P51-P53

R1402 PROGRAM DESCRIPTION - R53 - SIGHTING MARK ROUTINE
 R1403 MOD.NO.2 21 DEC 68
 R1404 MOD BY STURLAUGSON

R1405 FUNCTIONAL DESCRIPTION
 R1406 TO PERFORM A SATISFACTORY NUMBER OF SIGHTING MARKS FOR THE REQUESTING PROGRAM (OR ROUTINE). SIGHTINGS
 R1408 CAN BE MADE ON A STAR OR LANDMARK. WHEN THE OMC ACCEPTS A MARK IT RECORDS AND STORES 5 ANGLES (3 ICDUS AND 2
 R1410 OCDUS) AND THE TIME OF THE MARK.

R1411 CALLING SEQUENCE
 R1412 R53 IS CALLED AND RETURNS IN INTERPRETIVE CODE. RETURN IS VIA QPRET.
 R1413 THERE IS NO ERROR EXIT IN THIS ROUTINE ITSELF.

R1414 SUBROUTINES CALLED
 R1415 SXTMARK
 R1418 OPTSTALL
 R1417 OOPFLASH

R1418 ERASABLE INITIALIZATION
 R1419 TARGET FLAG - STAR OR LANDMARK
 R1420 MARKINDX - NUMBER OF MARKS WANTED
 R1421 STARIND - INDEX TO BESTI OR BESTJ (STAR NUMBER)
 R1422 OUTPUT
 R1423 MARKSTAT CONTAINS INDEX TO VACANT AREA WHERE MARK DATA IS STORED
 R1424 BESTI (INDEXED BY STARIND) CONTAINS STAR NUMBER SIGHTED
 R1425 DEBRIS
 R1428 MARKINDX CONTAINS NUMBER OF MARKS DESIRED

1427 REF 2 LAST 822 14,2000
 1428 14,3322

SETLOC RTS3
 BANK

1429 REF 1
 COUNT 14/R53

1430			14,3322	43020 1	R53	STO	SET	SET SIGHTING MARK FLAG
1431	REF 2	LAST 115	14,3323	03501 0			R53EXIT	
1432	REF 2	LAST 899	14,3324	00071 1			R53FLAG	
1433			14,3325	77776 1		EXIT		
1434	REF 8	LAST 723	14,3326	3 0301 0	R53A	CA	MARKINDX	NUMBER OF MARKS
1435	REF 2	LAST 198	14,3327	7 4716 1		MASK	LOW3	
1436	REF 210	LAST 723	14,3330	0 4555 0		TC	BANKCALL	
1437	REF 2	LAST 448	14,3331	16002 1		CADR	SXTMARK	
1438	REF 211	LAST 726	14,3332	0 4555 0		TC	BANKCALL	
1439	REF 2	LAST 448	14,3333	17512 1		CADR	OPTSTALL	
1440	REF 8	LAST 722	14,3334	0 5644 1		TC	CURTAINS	
1441	REF 35	LAST 725	14,3335	51=330 0		INDEX	MARKSTAT	
1442	REF 15	LAST 710	14,3336	10 052 1		CCS	QPRET	NUMBER OF MARKS ACTUALLY DONE
1443	REF 1		14,3337	1 3350 0		TOP	R53B	
1444			14,3340	1 3342 0		TOP	+2	ZERO
1445			14,3341	1 3342 0		TOP	+1	CCS HOLE
1446	REF 146	LAST 724	14,3342	3 4714 1		CAP	ZERO	HOUSEKEEP VAC AREA SAVE
1447	REF 36	LAST 726	14,3343	57=330 0		XCH	MARKSTAT	AND MARKSTAT

L P51-P53

USER=5 PAGE NO. 35 E5 S3

1448	REP 176	LAST 721	14,3344	10 000 0	CCS	A
1449	REP 177	LAST 727	14,3345	50 000 1	INDEX	A
1450			14,3346	54 000 0	TS	0
1451	REP 1		14,3347	1 3328 1	TCP	RS 3A
1452	REP 11	LAST 723	14,3350	0 5253 0	TC	CHECKMM
1453			14,3351	00028 0	MM	22
1454			14,3352	1 3354 1	TCP	+2
1455	REP 1		14,3353	1 3400 1	TOP	RS 3D
14551	REP 12	LAST 727	14,3354	0 5253 0	TC	CHECKMM
14552			14,3355	00027 1	MM	23
14553	REP 1		14,3356	1 3360 0	TOP	RS 3C
14554	REP 2	LAST 727	14,3357	1 3400 1	TCP	RS 3D
1456	REP 1		14,3360	3 3404 1	CAP	V01N71
1457	REP 212	LAST 728	14,3361	0 4555 0	TC	BANKCALL
1458	REP 16	LAST 711	14,3362	20763 1	CADR	GOFLASHR
1459	REP 58	LAST 722	14,3363	0 4108 1	TC	GOTOPOSH
1460	REP 1		14,3364	1 3371 0	TCP	RS 3Z
1461	REP 2	LAST 727	14,3365	0 3380 1	TC	RS 3C
1462	REP 25	LAST 711	14,3366	3 6211 0	CAP	SIX
1463	REP 14	LAST 711	14,3367	0 5415 1	TC	BLANKET
1464	REP 95	LAST 711	14,3370	0 5112 0	TC	ENDOFJOB
1465	REP 2	LAST 476	14,3371	4 7713 1	CS	HIGH
1466	REP 7	LAST 711	14,3372	7 0735 1	MASK	STARCODE
1467			14,3373	0 0008 1	EXTEND	
1468	REP 1		14,3374	7 6211 1	MP	SIGHTSIX
1469	REP 68	LAST 683	14,3375	58 001 0	XCH	L
1470	REP 14	LAST 725	14,3376	50 304 0	INDEX	STARIND
1471	REP 12	LAST 711	14,3377	54 302 1	TS	BESTI
1472	REP 186	LAST 724	14,3400	0 6008 1	TC	INTPRET
1473			14,3401	77614 1	RS 3D	
1474	REP 2	LAST 699	14,3402	03420 1	RS 3OUT	SETGO
1475	REP 3	LAST 726	14,3403	03501 0		TERMIPLG
1476	REP 26	LAST 727	6211			RS 3EXIT
1477			14,3404	00307 0	SIGHTSIX =	SIX
					V01N71	VN
						0171

TERM.

RECYCLE

SET TERMINATE FOR R52

L P51-P53

P1478	NAME-S52.2						
R1479	FUNCTION-COMPUTE GIMBAL ANGLES FOR DESIRED SM AND PRESENT VEHICLE						
R1480	CALL- CALL S52.2						
R1481	INPUT- X,Y,ZSMD						
R1482	OUTPUT- OGC,IGC,NGC,THETAD,+1,+2						
R1483	SUBROUTINES-CDUTRIG,CALCSMSC,MATMOVE,CALCGA						
1484	REP 1	11,2000				SETLOC S52/2	
1485		11,2258				BANK	
1486	REP 1					COUNT 13/S52.2	
1487		11,2258	77620 0	S52.2		STO	
1488	REP 8 LAST 725	11,2257	00300 1			QMAJ	
1489		11,2280	77624 1			CALL	
1490	REP 7 LAST 707	11,2281	47432 1			CDUTRIG	
1491		11,2282	77624 1			CALL	
1492	REP 2 LAST 707	11,2283	34567 1			CALCSMSC	
1493		11,2284	68370 0			AXT,1	
1494		11,2285	00022 1			SSP	
1495	REP 29 LAST 725	11,2286	00051 0			18D	
1496		11,2287	00008 1			S1	
1497		11,2270	61373 1	S52.2A		6D	
1498	REP 7 LAST 718	11,2271	02738 1			VLOAD#	
1499	REP 26 LAST 724	11,2272	01738 1			VXM	
1500		11,2273	77658 1			XNB +18D,1	
1501	REP 8 LAST 728	11,2274	08738 0			REPSMAT	
1502		11,2275	77700 0			UNIT	
1503	REP 1	11,2276	22270 1			STORE XNB +18D,1	
1504		11,2277	75160 1	S52.2.1		TIX,1	
1505	REP 6 LAST 698	11,2300	00308 1			S52.2A	
1506	REP 32 LAST 717	11,2301	02871 0			AXC,1	
1507		11,2302	77624 1			AXC,2	
1508	REP 3 LAST 724	11,2303	31040 1			XSM	
1509		11,2304	77624 1			XSM	
1510	REP 2 LAST 417	11,2305	47244 0			CALL	
1511		11,2306	77650 1			MATMOVE	
1512	REP 9 LAST 728	11,2307	00300 1			CALL	
						CALCGA	
						GOTO	
						QMAJ	



L P51-P53

USER=3 PAGE NO. 38 ES 53

Address	Operation	Count	Address	Value	Label	Operation	Value
1562	REP	1	13,2000			SETLOC	SRS2/1
1563			13,2176			BANK	
1584	REP	4	13,2176	0 4804 1	SRS2.1	TC	MAKECADR
1565	REP	11	13,2177	55*777 0		TS	QMIN
1566	REP	187	13,2200	0 6008 1		TC	INTPRET
1567			13,2201	43234 0		RTB	DAD
1568	REP	21	13,2202	45505 0			LOADTIME
1569	REP	1	13,2203	28317 0			1.3SBCDP
1570	REP	3	13,2204	02358 0		STORE	AOPTIME
1571			13,2205	43014 0		BON	BON
1572	REP	6	13,2206	00705 0			TARG1FLG
1573	REP	1	13,2207	28214 1			LEN52
1574	REP	5	13,2210	00706 0			TARG2FLG
1575	REP	1	13,2211	28224 1			LMK52
1576			13,2212	77650 1		GOTO	
1577	REP	1	13,2213	28245 0			STAR52
1578			13,2214	77745 1	LEN52	DLOAD	
1579	REP	4	13,2215	02356 0			AOPTIME
1580	REP	40	13,2216	34041 0		STCALL	TDEC1
1581	REP	4	13,2217	27057 0			LEMCONIC
1582			13,2220	77775 1		VLOAD	
1583	REP	27	13,2221	00001 0			RATT
1584			13,2222	77650 1		GOTO	
1585	REP	1	13,2223	28234 0			LMKLMCOM
1586			13,2224	71214 0	LMK52	BON	DLOAD
1587	REP	3	13,2225	04305 0			ADVTRK
1588	REP	1	13,2226	54000 0			ADVTRACK
1589	REP	5	13,2227	02356 0			AOPTIME
1590			13,2230	77624 1		CALL	
1591	REP	6	13,2231	28373 1			LALOTORV
1592			13,2232	77775 1		VLOAD	
1593	REP	10	13,2233	02152 0			ALPHAV
1594	REP	11	13,2234	18768 1	LMKLMCOM	STODL	STAR
1595	REP	6	13,2235	02356 0			AOPTIME
1596	REP	41	13,2236	34041 0		STCALL	TDEC1
1597	REP	6	13,2237	27045 0			C5MCONIC
1598			13,2240	52375 1		VLOAD	V5U
1599	REP	12	13,2241	02766 1			STAR
1600	REP	28	13,2242	00001 0			RATT
1601			13,2243	52058 0		UNIT	GOTO
1602	REP	1	13,2244	28280 1			COM52
1603			13,2245	72131 1	STAR52	SSP	LXA,1
1604	REP	30	13,2246	00051 0			S1
1605			13,2247	00000 1			0
1606	REP	15	13,2250	00304 0			STARIND
1607			13,2251	77700 0		TIX,1	
1608	REP	1	13,2252	26256 1			STS2ST
1609			13,2253	52175 0		VLOAD	GOTO
1610	REP	9	13,2254	02617 0			STARSAV2

L P51-P53

1611	REP	2	LAST	730	13,2255	26260	1				COM52
1612					13,2256	77775	1	ST52ST	VLOAD		
1613	REP	7	LAST	724	13,2257	02611	0			STARSV1	
1614					13,2260	53521	1	COM52	MXV	UNIT	
1615	REP	27	LAST	728	13,2261	01738	1			REFSMAT	
1616	REP	13	LAST	730	13,2262	02766	1		STORE	STAR	
1617					13,2263	45001	1		SETPD	CALL	
1618					13,2264	00001	0			0	
1619	REP	8	LAST	728	13,2265	47432	1			CDUTRIG	
1620					13,2266	77624	1		CALL		
1621	REP	1			13,2267	46034	1			CALCSXA	
1622					13,2270	77414	0		BOFF	EXIT	
1623	REP	6	LAST	710	13,2271	01750	1			CULTPLAG	
1624	REP	1			13,2272	26274	1			TRUN38	
1625	REP	1			13,2273	0 2312	0		TC	SR52E1	
1626					13,2274	45345	1	TRUN38	DLOAD	DSU	
1627	REP	8	LAST	700	13,2275	02778	0			PAC	
1628	REP	1			13,2276	28315	1			38TRDEG	
1629					13,2277	71244	0		BPL	DLOAD	
1630	REP	1			13,2300	26305	0			SR52E22	
1631	REP	9	LAST	731	13,2301	02776	0			PAC	
1632					13,2302	51025	1		DSU	BPL	
1633	REP	1			13,2303	26321	0			20DEGSMN	
1634	REP	1			13,2304	26307	1			SR52E3	
1635					13,2305	77776	1	SR52E22	EXIT		
1636	REP	1			13,2306	0 2311	0		TC	SR52E2	
1637					13,2307	77776	1	SR52E3	EXIT		
1638	REP	12	LAST	730	13,2310	25*777	1			QMIN	
1639	REP	13	LAST	731	13,2311	25*777	1	SR52E2	INCR	QMIN	
1640	REP	14	LAST	731	13,2312	3 1777	1	SR52E1	CA	QMIN	
1641	REP	4	LAST	710	13,2313	0 4561	1		TC	SWCALL	
1642					13,2314	25252	0	38TRDEG	2DEC	.66666667	
1642					13,2315	25254	0				
1643					13,2316	00000	1	1.3SECDP	2DEC	130	
1643					13,2317	00202	1				
1644					13,2320	61740	0	20DEGSMN	DEC	-07199	
1645					13,2321	77777	0		DEC	-0	

COMPUTES SINES AND COSINES FOR CALCSXA
NOW EXPECT TO SEE THE CDU ANGLES.

CORRESPONDS TO 50 DEGS IN TRUNION

L P51-P53

USER=8 PAGE NO. 40 E5 83

P1646 THE ADVTRACK ROUTINE IS USED TO COMPUTE AN OPTICS LOS VECTOR TO
R1647 A POINT ON THE GROUND TRACK 60 DEGREE FORWARD OF THE LOCAL VERTICAL
R1648 OF AN ADVANCED ORBIT A SPECIFIED NUMBER OF REVOLUTIONS FROM NOW

1649	REP	1		26,2000		SETLOC 26P50S	
1650				26,2000		BANK	
1651				26,2000	77601 0	ADVTRACK SETPD	
1652				26,2001	00001 0		
1653				26,2002	41575 0		
1654	REP	2	LAST	32	26,2003	15324 0	VLOAD PUSH INITIALIZE FOR RP-TO-R
1655					26,2004	41434 1	UNITZ UZ VEC IN PD 0-5
1656	REP	22	LAST	730	26,2005	45505 0	RTB PUSH TIME IN PD 6-7
1657	REP	7	LAST	730	26,2006	36356 1	LOADTIME
1658	REP	4	LAST	697	26,2007	55341 1	STCALL AOPTIME TIME ALSO IN AOPTIME FOR CSMCONIC
1659	REP	14	LAST	731	26,2010	16766 1	RP-TO-R GET MOON ROTATION VEC IN REF
1660	REP	8	LAST	732	26,2011	02356 0	STODL STAR
1661	REP	42	LAST	730	26,2012	34041 0	AOPTIME PICK UP TIME
1662	REP	7	LAST	730	26,2013	27045 0	STCALL TDEC1 UPDATE STATE TO TIME
1663					26,2014	47375 0	
1664	REP	20	LAST	705	26,2015	00007 0	VLOAD VXV
1665	REP	29	LAST	730	26,2016	00001 0	VATT
1666					26,2017	77656 1	RATT
1667					26,2020	24031 0	UNIT
1668	REP	30	LAST	732	26,2021	00001 0	STOVL 24D SAVE -UNIT(V X R) FOR 2ND ROTATION
1669					26,2022	57456 1	RATT
1670					26,2023	41401 1	UNIT VCOMP
1671					26,2024	00001 0	SETPD PUSH PUSH LOS=-UNIT(RVEC) PD 0-5
1672					26,2025	77776 1	
1673	REP	23	LAST	614	26,2026	3 1751 0	EXIT
1674	REP	12	LAST	595	26,2027	7 4716 1	CA LANDMARK
1675					26,2030	0 0006 1	MASK SEVEN GET NUMBER OF ADVANCE PERIODS
1676	REP	22	LAST	687	26,2031	7 4700 0	EXTEND
1677	REP	69	LAST	727	26,2032	56 001 0	MP BIT11 GET N/16
1678	REP	15	LAST	717	26,2033	50 120 1	XCH L
1679					26,2034	54 036 0	INDEX FIXLOC
1680	REP	188	LAST	730	26,2035	0 6006 1	TS 30D TEMP STORE N/16
1681					26,2036	41335 1	TC INTPRET
1682					26,2037	00037 0	SLOAD DMP
1683	REP	1			26,2040	14107 1	30D
1684	REP	9	LAST	732	26,2041	36356 1	MPERIOD
1685	REP	1			26,2042	54057 1	STCALL AOPTIME ROTATE ANG ABOUT UR
1686					26,2043	77775 1	ROTA
1687					26,2044	00031 0	VLOAD
1688	REP	15	LAST	732	26,2045	16766 1	24D PICK UP 2ND ROTATION AXIS
1689	REP	1			26,2046	14105 0	STODL STAR
1690					26,2047	77625 0	DP1/6
1691	REP	10	LAST	732	26,2050	02356 0	DSU
1692	REP	11	LAST	732	26,2051	36356 1	AOPTIME
1693	REP	2	LAST	732	26,2052	54057 1	STCALL AOPTIME 2ND RAT ANGLE = 60 - A
1694					26,2053	77775 1	ROTA GO ROTATE 2ND TIME
							VLOAD

L P51-PS3

USER=3 PAGE NO. 41 E5 93

1695			26,2054	00001 0		0	
1696	REP 16	LAST 732	26,2055	36766 0	STCALL	STAR	STORE FINAL LOS IN STAR
1697	REP 3	LAST 731	26,2056	26260 1		COM52	RETURN TO SR52.1
1698			26,2057	73545 1	ROTA	DLOAD	SIN
1699	REP 12	LAST 732	26,2080	02356 0		AOPTIME	
1700			26,2081	47315 0		PDVL	VXV
1701	REP 17	LAST 733	26,2082	02766 1		STAR	PUSH 1/2SIN(A) PD 6-7
1702			26,2083	00001 0		0	UR VEC
1703			26,2084	72561 0		VXSC	LOS
1704			26,2085	50315 0		PDVL	1/2SIN(A)(URXLOS) PD 6-11.
1705	REP 18	LAST 733	26,2086	02766 1		STAR	
1706			26,2087	00001 0		0	
1707			26,2070	72561 0		VXSC	VSL2
1708	REP 19	LAST 733	26,2071	02766 1		STAR	
1709			26,2072	71525 0		PDDL	COS
1710	REP 13	LAST 733	26,2073	02356 0		AOPTIME	1/2(UR . LOS)UR 12-17
1711			26,2074	51315 1		PDVL	BVSJ
1712			26,2075	00015 0		12D	
1713			26,2076	00001 0		0	
1714			26,2077	76561 1		VXSC	VSL1
1715			26,2100	53255 0		VAD	VAD
1716			26,2101	40256 1		UNIT	SETPD
1717			26,2102	00001 0		0	
1718			26,2103	43406 1		PUSH	RVO
1719			26,2104	05252 1	DP1/6	2DEC	.16666666
1719			26,2105	25251 0			
1720			26,2106	01414 1	MPERIOD	2DEC	.047619
1720			26,2107	06044 1			APPROX LUNAR ROT ANG IN 2HRS X 16

L P51-P53

USER=8 PAGE NO. 42 E5'83

P1721	NAME-S52.3				
R1722	FUNCTION- XSMD= UNIT(YSMD X ZSMD)				
R1723	YSMD= UNIT(V X R)				
R1724	ZSMD= UNIT(-R)				
R1725	CALL DLOAD CALL				
R1726	TALIGN				
R1727	S52.3				
R1728	INPUT- TIME OF ALIGNMENT IN MPAC				
R1729	OUTPUT- X,Y,ZSMD				
R1730	SUBROUTINES- CSMCONIC				
1731	REP 3 LAST 718	16,2000			SETLOC P50S2
1732		16,2836			BANK
1733	REP 1				COUNT 15/S52.3
1734		16,2836	77620 0	S52.3	STQ
1735	REP 10 LAST 728	16,2837	00300 1		QMAJ
1736	REP 43 LAST 732	16,2840	34041 0		STCALL TDEC1
1737	REP 8 LAST 732	16,2841	27045 0		CSMCONIC
1738		16,2842	77601 0		SETPD
1739		16,2843	00001 0		0
1740		16,2844	57575 1		VLOAD VCOMP
1741	REP 31 LAST 732	16,2845	00001 0		RATT
1742		16,2846	77656 1		UNIT
1743	REP 3 LAST 698	16,2847	24323 0		STOVL ZSMD
1744	REP 21 LAST 732	16,2850	00007 0		VATT
1745		16,2851	53435 0		VXV UNIT
1746	REP 32 LAST 734	16,2852	00001 0		RATT
1747	REP 4 LAST 698	16,2853	00315 0		STORE YSMD
1748		16,2854	53435 0		VXV UNIT
1749	REP 4 LAST 734	16,2855	00323 0		ZSMD
1750	REP 7 LAST 728	16,2856	34307 1		STCALL XSMD
1751	REP 11 LAST 734	16,2857	00300 1		QMAJ

L P51-P53

USER=3 PAGE NO. 43 E5 S3

P1752 PROGRAM DESCRIPTION - R56 - ALTERNATE LOS SIGHTING MARK ROUTINE

R1753 FUNCTIONAL DESCRIPTION

R1754 TO PERFORM SIGHTING MARKS FOR THE BACK-UP ALIGNMENT PROGRAMS (P53,P54). THE ASTRONAUT KNOWS THE
 R1756 COORDINATES (OPTICS) OF THE ALTERNATE LINE OF SIGHT HE MUST USE FOR THIS ROUTINE. WHEN THE ASTRONAUT KEYS IN
 R1758 ENTER IN RESPONSE TO THE FLASHING V50 N25 R1-XXXXX THE CMC STORES THE THREE ICDU ANGLES AND TWO ANGLES DISPLAYED
 R1760 IN N92.

R1761 CALLING SEQUENCE

R1762 CALL
 R1763 R56

R1764 SUBROUTINES CALLED

R1765 A PORTION OF SXTMARK (VAC AREA SEARCH)
 R1766 GOFLASH
 R1767 GOPERF1

R1768 ERASABLE INITIALIZATION

R1769 STARIND-INDEX TO STAR NUMBER

R1770 OUTPUT

R1771 MARKSTAT-INDEX TO VAC AREA WHERE OUTPUT IS STORED.
 R1772 BESTI (INDEXED BY STARIND) CONTAINS STAR NUMBER.
 R1773 ICDU AND OCDU ANGLES IN VAC AREA AS FOLLOWS-
 R1774 VAC +2 CDUY
 R1775 VAC +3 CDUS
 R1776 VAC +4 CDUZ
 R1777 VAC +5 CDUT
 R1778 VAC +6 CDUX

REF	COUNT#	SS/R56	SETLOC	P50S	BANK	EXIT	CAP	V06N94B	TC	BANKCALL	CADR	GOFLASH	TC	GOTOPOOH	TC	R56A	TC	-5	TC	BANKCALL	CADR	SXTMARK +2	CAP	ZERO	TC	BANKCALL	CADR	CLEANDSP	CAP	V53	TC	BANKCALL	CADR	GOMARK2				
1779	REF 1																																					
1780	REF 5	LAST 717	15,2000																																			
1781			15,2252																																			
1782			15,2252	77776 1	R56																																	
1783	REF 1		15,2253	3 2382 1																																		
1784	REF 213	LAST 727	15,2254	0 4555 0																																		
1785	REF 34	LAST 718	15,2255	20824 0																																		
1786	REF 57	LAST 727	15,2256	0 4108 1																																		
1787	REF 1		15,2257	0 2281 0																																		
1788			15,2260	0 2253 1																																		
1789	REF 214	LAST 735	15,2261	0 4555 0	R56A																																	
1790	REF 3	LAST 726	15,2262	16004 1																																		
17904	REF 147	LAST 726	15,2263	3 4714 1																																		
17905	REF 215	LAST 735	15,2264	0 4555 0																																		
17906	REF 6	LAST 715	15,2265	20607 1																																		
1791	REF 1		15,2266	3 2380 0																																		
1792	REF 216	LAST 735	15,2267	0 4555 0																																		
1793	REF 3	LAST 583	15,2270	20470 0																																		

TERM.
 PROCEED - ANGLES OK
 ENTER - NEW ANGLES
 INHIBIT EXT VB ACT AND FIND VAC AREA

DISPLAY V53 REQUESTING ALTERNATE MARK

L P51-P53

USER'S PAGE NO. 44 E5 S3

1794	REP	58	LAST	735	15,2271	1 4106 0
1795	REP	2	LAST	735	15,2272	1 2263 0
17951	REP	189	LAST	732	15,2273	0 6006 1
17952					15,2274	77745 1
17953	REP	36	LAST	575	15,2275	03731 1
17954	REP	10	LAST	701	15,2276	16774 1
17956	REP	37	LAST	736	15,2277	03733 0
17957	REP	10	LAST	731	15,2300	02776 0
17958					15,2301	77776 1
1796					15,2302	0 0004 0
1797					15,2303	0 0006 1
1798	REP	25	LAST	695	15,2304	3 0025 0
1799	REP	37	LAST	726	15,2305	51=330 0
1800					15,2306	52 001 1
1801	REP	6	LAST	717	15,2307	3 0033 1
1802	REP	38	LAST	736	15,2310	51=330 0
1803					15,2311	54 002 1
1804	REP	11	LAST	736	15,2312	3 1773 0
1805	REP	39	LAST	736	15,2313	51=330 0
1806					15,2314	54 003 0
1807	REP	11	LAST	717	15,2315	3 0034 0
1808	REP	40	LAST	736	15,2316	51=330 0
1809					15,2317	54 004 1
1810	REP	11	LAST	736	15,2320	3 1775 0
1811	REP	41	LAST	736	15,2321	51=330 0
1812					15,2322	54 005 0
1813	REP	17	LAST	717	15,2323	3 0032 0
1814	REP	42	LAST	736	15,2324	51=330 0
1815					15,2325	54 006 0
1816					15,2328	0 0003 1
18161	REP	4	LAST	701	15,2327	0 5425 1
1817	REP	1			15,2330	3 4333 0
1818	REP	217	LAST	735	15,2331	0 4555 0
1819	REP	6	LAST	722	15,2332	20751 0
1820	REP	59	LAST	736	15,2333	0 4106 1
1821	REP	1			15,2334	1 2336 1
1822	REP	3	LAST	736	15,2335	1 2263 0
18225	REP	146	LAST	735	15,2336	3 4714 1
1823	REP	218	LAST	736	15,2337	0 4555 0
1824	REP	7	LAST	735	15,2340	20607 1
1825	REP	1			15,2341	3 2361 1
1826	REP	219	LAST	736	15,2342	0 4555 0
1827	REP	35	LAST	735	15,2343	20624 0
1828	REP	60	LAST	736	15,2344	0 4106 1
1829					15,2345	0 2347 0
1830	REP	2	LAST	736	15,2346	1 2336 1
1831	REP	3	LAST	727	15,2347	4 7713 1
1832	REP	8	LAST	727	15,2350	7 0735 1
1833					15,2351	0 0006 1

TCP	GOTOPOOH
TCP	R56A +2
TC	INTPRET
DLOAD	
	MRKBUP1 +3
STOOL	SAC
	MRKBUP1 +5
STORE	PAC
EXIT	
INHINT	
EXTEND	
DCA	TIME2
INDEX	MARKSTAT
DYCH	0
CA	CDUY
INDEX	MARKSTAT
TS	2
CA	SAC
INDEX	MARKSTAT
TS	3
CA	CDUZ
INDEX	MARKSTAT
TS	4
CA	PAC
INDEX	MARKSTAT
TS	5
CA	CDUX
INDEX	MARKSTAT
TS	6
RELINT	
TC	CLEARMRK
CAP	OCT16
TC	BANKCALL
CADR	GOPERF1
TC	GOTOPOOH
TCP	R56B
TCP	R56A +2
CAP	ZERO
TC	BANKCALL
CADR	CLEANDSP
CAP	V01N71B
TC	BANKCALL
CADR	GOFPLASH
TC	GOTOPOOH
TC	+2
TCP	R56B
CS	HIGH9
MASK	STARCODE
EXTEND	

V34-TERMINATE
V33-DONT PROCEED-JUST ENTER TO MARK

ENTER-THIS IS A BACKUP SYSTEM MARK

ENABLE EXTENDED VERBS

TERM.
PROCEED-MARK COMPLETED
RECYCLE - DO ANOTHER MARK - LIKE REJECT

R56B

RECYCLE



L P51-P53

USER'S PAGE NO. 45 E5 S3

1834	REP	27	LAST	727	15,2352	7 6211 1	MP	SIX
1835	REP	70	LAST	732	15,2353	56 001 0	XCH	L
1836	REP	16	LAST	730	15,2354	50 304 0	INDEX	STARIND
1837	REP	13	LAST	727	15,2355	54 302 1	TS	BESTI
1838	REP	190	LAST	736	15,2356	0 6006 1	TC	INTPRET
1839					15,2357	77616 0	RVO	
1840					15,2360	15200 1	VB53	VN 05300
1841					15,2361	00307 0	V01N71B	VN 00171
1842					15,2362	01536 0	V06N94B	VN 00894
1843	REP	13	LAST	725	15,2363	02807 1	PLANET	STORE TSIGHT
1844					15,2364	45020 1	STO	CALL
1845	REP	15	LAST	731	15,2365	02777 1		QMIN
1846	REP	2	LAST	696	15,2366	30216 1		LOCSAM
1847					15,2367	77775 1	VLOAD	
1848	REP	5	LAST	704	15,2370	02736 1		VEARTH
1849					15,2371	24001 0	STOVL	OD
1850	REP	8	LAST	705	15,2372	02744 1		VSUN
1851	REP	6	LAST	737	15,2373	26736 1	STOVL	VEARTH
1852					15,2374	00001 0		OD
1853	REP	9	LAST	737	15,2375	02744 1	STORE	VSUN
1854					15,2376	77776 1	NOSAM	EXIT
1855	REP	4	LAST	736	15,2377	4 7713 1	CS	HIGH9
1856	REP	9	LAST	736	15,2400	7 0735 1	MASK	STARCODE
1857					15,2401	0 0006 1	EXTEND	
1858	REP	2	LAST	727	15,2402	7 6211 1	MP	SIGHTSIX
1859	REP	71	LAST	737	15,2403	56 001 0	XCH	L
1860	REP	17	LAST	737	15,2404	50 304 0	INDEX	STARIND
1861	REP	14	LAST	737	15,2405	54 302 1	TS	BESTI
1862	REP	178	LAST	727	15,2406	10 000 0	CCS	A
1863	REP	1			15,2407	1 2423 1	TCF	NOTPLAN
1864	REP	1			15,2410	3 2453 1	CAF	VNPLANV
1865	REP	220	LAST	736	15,2411	0 4555 0	TC	BANKCALL
1866	REP	36	LAST	736	15,2412	20624 0	CADR	GOFLASH
1867	REP	61	LAST	736	15,2413	0 4106 1	TC	GOTOPOCH
1868					15,2414	0 2416 0	TC	+2
1869					15,2415	0 2410 0	TC	-5
1870	REP	191	LAST	737	15,2416	0 6006 1	TC	INTPRET
1871					15,2417	53575 0	VLOAD	UNIT
1872	REP	20	LAST	733	15,2420	02766 1		STAR
1873					15,2421	77650 1	GOTO	
1874	REP	1			15,2422	32448 0		CORPLAN
1875	REP	179	LAST	737	15,2423	4 0000 0	NOTPLAN	CS A
1876	REP	1			15,2424	6 2452 0	AD	DEC227
1877					15,2425	0 0006 1	EXTEND	
1878	REP	1			15,2426	6 2437 0	BZMP	CALSAM1
1879	REP	18	LAST	737	15,2427	50 304 0	INDEX	STARIND
1880	REP	15	LAST	737	15,2430	3 0302 0	CA	BESTI
1881	REP	16	LAST	732	15,2431	50 120 1	INDEX	FIXLOC
1882	REP	32	LAST	708	15,2432	54 046 1	TS	X1
1883	REP	192	LAST	737	15,2433	0 6006 1	TC	INTPRET

ALTERNATE MARK VERB



L LUNAR AND SOLAR EPHEMERIDES SUBROUTINES

USER'S PAGE NO. 1 E0 S3

P0001 LUNAR AND SOLAR EPHEMERIDES SUBROUTINES

R0002 FUNCTIONAL DESCRIPTION

R0003 THESE SUBROUTINES ARE USED TO DETERMINE THE POSITION AND VELOCITY
R0004 VECTORS OF THE SUN AND THE MOON RELATIVE TO THE EARTH AT THE
R0005 SPECIFIED GROUND ELAPSED TIME INPUT BY THE USER.

R0006 THE POSITION OF THE MOON IS STORED IN THE COMPUTER IN THE FORM OF
R0007 A NINTH DEGREE POLYNOMIAL APPROXIMATION WHICH IS VALID OVER A 15
R0008 DAY INTERVAL BEGINNING SHORTLY BEFORE LAUNCH. THEREFORE THE TIME
R0009 INPUT BY THE USER SHOULD FALL WITHIN THIS 15 DAY INTERVAL.

R0010 LSPOS COMPUTES THE POSITION VECTORS OF THE SUN AND THE MOON.

R0011 LUNPOS COMPUTES THE POSITION VECTOR OF THE MOON.

R0012 LUNVEL COMPUTES THE VELOCITY VECTOR OF THE MOON.

R0013 SOLPOS COMPUTES THE POSITION VECTOR OF THE SUN.

R0014 CALLING SEQUENCE

R0015	DLOAD	CALL	
R0016		TIME	GROUND ELAPSED TIME
R0017		SUBROUTINE	LSPOS OR LUNPOS OR LUNVEL OR SOLPOS

R0018 INPUT

R0019 1) SPECIFIED GROUND ELAPSED TIME IN CS X B-28 LOADED IN MPAC.

R0020 2) TIMEMO - TIME AT THE CENTER OF THE RANGE OVER WHICH THE LUNAR
R0021 POSITION POLYNOMIAL IS VALID IN CS X B-42.

R0022 3) VECOE4 - VECTOR COEFFICIENTS OF THE LUNAR POSITION POLYNOMIAL
R0023 LOADED IN DESCENDING SEQUENCE IN METERS/CS**N X B-2

R0024 4) RESO - POSITION VECTOR OF THE SUN RELATIVE TO THE EARTH AT
R0025 TIMEMO IN METERS X B-38.

R0026 5) VBSO - VELOCITY VECTOR OF THE SUN RELATIVE TO THE EARTH AT
R0027 TIMEMO IN METERS/CS X B-9.

R0028 6) OMEGAES - ANGULAR VELOCITY OF THE VECTOR RESO AT TIMEMO IN
R0029 REV/CS X B+26.

R0030 ALL EXCEPT THE FIRST INPUT ARE INCLUDED IN THE PRE-LAUNCH
R0031 ERASABLE DATA LOAD.

R0032 OUTPUT - LSPOS



L LUNAR AND SOLAR EPHEMERIDES SUBROUTINES

USER=5 PAGE NO. 2 E0 83

R0033 1) 2D OF VAC AREA CONTAINS THE POSITION VECTOR OF THE SUN RELATIVE
R0034 TO THE EARTH AT TIME INPUT BY THE USER IN METERS X B-38.

R0035 2) MPAC CONTAINS THE POSITION VECTOR OF THE MOON RELATIVE TO THE
R0036 EARTH AT TIME INPUT BY THE USER IN METERS X B-29.

R0037 OUTPUT - LUNPOS

R0038 MPAC CONTAINS THE POSITION VECTOR OF THE MOON RELATIVE TO THE
R0039 EARTH AT THE TIME INPUT BY USER IN METERS X B-29.

R0040 OUTPUT - LUNVEL

R0041 MPAC CONTAINS THE VELOCITY VECTOR OF THE MOON RELATIVE TO THE
R0042 EARTH AT TIME INPUT BY THE USER IN METERS/CS X B-7.

R0043 OUTPUT - SOLPOS

R0044 MPAC CONTAINS THE POSITION VECTOR OF THE SUN RELATIVE TO THE EARTH
R0045 AT TIME INPUT BY THE USER IN METERS X B-38.

R0046 SUBROUTINES USED

R0047 NONE

R0048 REMARKS

R0049 THE VAC AREA IS USED FOR STORAGE OF INTERMEDIATE AND FINAL RESULTS
R0050 OF COMPUTATIONS.

R0051 S1, X1 AND X2 ARE USED BY THESE SUBROUTINES.
R0052 PRELAUNCH ERASABLE DATA LOAD ARE ONLY ERASABLE STORAGE USED BY
R0053 THESE SUBROUTINES.
R0054 RESTARTS DURING OPERATION OF THESE SUBROUTINES MUST BE HANDLED BY
R0055 THE USER.

0056										
0057	REF	1		38,2502				BANK	38	
0058				28,2000				SETLOC	EPHEM	
				28,2110				BANK		
0059	REF	1						COUNT*	55/EPHEM	
0060	REF	2	LAST	210	E7,1777			ERANK=	END-E7	
0061					28,2110	77774 0	LSPOS	AXT,2		
0062	REF	1			28,2111	54161 0		RESA		
0063					28,2112	52170 0		GOTO		
0064	REF	1			28,2113	54143 0		AXT,1	RES	
0065	REF	1			28,2114	54126 0		LSTIME		
0066					28,2115	52170 0	LUNPOS	AXT,1	GOTO	
0067	REF	1			28,2116	54162 0		REM		
0068	REF	2	LAST	740	28,2117	54126 0		LSTIME		

COMPUTES POSITION VECTORS OF BOTH THE SUN AND THE MOON. THE POSITION VECTOR OF THE SUN IS STORED IN 2D OF THE VAC AREA. THE POSITION VECTOR OF THE MOON IS STORED IN MPAC. COMPUTES THE POSITION VECTOR OF THE MOON AND STORES IT IN MPAC.



L LUNAR AND SOLAR EPHEMERIDES SUBROUTINES

USER'S PAGE NO. 3 E7 83

0069				26,2120	52170 0	LUNVEL	AXT,1	GOTO		COMPUTES THE VELOCITY VECTOR OF THE MOON
0070	REP	1		26,2121	54173 0			VEM		AND STORES IT IN MPAC.
0071	REP	3	LAST	740	26,2122	54128 0		LSTIME		
0072				26,2123	76020 1	SOLPOS	STQ	AXT,1		COMPUTES THE POSITION VECTOR OF THE SUN
0073	REP	12	LAST	876	26,2124	00047 1		X2		AND STORES IT IN MPAC.
0074	REP	2	LAST	740	26,2125	54143 0		RES		
0075				26,2126	54201 0	LSTIME	SETPD	SR		
0076				26,2127	00001 0			0D		
0077				26,2130	20817 0			14D		
0078				26,2131	57571 0		TAD	DCOMP		
0079	REP	12	LAST	530	26,2132	01707 0		TEPHEM		
0080				26,2133	57571 0		TAD	DCOMP		
0081	REP	2	LAST	86	26,2134	02034 1		TIMEMO		
0082				26,2135	66261 1		SL	SSP		
0083				26,2136	20221 1			16D		
0084	REP	31	LAST	730	26,2137	00051 0		S1		
0085				26,2140	00008 1			6D		
0086				26,2141	77650 1		GOTO			
0087	REP	33	LAST	737	26,2142	00046 0		X1		
0088				26,2143	41206 0	RES	PUSH	DMP		PD- 2
0089	REP	1			26,2144	02147 1		OMEGAES		
0090				26,2145	71406 0		PUSH	COS		PD- 4
0091				26,2146	65361 0		VXSC	PDDL		PD- 8
0092	REP	2	LAST	87	26,2147	02133 1		RESO		
0093				26,2150	63356 1		SIN	PDVL		PD-10
0094	REP	3	LAST	741	26,2151	02133 1		RESO		
0095				26,2152	53406 0		PUSH	UNIT		PD-16
0096				26,2153	53435 0		VXV	UNIT		
0097	REP	3	LAST	616	26,2154	02141 1		VESO		
0098				26,2155	76435 1		VXV	VSL1		PD-10
0099				26,2156	53361 0		VXSC	VAD		PD-02
0100				26,2157	52172 1		VSL1	GOTO		RES IN METERS X B-38 IN MPAC.
0101	REP	13	LAST	741	26,2160	00047 1		X2		
0102				26,2161	14003 1	RESA	STODL	2D		RES IN METERS X B-38 IN 2D OF VAC.
0103				26,2162	63370 0	REM	AXT,1	PDVL		PD- 2
0104				26,2163	00066 1			54D		
0105	REP	2	LAST	86	26,2164	02037 1		VECOEM		
0106				26,2165	52761 0	REMA	VXSC	VAD*		
0107				26,2166	00001 0			0D		
0108	REP	3	LAST	741	26,2167	02133 1		VECOEM +60D,1		
0109				26,2170	72500 1		TIX,1	VSL2		REM IN METERS X B-29 IN MPAC.
0110	REP	1			26,2171	54165 1		REMA		
0111				26,2172	77616 0		RVO			
0112				26,2173	65370 0	VEM	AXT,1	PDDL		PD- 2
0113				26,2174	00060 1			48D		
0114	REP	1			26,2175	14214 0		NINER4		
0115				26,2176	74206 0		PUSH	VXSC		PD- 4
0116	REP	4	LAST	741	26,2177	02037 1		VECOEM		
0117				26,2200	77761 1	VERA	VXSC			
0118				26,2201	00001 0			0D		



L LUNAR AND SOLAR EPHEMERIDES SUBROUTINES

USER'S PAGE NO. 4 ET 53

0119		26,2202	14005 1	STODL	4D		
0120		26,2203	41425 1	DSU	PUSH		PD- 2
0121	REP 1	26,2204	14216 1		ONEB4		PD- 4
0122		26,2205	53357 0	VXSC*	VAD		
0123	REP 5 LAST 741	26,2206	02125 0		VECOEM +54D,1		
0124		26,2207	00005 1		4D		
0125		26,2210	72500 1	TIX,1	VSL,2		VEM IN METERS/CS X B-7 IN MPAC.
0126	REP 1	26,2211	54200 1		VEMA		
0127		26,2212	77616 0	RVO			
0128		26,2213	22000 1	NINEB4	2DEC	9.0 B-4	
0128		26,2214	00000 1				
0129		26,2215	02000 0	ONEB4	2DEC	1.0 B-4	
0129		26,2216	00000 1				

L P61-P67

USER=8 PAGE NO. 1 E0 S3

R0001 PROGRAM' P61
 R0002 MOD NO.' 0 MAR. 13, 1967
 R0003 MOD BY' R. HIRSCHKOP
 R0004 MOD NO' 1 MOD BY' RR BAIRNSPATHER DATE' 22 JUN 67
 R0006 MOD NO' 2 MOD BY' RR BAIRNSPATHER DATE' 17 JAN 68
 R0008 MOD NO' 3 MOD BY' RR BAIRNSPATHER DATE' 8 MAY 68
 R0010 FUNCTION' TO CALCULATE AND DISPLAY EMS INITIALIZATION DATA
 R0011 CALLING SEQUENCE- BY V37
 R0012 EXIT- TO P62
 R0013 SUBROUTINE CALLS- S61.1 , S61.3 , GOFLASH , FLAGUP , R02BOTH

RESTARTS.
 COLOSSUS GSOP CHANGES.
 DELETE CSM MANEUVER (PCR 50)

R0014 ERASABLE INITIALIZATION'
 R0015 EMSALT (-29) M .05G ALTITUDE ABOVE FISCHER ELLIPSOID
 R0017 ALPAPAD /180 HYPERSONIC CM TRIM ANGLE OF ATTACK
 R0019 OUTPUT' THE FOLLOWING REGISTERS ARE WRITTEN IN FOR USE BY DISPLAYS
 R0020 GMAX 100 GMAX (-14) G,S MAXIMUM ACCELERATION
 R0021 VPRED (-7) M/CS PREDICTED VELOCITY AT 400K FT
 R0022 GAMMAEI GAMMA/360 PREDICTED GAMMA AT 400K FT
 R0023 RTGO THETAH/360 RANGE ANGLE TO SPLASH FROM EMSALT
 R0025 VIO (-7) M/CS INERTIAL VELOCITY AT EMSALT
 R0027 TTE (-28) CS TIME TO EMSALT
 R0029 LAT(SPL) /360 TARGET LOCATION
 R0031 LNG(SPL) /360 TARGET LOCATION
 R0033 HEADSUP (0) +1 = LIPT DOWN, -1 = LIPT UP
 R0035 DEBRIS' SEE SUBROUTINES.

PAD LOADED.
 PAD LOADED

EMSALT IS PAD LOADED
 EMSALT IS PAD LOADED
 EMSALT IS PAD LOADED
 LEFT BY DSKY
 LEFT BY DSKY
 LEFT BY DSKY

0036 26,2217
 0037 REF 1 26,2000
 0038 26,2217

BANK 26
 SETLOC P60S
 BANK

0039 REF 15 LAST 530 E6,1661

EBANK= AGC

0040 REF 1

COUNT* 55/P61

0041 REF 41 LAST 692 26,2217 3 4675 1 P61
 0042 REF 18 LAST 560 26,2220 55=044 1

CA BIT14
 TS EXTTRACT

EXTENDED VERB SHOULD BE FREE THIS CLOSE
 TO V37
 LOCK OUT EXTENDED VERBS SO CAN USE TFF
 ROUTINES.EXT VERB ERASE IS USED

A0043
 A0044
 0045 REF 89 LAST 689 26,2221 4 4712 0
 0046 REF 3 LAST 275 26,2222 55=726 1

CS ONE
 TS HEADSUP

REMOVE IF HEADSUP EVER ON UPLINK DATA
 PRELOAD

0047 REF 1 26,2223 0 2543 1
 A0048

TC S61.1

CHECK STATE VECTOR AND IMU ORIENTATION
 RV 60GENRET. DOES PHASCHNG, GROUP 4.

0049 REF 1 26,2224 3 2424 1
 A0050

CA V06N61

LAT(SPL) LNG(SPL) HEADSUP
 XXX.XX DEG XXX.XX DEG XXXXX.

0051 REF 221 LAST 737 26,2225 0 4555 0
 0052 REF 17 LAST 727 26,2226 20763 1
 0053 REF 62 LAST 737 26,2227 0 4106 1

TC BANKCALL
 CADR GOFLASHR
 TC GOTOPOOH

L P61-P67

USER'S PAGE NO. 2 E6 S3

0054	REP	1		26,2230	0 2235	1		TC	P61.4
0055				26,2231	0 2224	1		TC	-5
0056	REP	75	LAST	724	26,2232	0 5301	0	P61.3	TC PHASCHNG
0057					26,2233	00014	1	OCT	00014
0058	REP	96	LAST	727	26,2234	0 5112	0	TC	ENDOFJOB
0061					26,2235	22 007	0	P61.4	ZL
0062	REP	4	LAST	743	26,2236	11=726	1	CCS	HEADSUP
0063	REP	42	LAST	743	26,2237	3 4875	1	CA	BIT14
0064					26,2240	12 241	0	NOOP	
0065	REP	5	LAST	276	26,2241	53=718	1	DXCH	ROLLC
0066	REP	194	LAST	738	26,2242	0 6006	1	TC	INTPRET
0067					26,2243	77745	1	NEWRVN	DLOAD
0068	REP	9	LAST	680	26,2244	01205	1		PIPTIME
0069	REP	2	LAST	116	26,2245	37651	1	STCALL	MM
0070	REP	1			26,2246	52063	0		STARTEN1
0071					26,2247	77775	1	VLOAD	
0072	REP	11	LAST	680	26,2250	01171	1		RN
0073	REP	15	LAST	635	26,2251	02327	0	STORE	RCNE
0074					26,2252	77656	1	UNIT	
0075	REP	1			26,2253	26343	1	STOVL	URONE
0076	REP	10	LAST	656	26,2254	01177	1		VN
0077	REP	10	LAST	513	26,2255	02335	0	STORE	VONE
0078					26,2256	53435	0	VXV	UNIT
0079	REP	2	LAST	744	26,2257	02343	1		URONE
0080	REP	2	LAST	116	26,2260	03502	0	STORE	UNI
0081					26,2261	45345	1	DUMPP61	DSU
0082	REP	3	LAST	744	26,2262	03651	0		MM
0083	REP	10	LAST	744	26,2263	01205	1		PIPTIME
0084					26,2264	45040	1	EMN	CALRB
0085	REP	1			26,2265	54243	0		NEWRVN
0086	REP	1			26,2266	54650	0		S61.2
A0087									
0089	REP	5	LAST	738	26,2267	0 5425	1	P61.1	TC
0090	REP	1			26,2270	3 2423	0	CA	CLEARMRK
A0091									V06N60
0092	REP	222	LAST	743	26,2271	0 4555	0	TC	BANKCALL
0093	REP	37	LAST	737	26,2272	20624	0	CADR	GOFLASH
0094	REP	63	LAST	743	26,2273	0 4106	1	TC	GOTOPOCH
0095	REP	1			26,2274	0 2276	0	TC	P61.2
0096					26,2275	0 2270	0	TC	-5
0097	REP	195	LAST	744	26,2276	0 6006	1	P61.2	TC
A0098									INTPRET
0099					26,2277	45234	0	RTB	DSU
0100	REP	23	LAST	732	26,2300	45505	0		LOADTIME

C(HEADSUP)= +1/-1
 IF HEADSUP POS,ROLLC =180 DEG.(LIPT DWN)
 IF HEADSUP NEG,ROLLC=0 (LIPT UP)
 ROLLC IS USED BY S62.3' GIM ANG AT .05G

SAVE TIME OF RV,VN TO DETERMINE IF AN
 UPDATE HAS OCCURRED
 INITIALIZE

INITIAL VALUE OF PIPTIME

UPDATED... GO TRY AGAIN
 GET DISPLAY DATA FOR N60 AND N63
 AND RETURN IN BASIC, BELOW.

GMAX VPRD GAMMAE1
 XXX.XX G XXXXX. FPS XXX.XX DEG

PROCEED

CORRECT TIE FOR TIME LAPSE DURING
 ABOVE DISPLAY.

CURRENT TIME.

L P61-P67

USER-S PAGE NO. 3 E6 S3

0101	REF	4	LAST	744	26,2301	03651	0		MM	PIPTIME FOR RCNE d VONE.
0102					26,2302	77815	0	DAD		
0103	REF	2	LAST	118	26,2303	03733	0		TIE1	NEGATIVE OF FREE FALL TIME.
0104	REF	5	LAST	275	26,2304	03727	0	STORE	TIE	DECREMENTED
0105					26,2305	77776	1		EXIT	
0106	REF	1			26,2306	3 2425	0	CA	V08N63	RIG0 VIO TIE
A0107										XXXX.X NM XXXXX. FPS XXXXX M,S
0108	REF	223	LAST	744	26,2307	0 4555	0	TC	BANKCALL	
0109	REF	38	LAST	744	26,2310	20824	0	CADR	GOFLASH	
0110	REF	64	LAST	744	26,2311	0 4106	1	TC	GOTOPOOH	
0111					26,2312	0 2314	0	TC	+2	
0112	REF	2	LAST	744	26,2313	0 2276	0	TC	P61.2	REDO

R0113

.... THEN FALL INTO P62



L P61-P67

USER=3 PAGE NO. 4 E6 S3

R0114 PROGRAM- P62
 R0115 MOD NO.- 0 MAR. 13, 1967
 R0116 MOD BY- R. HIRSCHKOP
 R0117 MOD NO' 1 MOD BY' RR BAIENSPATHER DATE' 21 MAR 67
 R0118 MOD NO' 2 MOD BY' RR BAIENSPATHER DATE' 22 JUN 67 RESTARTS.
 R0120 MOD NO' 3 MOD BY' RR BAIENSPATHER DATE' 17 JAN 68 COLOSSUS GSOP CHANGES.
 R0122 MOD NO' 4 MOD BY' RR BAIENSPATHER DATE' 8 MAY 68 MOVE START OF DESIRED GIMBAL CALC.
 R0124 FUNCTION- 1) TO NOTIFY CREW WHEN GNC SYSTEM IS PREPARED FOR CM/SM SEPARATION
 2) TO ORIENT THE CM TO THE CORRECT ATTITUDE FOR ATMOSPHERIC ENTRY
 R0126 CALLING SEQUENCE- BY V37 OR DIRECTLY FROM P61
 R0128 EXIT- TO P63
 R0130 ERASABLE INITIALIZATION'
 R0131 ALPAPAD LEFT BY PAD LOAD
 R0132 LADPAD LEFT BY PAD LOAD
 R0133 LODPAD LEFT BY PAD LOAD
 R0134 LAT(SPL) (MAY BE CHANGED BELOW) LEFT BY DSKY, VIA P61
 R0136 LNG(SPL) (MAY BE CHANGED BELOW) LEFT BY DSKY, VIA P61
 R0138 HEADSUP. (MAY BE CHANGED BELOW) LEFT BY DSKY, VIA P61
 R0140 SUBROUTINE CALLS' NEWMODEX , S61.1 , CM/DAPIC , CM/DAPCN , R02BOTH , GOPERF1 , GOFLASH , GODSPR

0142 REP 1 COUNT# \$\$/P62
 0143 REP 7 LAST 527 26,2314 0 5243 1 TC NEWMODEX MODE CHANGE IF CAME FROM P61.
 0144 26,2315 00076 0 MM 62 MODE CHANGE AUTOMATIC VIA V 37.
 0145 REP 90 LAST 743 26,2316 3 4712 1 CA ONE
 0146 REP 4 LAST 196 26,2317 54 332 1 TS DNLSTOOD
 0147 REP 2 LAST 743 26,2320 0 2543 1 P62 TC S61.1 CHECK STATE VECTOR AND IMU ORIENTATION.
 0148 REP 196 LAST 744 26,2321 0 6006 1 TC INTPRET
 0149 26,2322 47131 1 SSP RTB
 0150 REP 2 LAST 110 26,2323 03325 0 POSEXIT
 0151 REP 1 26,2324 54402 0 P62.3 CALCULATE DESIRED .05G GIMBAL ANGLES,
 A0152 WITHOUT DISPLAY.
 0153 REP 1 26,2325 41645 0 CM/DAPIC START CM/POSE AND BODY RATE CALC
 A0154 DOES 2PHSCHNG, OCT 40116, OCT 05024, OCT 13000.
 A0155 CM/DAPIC SETS ERANK = ERAOG
 A0156 AND RETURNS IN BASIC TO P62.2.
 0157 26,2326 0 0006 1 P62.2 EXTEND
 0158 REP 1 26,2327 3 2431 0 DCA POSECADR CONTINUE WITH CM/POSE AFTER AV G.
 0159 REP 8 LAST 647 26,2330 53*223 1 DXCH AVEGEXIT
 0160 REP 1 26,2331 3 4270 0 CAP OCT41 REQUEST SEPARATION
 0161 REP 224 LAST 745 26,2332 0 4555 0 TC BANKCALL
 0162 REP 1 26,2333 21031 0 CADR GOPERF1R
 0163 REP 65 LAST 745 26,2334 0 4106 1 TC GOTOPOOH
 0164 26,2335 0 2340 1 TC +3
 PROCED

L P61-P67

USER-S PAGE NO. 5 E6 S3

A0165
 0166
 0167 REP 1 26,2336 0 2331 1
 26,2337 0 2232 0
 0168 REP 44 LAST 690 26,2340 0 4574 0 +3
 0169 REP 1 26,2341 41565 1
 A0170

NOTE: NODOFLAG WILL BE SET IN CM/DAPON. !!!
 ENTER
 FOR PHASCHNG AND ENDOFJOB.
 TC -5
 TC P61.3
 TC POSTRAMP
 CADR CM/DAPON
 DISABLE RCS DAP, ENABLE ENTRY DAP AND
 DO ATTITUDE HOLD.

A0171
 A0172
 0173 REP 2 LAST 743 26,2342 3 2424 1 P62.1
 A0174

WILL IDLE UNTIL CM/POSE DOES ONE UPDATE.
 CM/DAPON DOES NO PHASCHNG.
 CA V06N61 LAT(SPL) LNG(SPL) HEADSUP
 XXX.XX DEG XXX.XX DEG 0000X.

A0175
 A0176
 A0177

TERMINATE ATTITUDE HOLD. SET UP COMMANDS'
 ROLLC, ALFACOM, BETACOM. BEGIN MANUEVER TO
 ENTRY ATTITUDE.

0178 REP 225 LAST 746 26,2343 0 4555 0
 0179 REP 39 LAST 745 26,2344 20824 0
 0180 26,2345 0 2342 0
 0181 26,2346 0 2350 0
 0182 26,2347 0 2342 0

TC BANKCALL
 CADR GOFLASH
 TC -3
 TC +2
 TC -5

0183 REP 76 LAST 744 26,2350 0 5301 0
 0184 26,2351 04024 0

TC PHASCHNG
 OCT 04024

USE ENTRYVN FOR DISPLAY BELOW.

A0185

ERANK WAS SET IN CM/DAPON TO ERAOG

0186 REP 5 LAST 744 26,2352 11*728 1
 0187 REP 43 LAST 744 26,2353 3 4675 1
 0188 26,2354 12 355 1
 0189 REP 6 LAST 744 26,2355 55*715 1
 0190 REP 1 26,2356 3 1411 1
 0191 26,2357 22 007 0
 0192 REP 2 LAST 110 26,2360 53*604 0

CCS HEADSUP
 CA BIT14
 NOOP
 TS ROLLC
 CA ALFAPAD
 ZL
 DXCH ALFACOM

C(HEADSUP) = +/- 1
 IF HEADSUP POS, ROLLC=180 DEG (LIFT DWN)
 IF HEADSUP NEG, ROLLC=0 DEG (LIFT UP)
 NOMINAL ALFATRIM PAD LOADED, NEG. NO.
 SET ALFACOM = ALFA TRIM, BETACOM=0

0193 REP 91 LAST 748 26,2361 3 4712 1
 0194 REP 1 26,2362 55*727 0

CA ONE
 TS P63FLAG

PERMITS EXDAP2 TO CHANGE FLAG TO +0
 AS INDICATOR. STARTS UP P63.

0195 REP 2 LAST 391 26,2363 3 4745 0
 0196 REP 2 LAST 78 26,2364 55*263 0

CA V06N22
 TS ENTRYVN

SET UP DISPLAY FOR CDU DESIRED VALUES
 FROM ENTRY ATTITUDE CALC, THAT IS
 ALREADY GOING.

A0197
 0198 REP 44 LAST 699 26,2365 0 5435 0
 0199 REP 1 26,2366 00134 1
 A01991

TC UPFLAG
 ADRES ENTRYDSP

TURN ON ENTRY DISPLAY
 ENTRYDSP = 92D BIT 13 FLAG 6

SKIP



L P61-P67

USER=5 PAGE NO. 6 E6 S3

0200 REP 4 LAST 173 26,2367 4 1700 0
 0201 REP 92 LAST 747 26,2370 7 4712 0
 0202 26,2371 0 0008 1
 0203 REP 1 26,2372 1 2420 1

CS OMDAPMOD
 MASK ONE
 EXTEND
 BZF P63.1

GO DIRECTLY TO P63 IF BODY ATTITUDE IS SUCH THAT THE DELAY TASK WAKEP62 WILL BE OMITTED.
 DISABLE GRP 4, GO TO ENDOFJOB.

A0204

0205 REP 1 26,2373 0 2408 1

TC P63

(IE, CONTINUE IF OMDAPMOD = -1, OR +0)

A0206
 A0207
 A0208
 A0209
 A0210
 A0211

PUT JOB TO SLEEP UNTIL VEHICLE MANUEVER HAS REDUCED ALFA TO +/-45 DEG. CONSIDER REMAINING 85 DEG (25 DEG IF ALFA NEG) TO ALFA TRIM TO OCCUR AT 3 DEG/SEC, AND TERMINATE P62 AT THAT TIME.
 TASK WAKEP62 IS CALLED FROM ENTRY DAP.

0212 REP 2 LAST 610 26,2374 3 4760 1
 0213 REP 24 LAST 663 26,2375 0 5027 1
 0214 REP 16 LAST 743 E6,1861
 0215 REP 2 LAST 748 26,2376 02408 1
 0215 26,2377 54066 0
 0216 REP 40 LAST 687 26,2400 0 5213 1

WAKEP62 CA PRIO13
 TC NOVAC
 BRANK= ACG
 ZCADR P63
 TC TASKOVER

0217 REP 2 LAST 746 26,2401 54402 0 P62.3CAD CADR P62.3

A0218
 A0219
 A0220
 A0221
 0222
 0223 REP 18 LAST 728
 0224 REP 1
 0225 REP 1
 A0226

EACH 2 SEC, CALCULATE GIMBAL ANGLES FOR ENTRY CONDITIONS THAT WILL HOLD IF REORIENTATION WERE MADE AT PRESENT RN, VN. COME HERE FROM CM/POSE AND ALSO IN KEPLER PHASE OF ENTRY.

26,2402 52131 0 P62.3 SSP
 26,2403 00053 1
 26,2404 53570 0
 26,2405 20302 1

GOTO
 QPRET
 ENDEXIT
 S62.3

SET RETURN ADDRESS SO THAT ROUTINE GOES DIRECTLY TO ENTRY GUIDANCE EXIT THAT DOES ENTRY DISPLAY ,GRP 5.
 PUT DESIRED CDU VALUES IN CPHI=5 FOR N22 DISPLAY.

L P61-P67

USER=8 PAGE NO. 7 E6 S3

P0227		P63							
R0228	PROGRAM-		P63						
R0229	MOD NO.-		0	MAR. 13, 1967					
R0230	MOD BY-		R. HIRSCHKOP						
R0231	MOD NO' 1		MOD BY' RR BAIRNSPATHER	DATE' 22 JIN 67		RESTARTS.			
R0233	MOD NO' 2		MOD BY' RR BAIRNSPATHER	DATE' 14 JUL 67		REVISED RESTARTS			
R0235	FUNCTION-		1) TO INITIALIZE THE ENTRY EQUATIONS						
R0236			2) TO CONTINUE TO HOLD THE CM TO THE CORRECT ATTITUDE WITH RESPECT TO THE ATMOSPHERE FOR						
R0238			THE ONSET OF ENTRY DECELERATION. ROLL ANGLE IS LIFT UP/DOWN AS SPECIFIED BY HEADSUP.						
R0240			3) TO SENSE .05 G						
R0241	CALLING SEQUENCE-		DIRECTLY FROM P62						
R0242	EXIT-		TO ENDOFJOB						
R0243	SUBROUTINE CALLS-		NEWMODEX , GODSPR						
0244	REP	1				COUNT* 55/P63			
0245	REP	8 LAST 746	26,2406	0 5243 1	P63	TC	NEWMODEX		
0246			26,2407	00077 1		MM	63		
02461	REP	226 LAST 747	26,2410	0 4555 0		TC	BANKCALL	FLUSH N22 DISPLAY, IF ON. (ONIT DISP	
02462	REP	8 LAST 736	26,2411	20807 1		CADR	CLEANDSP	DURING STARTENT PASS.)	
A0247								ARRIVE WITH ERANK = AOC.	
0248	REP	1	26,2412	3 2427 1		CA	ENTCADR	CONTINUE AT STARTENT AFTER CM/POSE .	
A0249								AT END OF STARTENT, CHANGE ADDRESS IN GOTOADDR	
A0250								TO CONTINUE AT SCALEPOP THEREAFTER.	
0251	REP	3 LAST 746	26,2413	55=724 0		TS	POSEXIT		
0252	REP	1	26,2414	3 2426 0		CA	V06N64	G VI R TO SPLSH	
A0253								XXX.XX G XXXXX. PPS XXXX.X NM	
0254	REP	3 LAST 747	26,2415	55=263 0		TS	ENTRYVN	FOR DISPLAY CALL IN OVRNOUT.	
02541	REP	93 LAST 748	26,2416	4 4712 0		CS	ONE	IN CASE FLAG IS LEFT AT +1 BY DAP. THE	
02542	REP	2 LAST 747	26,2417	55=727 0		TS	P63FLAG	-1 ASSURES THAT EXO-ATM DAP WILL NOT	
A02543								CALL P63 OUT OF SEQUENCE IN P66 .	
0255	REP	77 LAST 747	26,2420	0 5301 0	P63.1	TC	PHASCHNG		
0256			26,2421	00004 0		OCT	00004	DISABLE. DISPLAY RESTARTED VIA ENTRY.	
0257	REP	97 LAST 744	26,2422	0 5112 0		TC	ENDOFJOB		
0258			26,2423	01474 1	V06N60	VN	0660		
0259			26,2424	01475 0	V06N61	VN	0661		
0260			26,2425	01477 1	V06N63	VN	0663		
0261			26,2426	01500 0	V06N64	VN	0664		
0262	REP	1	26,2427	52000 0	ENTCADR	CADR	STARTENT		



ASSEMBLE REVISION 249 OF AOC PROGRAM COLOSSUS BY NASA 2021111-041

20'35 OCT. 28,1968 PANDORA .080 PAGE 750

L P61-P67

USER-S PAGE NO. 8 E6 83

0263	REP	6	LAST	289	E7,1451				EBANK= RTINIT
0264	REP	1			26,2430	03373	0	POSECADR	2CADR CM/POSE
0264	REP	1			26,2431	78067	1		

TO CARY OVER INTO ENTRY STEERING,

L P61-P67 USER'S PAGE NO. 9 E6 53

P0265 PROGRAM- P64
R0266 MOD NO.- 1 SEPT. 19, 1967
R0267 MOD BY- R. HIRSCHKOP
R0268 MOD NO' 2 MOD BY' RR BAINSFATHER DATE' 8 MAY 68 REVISED COMMENTS FOR COLOSSUS
R0270 FUNCTION- 1. TO START ENTRY GUIDANCE AT .05G SELECTING ROLL ATTITUDE, CONSTANT DRAG LEVEL, AND
R0272 DRAG THRESHOLD, KA, WHICH ARE KEYED TO THE .05G POINT.
R0274 2. SELECT FINAL PHASE P67 IF V ± 27000 FPS WHEN .2G OCCURS.
R0276 3. ITERATE FOR UP-CONTROL SOLUTION P65 IF V ≤ 27000 FPS AND IF ALTITUDE RATE AND DRAG
R0278 LEVEL CONDITIONS ARE SATISFIED. ENTER P65 WHEN CONSTANT DRAG CONTROLLER HAS BROUGHT RANGE
R0280 AS PREDICTED TO WITHIN 25 NM OF DESIRED RANGE.
R0281 4. SELECT FINAL PHASE P67 IF NO UP-CONTROL SOLUTION EXISTS WITH VL ≤ 18000 FPS.
R0283 CALLING SEQUENCE- BY RTB FROM REENTRY CONTROL
R0284 EXIT- BACK TO REENTRY CONTROL
R0285 SUBROUTINE CALLS- NEWMODEX
0286 26,2432 BANK 26
0287 REF 1 26,2000 SETLOC P6051
0288 26,2432 BANK

R0289 THIS DISPLAY IS CALLED EACH PASS THROUGH STEERING. RESTART PROTECTION IS VIA STEERING.

	REP						COUNT*	\$\$/P64			
0291	REP	1									
0292	REP	9	LAST	749	26,2432	0 5243	1	P64	TC	NEWMODEX	ENTER VIA RTB WHEN .05G IS EXCEEDED.
0293					26,2433	00100	0		MM	64	
0294	REP	1			26,2434	3 2437	0		CA	V06N68	ROLLC VI HDOT
A0295											XXX.XX DEG XXXXX.FPS XXXXX.FPS
0296	REP	4	LAST	749	26,2435	55*263	0		TS	ENTRYVN	DISPLAY VIA OVERTOUT.
0297	REP	7	LAST	724	26,2436	0 6030	1		TC	DANZIG	... AND CONTINUE IN INITROLL ...
0298					26,2437	01504	1	V06N68	VN	0668	

L P61-P67

USER=8 PAGE NO. 10 E6 53

P0299 PROGRAM' P65
 R0300 MOD NO' 0 MOD BY' RR BAINSFATHER DATE' 17 JAN 68 COLOSSUS GSOP ADDITION.
 R0302 FUNCTION' TO CONTINUE ENTRY GUIDANCE, USING THE UP-CONTROL PHASE TO STEER TO A CONTROLLED EXIT
 R0304 CONDITION. THIS PHASE TERMINATES A) IF D ± Q7 FPSS, GO TO P66
 R0306 B) IF ROOT NEG, AND IF V ± VL +500PPS, GO TO P67.
 R0308

R0309 CALLING SEQUENCE' BY RTB FROM REENTRY CONTROL
 R0310 EXIT' BACK TO REENTRY CONTROL, OR TO ENDOPJOB.
 R0311 SUBROUTINE CALLS' NEWMODEX

REF	LAST	751	28,2440	0 5243 1	P65	TC	NEWMODEX	
0312	REF 1					MM	65	ENTER VIA RTB WHEN RANGE ± 25 N M OF TARGET.
0313	REF 10	LAST 751	28,2440	0 5243 1	P65	CA	PRI013	
0314			28,2441	00101 1		TC	NOVAC	
0315	REF 3	LAST 748	28,2442	3 4760 1		EBANK=	ENTRYVN	
0316	REF 25	LAST 748	28,2443	0 5027 1		ZCADR	P65.1	
0317	REF 5	LAST 751		1283				
0318	REF 2	LAST 210	28,2444	02456 1				
0318			28,2445	54062 1				
0319	REF 24	LAST 665	28,2446	0 5261 1		TC	2PHSCHNG	2 PHASE CHG REQUIRED TO PREVENT RE-STARTING FLASHING DISPLAY TWICE.
0320			28,2447	00554 0		OCT	00554	4.55 SPOT AND SERVICER, HERE.
0321			28,2450	10035 0		OCT	10035	
0322	REF 197	LAST 746	28,2451	0 6006 1		TC	INTPRET	
0323			28,2452	47131 1		SSP	RTB	CHANGE ENTRY MODE TO UPCTRL.
0324	REF 2	LAST 118	28,2453	03648 0			GOTOADDR	
0325	REF 1		28,2454	53027 1			UPCTRL	GO HERE TO REESTABLISH ENTRY SEQUENCER.
0326	REF 1		28,2455	52120 0			REFAZE10	AND CONTINUE AT UPCTRL...
A0327								
0328	REF 49	LAST 700	28,2456	0 5447 0	P65.1	TC	DOWNFLAG	
0329	REF 2	LAST 747	28,2457	00134 1		ADRES	ENTRYDSP	ENTRYDSP = 92D BIT 13 FLAG 6
A03291								
0330	REF 1		28,2460	3 2472 1		CA	V16N69	ROLLC DL (Q7) VL
0331	REF 227	LAST 749	28,2461	0 4555 0		TC	BANKCALL	XXX.XX DEG XXX.XX G XXXXX. FPS
0332	REF 18	LAST 743	28,2462	20763 1		CADR	GOFLASHR	
0333			28,2463	0 2460 1		TC	-3	NODOFLAG IS SET..
0334			28,2464	0 2467 0		TC	+3	
0335			28,2465	0 2460 1		TC	-5	
0336	REF 2	LAST 747	28,2466	0 2232 0		TC	P61.3	EST. GRP 4 FOR DDISPLAY AND DO ENDOPJOB IF PROCEED, CONTINUE.
A0337								
0338	REF 45	LAST 747	28,2467	0 5435 0		TC	UPFLAG	
0339	REF 3	LAST 752	28,2470	00134 1		ADRES	ENTRYDSP	ENTRYDSP = 92D BIT13 FLAG 6
A03391								
0340	REF 2	LAST 748	28,2471	0 2420 0		TC	P63.1	DISABLE GRP 4, START UP ENTRY DISPLAY
A0341								N06V68 VIA OVERROUT, AS USED IN P64.
0342			28,2472	04105 1	V16N69 VN		1669	

L P61-P67

USER-S PAGE NO. 11 E6 S3

P0343 PROGRAM' P66
 R0344 MOD NO' 0 MOD BY' RR BAINSPATHER DATE' 17 JAN 68 COLOSSUS GSOP ADDITIONS.
 R0346 FUNCTION' KEEP CM ATTITUDE IN TRIM TO THE RELATIVE VELOCITY VECTOR. ENTRY GUIDANCE STOPS GENERATING
 R0348 ROLL COMMANDS UNTIL DRAG BUILDS UP TO Q7+0.5 FPSS.
 R0349
 R0350 CALLING SEQUENCE' VIA RIB FROM REENTRY CONTROL.
 R0351 EXIT' BACK TO REENTRY CONTROL.
 R0352 SUBROUTINE CALLS' NEWMODEX

0353	REP	1					TC	NEWMODEX	ENTER VIA RIB WHEN D ± Q7 FPSS
0354	REP	11	LAST	752	26,2473	0 5243	1	P66	
0355					26,2474	00102	1	MM	66
0356	REP	3	LAST	747	26,2475	3 4745	0	CA	V06N22
A0357									OCA ICA MCA
0358	REP	1			26,2476	0 2502	1	TC	P66END
A0359									XXX.XX DEG XXX.XX DEG XXX.XX DEG
A0360									IN CASE CAME FROM P65, GO DISABLE GRP4,
A0361									AND SET ENTRYDSP TO DO DISPLAY VIA
									OVERNOUT.
									... AND CONTINUE AT KEP2

L P61-P67

USBR-S PAGE NO. 12 E6 S3

P0362 P67

R0363 PROGRAM- P67
 R0364 MOD NO.- 0 MAR. 16, 1967
 R0365 MOD BY- R. HIRSCHKOP
 R0366 FUNCTION- TO TERMINATE STEERING WHEN THE CM VELOCITY WRT EARTH = 1000 FT/SEC
 R0368 CALLING SEQUENCE-
 R0369 EXIT- TO POCH
 R0370 SUBROUTINE CALLS- GOFLASH
 R0371

THIS DISPLAY IS CALLED EACH PASS THROUGH STEERING. RESTART PROTECTION IS VIA STEERING.

REF	REP	LAST	753	26,2477	0 5243	1 P67	TC	NEWMODEX	ENTER VIA RTB
0374	REF 12	LAST 753	26,2477	0 5243	1 P67	TC	NEWMODEX	ENTER VIA RTB	
0375			26,2500	00103	0	MM	67		
0376	REF 1		26,2501	3 2510	1	CA	V06N66	ROLLC XRNERR DNRNERR	
A0377								XXX.XX DEG XXXX.X NM XXXX.X NM	
0378	REF 6	LAST 752	26,2502	55=263	0 P66END	TS	ENTRYVN	DISPLAY VIA OVRNOUT.	
0379	REF 46	LAST 752	26,2503	0 5435	0	TC	UPFLAG	(IN CASE CAME FROM P65. ENTRY DISPLAY	
0380	REF 4	LAST 752	26,2504	00134	1	ADRES	ENTRYDSP	WILL FLUSH FLASHING DISP. IF STILL ON)	
A03802								BIT 13 FLAG 6	
0381	REF 78	LAST 749	26,2505	0 5301	0 KILLGRP4	TC	PHASCRNG	DISABLE GRP4, IN CASE CAME FROM HUNTEST.	
0382			26,2506	00004	0	OCT	00004	(COME TO KILLGRP4 VIA RTB, RET TO CALLER)	
0383	REF 8	LAST 751	26,2507	0 6030	1	TC	DANZIG	... AND CONTINUE AT PREDICT3 ...	
0384			26,2510	01502	1 V06N66	VN	0666		
0385			26,2511			BANK	26		
0386	REF 1		26,2000			SETLOC	P60S2		
0387			26,2511			BANK			
0388	REF 1		26,2511	3 2542	0 P67.1	CA	V16N67	RTOGO LAT LONG	
A0389								XXX.XX NM XXX.XX DEG XXX.XX DEG	
0390	REF 228	LAST 752	26,2512	0 4555	0	TC	BANKCALL		
0391	REF 40	LAST 747	26,2513	20624	0	CADR	GOFLASH		
0392			26,2514	0 2517	0	TC	+3	EFFECTIVE GOTOPOCH	
0393			26,2515	0 2517	0	TC	+2		
0394	REF 2	LAST 209	26,2516	0 2511	0	TC	P67.1	REDO	
0395	REF 25	LAST 895	26,2517	4 6214	1	CS	THREE	TURN OFF ENTRY DAP	
0396			26,2520	0 0004	0	INHINT			
0397	REF 1		26,2521	7 0102	0	MASK	CM/FLAGS	CM/DSTBY, GAMDIPSW	
0398	REF 2	LAST 754	26,2522	54 102	0	TS	CM/FLAGS		
0399			26,2523	0 0003	1	RELINT			
0400			26,2524	0 0006	1	EXTEND			
0401	REF 1		26,2525	3 2642	0	DCA	SERVAD2		



ASSEMBLE REVISION 249 OF AGC PROGRAM COLOSSUS BY NASA 2021111-041

20'35 OCT. 28, 1968 PANDORA .080 PAGE 755

L P61-P67

USER-S PAGE NO. 13 E6 S3

0402 REP 9 LAST 746 26,2526 53=223 1

DXCH AVEEXIT

0403 REP 86 LAST 746 26,2527 1 4106 0

TCP GOTOPOOH



L P61-P67

USER'S PAGE NO. 14 E6 S3

0404				28,2530	43175 0	P67.2	VLOAD	CLEAR	
0405	REP	12	LAST	744	28,2531			RN	
0406	REP	9	LAST	702	28,2532			ERADFLAG	
0407	REP	11	LAST	730	28,2533			STODL	
0408	REP	11	LAST	744	28,2534			ALPHAV	
0409				28,2535	01205 1			PIPTIME	
0410	REP	18	LAST	702	28,2535			CLEAR	
0411	REP	5	LAST	698	28,2536			CALL	
0412				28,2537	01883 0			LUNAPLAG	
0413	REP	1		28,2540	28322 0			LAT-LONG	
				28,2541	77834 0	P67.3	RTB		
					53803 1			SERVNOUT	
0414				28,2542	04103 1	V16N67	VN	1687	
0415	REP	2	LAST	388	4270	OCT41	=	33DEC	
0416	REP	1		28,2641		SERVCAD2	=	SERVCAD1	

CALC PRESENT LAT, LONG, ALT.
 USE PAD RAD FOR ALT. (NOT SEEN ANYWAY)
 USE TIME OF RN
 ENTRY EXIT THAT OMITTS DISPLAY.

L P61-P67

USER=8 PAGE NO. 15 E6 S3

R0417 SUBROUTINE NAME' S61.1
 R0418 MOD NO' 0 DATE' 21 FEB 67
 R0420 MOD BY' RR BAINSPATHER LOG SECTION' P61-P67
 R0422 MOD NO' 1 MOD BY' RR BAINSPATHER DATE' 22 JUN 67 RESTARTS.
 R0424 FUNCTIONAL DESCRIPTION' CALLED BY BOTH P61 AND P62
 R0425 FIRST, TEST TO SEE IF AVERAGEG IS ON. IF NOT, UPDATE THE STATE VECTOR TO PRESENT TIME + TOLERANCE
 R0427 AND TURN ON AVERAGEG AT THAT TIME, AND CONTINUE. OTHERWISE CONTINUE' SEE IF IMU Y AXIS IS
 R0429 WITHIN 30 DEG OF V*R. IF YES, EXIT SUBROUTINE S61.1. IF NO, SEE IF -Y AXIS OF IMU IS WITHIN
 R0431 30 DEG OF V*R. IF YES, DISPLAY ALARM' 01427 IMU REVERSED.
 R0432 IF NO, DISPLAY ALARM' 01428 IMU UNSATISFACTORY.
 R0434 IN EITHER OF THESE LAST 2 CASES, WAIT 10 SEC AND THEN EXIT SUBROUTINE S61.1.

R0436 REMARK' THERE WILL BE A SHORT 10 SEC DELAY IF AN ALARM EXIT IS TAKEN. THE DELAY FOR INTEGRATION IS
 R0438 AS SHORT AS CAN BE MADE, BUT IS ARBITRARY SINCE IT DEPENDS ON THE AGE OF THE STATE VECTOR.

R0440 CALLING SEQUENCE' CALL
 R0441 S61.1
 R0442 C(MPAC) UNSPECIFIED
 R0443 PUSHLOC UNSPECIFIED

R0444 SUBROUTINES CALLED' LOADTIME, CSMPREC, TPAGREE,
 R0445 WAITLIST, JOBSLEEP, JOBWAKE, PREREAD, ALARM, GODSPR, BANKCALL, DELAYJOB

R0447 NORMAL EXIT MODES' RVQ
 R0448 ALARMS' 01428 IMU UNSATISFACTORY
 R0449 01427 IMU REVERSED

R0450 OUTPUT' POSSIBLE ALARMS
 R0451 POSSIBLY TDEC1, RATT, VATT, RN, VN

R0452 ERASABLE INITIALIZATION REQUIRED'
 R0453 AVEGFLAG AVERAGEG ON OR OFF LEFT BY SERVICER
 R0455 PIPTIME (-28) CS TIME OF PIPA UPDATE LEFT BY READACCS
 R0457 RN (-29) M STATE VECTOR LEFT BY AVERAGEG
 R0459 VN (-7) M/CS STATE VECTOR LEFT BY AVERAGEG
 R0461 REPSMAT (-1) .5 REF TO SM MATRIX LEFT BY LAST IMU ALIGNMENT

R0463 DEBRIS' QPRET
 R0464 POSSIBLY PIPTIME1, RATT, VATT, TDEC1, RN1, VN1, QTEMP, X1 IF UPDATED
 R0466 PUSH LIST LOCS USED BY CSMPREC

0467 REF 17 LAST 748 E6,1661 EBANK= AGC FOR 60GENRET , S61DT
 0468 26,2543 BANK 26
 0469 REF 1 26,2000 SETLOC P60S3
 0470 26,2543 BANK

0471 REF 1 COUNT* \$\$/S61.1

0472 26,2543 0 0006 1 S61.1 EXTEND
 0473 REF 2 LAST 114 26,2544 23*773 0 QXCH 60GENRET SAVE RET ADDR IN EB 6
 0474 REF 229 LAST 754 26,2545 0 4555 0 TC BANKCALL
 0475 REF 7 LAST 695 26,2546 17573 0 CADR R02BOTH
 0476 REF 198 LAST 752 26,2547 0 6006 1 TC INTPRET

L P61-P67

0477				28,2550	45014	0						
0478	REP	2	LAST	508	28,2551	00716	1	BCN	CALRS			
0479	REP	2	LAST	210	28,2552	54803	0		AVSOFLAG	IS AVERAGED ON		
0480	REP	2	LAST	647	28,2553	27573	0		S61.1A	YES		
									MIDTOAV2	GET FUTURE STATE VECTOR SOON AS CAN		
0481	REP	276	LAST	738	28,2554	3 0155	0	CA	MPAC +1	RETURN INHINTED ***		
0482	REP	3	LAST	209	28,2555	55=774	0	TS	S61DT	FOR RESTART.		
0483	REP	36	LAST	664	28,2556	0 5140	1	TC	WAITLIST			
0484	REP	11	LAST	527	E7,1431			EBANK=	DVCNTR			
0485	REP	2	LAST	209	28,2557	02564	1	ZCADR	S61.1C			
0485					28,2560	54087	1					
0486	REP	79	LAST	754	28,2561	0 5301	0	TC	PHASCHG			
0487					28,2562	40434	0	OCT	40434			
0488	REP	98	LAST	749	28,2563	0 5112	0	TC	ENDOFJOB			
0489	REP	4	LAST	752	28,2564	3 4760	1	S61.1C	CA	PRI013		
0490	REP	27	LAST	701	28,2565	0 5042	1	TC	PINDVAC			
0491	REP	18	LAST	757	E6,1661			EBANK=	AGC			
0492	REP	3	LAST	758	28,2566	02802	1	ZCADR	S61.1A -1			
0492					28,2567	54066	0					
0493					28,2570	0 0006	1	EXTEND				
0494	REP	2	LAST	756	28,2571	3 2842	0	DCA	SERVAD1	HE WHO STARTS AVERAGED MUST SERVICE		
0495	REP	10	LAST	755	28,2572	53=223	1	DXCH	AVEEXIT	THE EXIT.		
0496	REP	25	LAST	752	28,2573	0 5261	1	TC	2PHSCHNG			
0497					28,2574	00454	1	OCT	00454			
0498					28,2575	00415	1	OCT	00415			
04981	REP	1			28,2576	3 4753	1	CA	EBENTRY	SET EB= 7 FOR PREREAD.		
04982	REP	33	LAST	661	28,2577	54 003	0	TS	EBANK			
0499	REP	45	LAST	747	28,2600	0 4574	0	TC	POSTJUMP			
0500	REP	3	LAST	649	28,2601	76604	1	CADR	PREREAD	PREREAD DOES TC TASKOVER.		
0501	REP	199	LAST	757	28,2602	0 6006	1	TC	INTPRET			
0502					28,2603	77204	1	S61.1A	BOVB			
0503	REP	2	LAST	289	28,2604	57343	1		VLOAD	TURN OFF OV/PIND, IF ON		
0504	REP	11	LAST	744	28,2605	01177	1		TC DANZIG	VN (-7) M/CS		
0505					28,2606	64235	1	VXV	MXV			
0506	REP	13	LAST	756	28,2607	01171	1		RN	RN (-29) M		
0507	REP	28	LAST	731	28,2610	01736	1		REFSMAT	.5 UNIT MATRIX.		
0508					28,2611	71256	0	UNIT	DLOAD			
0509	REP	277	LAST	758	28,2612	00160	0		MPAC +3	GET COS(THETA)/2		
0510					28,2613	43240	0	RVN	DAD			
0511	REP	1			28,2614	54621	0		S61.1B	DO TEST ON -YSM		
0512	REP	1			28,2615	14644	1		C(30)LIM	= 1.0 -.5 COS(30)		
0513					28,2616	47004	0	BOVB	RTB			
0514	REP	1			28,2617	54640	1		RETRN1			
0515	REP	1			28,2620	54625	1		RETRN3			

L P61-P67

USER=3 PAGE NO. 17

E6 S3

0516				26,2621	43276	0	861.1B	DCOMP	DAD		
0517	REP	2	LAST	758	26,2622	14644	1		C(30)LIM	= 1.0- .5 COS(30)	
0518				26,2623	77404	1		BOVB	EXIT		
0519	REP	1			26,2624	54630	0		RETRN2		
0520	REP	30	LAST	722	26,2625	0	5537	0	RETRN3	TC	ALARM
0521				26,2626	01426	0			OCT	01426	IMU UNSATISFACTORY
0522	REP	2	LAST	759	26,2627	0	2632	1		TC	RETRN2 +2
0523	REP	31	LAST	759	26,2630	0	5537	0	RETRN2	TC	ALARM
0524				26,2631	01427	1			OCT	01427	IMU REVERSED
0525	REP	4	LAST	697	26,2632	3	4743	0	+2	CAP	V05N09
0526	REP	230	LAST	757	26,2633	0	4555	0		TC	BANKCALL
0527	REP	3	LAST	699	26,2634	20602	1			CADR	G0DSFR
0528	REP	1			26,2635	3	2645	1		CA	10SECS
0529	REP	231	LAST	759	26,2636	0	4555	0		TC	BANKCALL
0530	REP	11	LAST	700	26,2637	01732	0			CADR	DELAYJOB
0531	REP	3	LAST	757	26,2640	0	1773	0	RETRN1	TC	60GENRET
0532	REP	12	LAST	758	E7,1431					EBANK=	DVCNTR
0533	REP	4	LAST	657	26,2641	03132	1		SERVAD1	2CADR	SERVEXIT
0533				26,2642	76067	1					
0534				26,2643	22111	0			C(30)LIM	2DEC	.566985
0534				26,2644	17335	1					= 1.0 -.5 COS(30)
0535				26,2645	01750	1			10SECS	DEC	1000
0536				26,2646	00000	1			60SECDP	2DEC	6000 B-28
0536				26,2647	13560	0					6000 CS

L P61-P67

USER=8 PAGE NO. 18 E6 83

P0537

R0538 PROGRAM NAME' S61.2
R0540 MOD NO' 1 DATE' 14 FEB 67
R0542 MOD BY' MORTH / BAIRNSFATHER LOG SECTION' P61-P67
R0543 MOD NO' 2 MOD BY' MORTH/BAIRNSFATHER DATE' 11 MAY 67
R0545 MOD NO' 3 MOD BY' RR BAIRNSFATHER DATE' 21 NOV 67
R0547 MOD NO' 4 MOD BY' RR BAIRNSFATHER DATE' 21 MAR 68
R0549 FUNCTIONAL DESCRIPTION' CALLED BY P61. PROVIDES DISPLAYS FOR NOUNS N60 AND N63
R0551 PROGRAM CALCULATES ENTRY DISPLAY OF MAXIMUM ACCELERATION EXPECTED (GMAX) AND ALSO THE EXPECTED
R0553 INERTIAL VELOCITY (VPRED) AND ENTRY ANGLE (GAMMAEI) THAT WILL OBTAIN AT 400K FT ABOVE THE FISCHER
R0555 ELLIPSOID. PROGRAM ALSO CALCULATES A SECOND DISPLAY RELATIVE TO THE EMSALT ABOVE FISCHER ELLIPSOID
R0557 AND CONSISTS OF RANGE TO SPLASH FROM NOW (RTGO), PREDICTED INERTIAL VELOCITY (VIO), AND THE TIME TO
R0559 GO FROM NOW (TTE)
R0560 CALLING SEQUENCE' CALL
R0561 S61.2
R0562 C(MPAC) UNSPECIFIED
R0563 PUSHLOC WILL BE SET TO ZERO.
R0564 SUBROUTINES CALLED' TFFCONIC, CALCITFF, TFF/TRIG, FISHCALC, GETERAD, VGAMCALC
R0566 NORMAL EXIT MODES, RTB P61.1
R0567 ALARMS' NONE
R0568 OUTPUT' THE FOLLOWING REGISTERS ARE WRITTEN IN FOR USE BY DISPLAYS
R0569 GMAX 100 GMAX (-14) G,S MAXIMUM ACCELERATION
R0570 VPRED (-7) M/CS PREDICTED VELOCITY AT 400K FT
R0571 GAMMAEI GAMMA/360 PREDICTED GAMMA AT 400K FT
R0572 FOR TM, DP(GAMMAEI) = (GAMMAEI, RTGO) / 360
R0574 RTGO THETAH/360 RANGE ANGLE TO SPLASH FROM EMSALT EMSALT IS PAD LOADED
R0576 VIO (-7) M/CS INERTIAL VELOCITY AT EMSALT EMSALT IS PAD LOADED
R0578 TTE (-28) CS TIME TO EMSALT EMSALT IS PAD LOADED
R0580 PUSHLOC = 0
R0581 CONIC PARAMETERS STORED IN VAC AREA (SEE TFF SUBROUTINES)
R0582 ERASABLE INITIALIZATION REQUIRED'
R0583 RONE (-29) M STATE VECTOR LEFT BY USER
R0585 VONE (-7) M/CS STATE VECTOR LEFT BY USER
R0587 URONE UR/2 LEFT BY USER
R0589 UNI (-1) UNIT NORMAL V*
R0591 THETAH THETAH/360 RANGE ANGLE LEFT BY ENTRY / P61
R0593 UNITW (0) UNIT POLAR VECTOR LEFT BY ENTRY / P61
R0595 EMSALT (-29) M EMS INTERFACE ALTITUDE LEFT BY PAD LOAD
R0597 ORBITAL REENTRY' 284643 FT, LUNAR REENTRY' 297431 FT.
R0599 DEBRIS' QPRET,
R0600 ALL PDL LOCATIONS ABOVE 12D, INCLUDING X1,X2,S1,S2
R0601 ALSO PDL+0 ... PDL+5, WHERE INITIAL PUSHLOC = PDL

L P61-P67

USER=S PAGE NO. 19 E6 S3

P0602

R0603 THE FOLLOWING PUSH LIST LOCATIONS HAVE BEEN RESERVED FOR TFF ROUTINES AND ARE REPEATED HERE FOR CONVENIENCE.

R0605 OF COURSE FOR S61.2 USAGE, EARTH ORIGIN SCALING IS USED.

A0606		BELOW	E'	IS USED FOR EARTH ORIGIN SCALE
A0607			M'	IS USED FOR MOON ORIGIN SCALE
A0608	RTERM =	18D	TERMINAL RADIUS M	E' (-29) M' (-27)
A0609	NRTERM =	16D	TERMINAL RADIUS M	E' (-29+NR)
A0610				M' (-27+NR)
A0611	RMAG1 =	12D	PRESENT RADIUS M	E' (-29) M' (-27)
A0612	NRMAG =	32D	PRESENT RADIUS M	E' (-29+NR)
A0613				M' (-27+NR)
A0614	SELP/2		SIN(THETA) /2	
A0615	COELP/2 =	14D	COS(THETA) /2	
A0616	TFFX =	34D	X, ARGUMENT OF SERIES T(X).	
A0617	TFFTEM =	36D	ARG FOR TRANSFER ANGLE CALCULATION.	
A0618	TFFNP =	28D	LC P M	E' (-38+2NR) M' (-38+2NR)
A0619	TFF/RIMU =	30D	1/SORT(MU)	E' (17) M' (14)
A0620	TFFVSO =	20D	-(VN.VN/MU) 1/M	E' (20) M' (18)

L P61-P67

USER=8 PAGE NO. 20 E6 S3

P0621

0622
0623 REF 2 LAST 754 34,3652
0624 26,2000
0624 26,2650

BANK 34
SETLOC P60S2
BANK

0625 REF 1

COUNT* 33/361.2

A0626

PDL LEFT AT ZERO BY TARGETING

0627 26,2650 45345 1 S61.2
06271 REF 1 26,2651 02020 1
06272 REF 1 26,2652 15000 0
06273 26,2653 71244 0
06274 REF 1 26,2654 54774 1
0628 REF 1 26,2655 17345 0
06281 26,2656 77624 1
0629 REF 1 26,2657 56750 0

DLOAD DSJ
EMSALT
290KFT
BPL DLOAD
LUNENT
1/RIMU
CALLCON CALL
TFFCONIC

ESTABLISH MU FOR ORBITAL ENTRIES

FILL VAC AREA WITH CONIC PARAMETERS

0630 26,2660 45145 0
0631 REF 1 26,2661 15020 1
0632 REF 2 LAST 514 26,2662 57080 0

DLOAD CALL
RTIRIAL
CALCTFF

1 ST GUESS AT TERMINAL RADIUS (-29)
SAVES MPAC IN RTERM (18D)

0633 26,2663 77624 1
0634 REF 2 LAST 634 26,2664 56573 0

CALL
TFF/TRIG

CALC SDELFP/2, CDELFP/2
RETURN WITH S(THETA) IN MPAC

0635 26,2665 77624 1
0636 REF 1 26,2666 55027 1

CALL
FISHCALC

GET FISCHER RADIUS (-29) M
ANS IN MPAC AND IN BRADM.

0637 26,2667 45015 1
0638 REF 2 LAST 762 26,2670 02020 1
0639 REF 3 LAST 762 26,2671 57080 0

DAD CALL
EMSALT
CALCTFF

SAVES MPAC IN RTERM (18D)

0640 26,2672 77676 0
0641 REF 3 LAST 745 26,2673 03733 0

DCOMP
STORE TIE1

NEGATIVE AS IN COUNTDOWN.
DECR TIE FROM BASE TIE1. (RESTART)
DNLIST AND DSKY WILL USE TIE.
LET MISS CNTRL DECR BY ELAPSED TIME
TIE= TIME FROM NOW TO EMSALT +FISCHER

A0642 0643 REF 6 LAST 745 26,2674 37727 1
A0644

STCALL TIE

0645 REF 3 LAST 762 26,2675 56573 0
A0646

TFF/TRIG

S(THETA) IN MPAC ON RETURNING
AND THETA= RANGE FROM NOW TO EMSALT

0647 26,2676 77624 1
0648 REF 2 LAST 762 26,2677 55027 1
0649 26,2700 77624 1

CALL
FISHCALC

0650 REF 1 26,2701 56626 0
0651 26,2702 77624 1

CALL
VRCALC

06511 REF 1 26,2703 56613 0
06512 26,2704 77624 1

CALL
DISPTARG

06513 REF 2 LAST 762 26,2705 56613 0
06514 REF 5 LAST 275 26,2706 37714 1

CALL
DISPTARG
STCALL RTGO

L P61-P67

USER=8 PAGE NO. 21 E8 S3

0652	RESP	2	LAST	634	26,2707	55050	1		VGAMCALC	
0653					26,2710	77605	1	DMP		MPAC = GAMMA
A0654										PDL0 HAS VGAM.
0655					26,2711	43265	1	BDDV	DAD	
0656	RESP	1			26,2712	15028	1		VEMSCON	-HS D 180/PI (-14)
0657					26,2713	00001	0		0	VGAM FROM PDL0.
0658	RESP	5	LAST	275	26,2714	17725	1	STODL	VIO	PREDICTED VELOCITY AT EMSALT.
A0659										GAMMA AND VGAM AT 300K FT ARE REQUIRED BY GMAX
A0660										ALGORITHM.
0661	RESP	5	LAST	600	26,2715	02241	1		BRADM	EARTH RADIUS FROM GETERAD (-29) M
A0662										= FISCHER RADIUS (-29)
0663					26,2716	77615	0	DAD		
0664	RESP	1			26,2717	06462	1		300KPT	M (-29)
0665	RESP	1			26,2720	34023	1	STCALL	RTERM	TERMINAL RADIUS M (-29)
0666	RESP	1			26,2721	55045	0		PREVGAM	VGAMCALC WITH NEW RTERM
A0667										VBAR = (V(PPS) - 36KF/S) / 20KF/S
R0668										ASSUME L/D = 0.3, BANK = 0.
A0670										
0671					26,2722	45325	1	PDDL	DSU	GAM TO PDL2
0672					26,2723	00001	0		0	VGAM IS IN PDL0 (-7)
0673	RESP	1			26,2724	15004	1		36KFT/S	(-7) M/CS
0674					26,2725	63471	0	DDV	DSQ	
0675	RESP	1			26,2726	15006	0		20KFT/S	(-6) M/CS
0676					26,2727	00001	0	STORE	0	VBAR SQ (-2) TO PDL0
0677					26,2730	43205	1	DMP	DAD	
0678	RESP	1			26,2731	15010	1		KR1	
A0679										GAM, POS DOWN, FROM PDL2
0680					26,2732	41215	1	DAD	DMP	
0681	RESP	1			26,2733	15012	0		-8.05DEG	
0682	RESP	1			26,2734	15014	0		KR2	
0683					26,2735	77725	1	PDDL		XCH PDL+0 FOR VBAR SQ (-2)
0684					26,2736	43271	1	DDV	DAD	
0685	RESP	1			26,2737	15024	0		KR4	
0686	RESP	1			26,2740	17357	0		DP2(-4)	
0687					26,2741	77665	1	BDDV		
A0688										NUM FROM PDL+0
0689					26,2742	51015	1	DAD	BPL	
0690	RESP	1			26,2743	15018	1		KR3	
0691					26,2744	54747	1		+3	
0692					26,2745	77745	1	DLOAD		
0693	RESP	22	LAST	678	26,2746	15332	1		HI6ZEROS	
0694	RESP	3	LAST	275	26,2747	17722	0	STODL	GMAX	100 GMAX (-14)

L P61-P67

USER=8 PAGE NO. 22 E6 53

R0695 DISPLAY USES QMAX AS SP, SO LO WORD IS WRITTEN OVER BY VPRED.

0696	REP	6	LAST	763	26,2750	02241	1		BRADM	= FISCHER RADIUS (-29) M
0697					26,2751	45015	1	DAD	CALL	2 ND ITERATION FOR FISCHER RADIUS
0698	REP	1			26,2752	15022	0		400KPT	
0699	REP	4	LAST	762	26,2753	57080	0		CALCTPF	ESTABLISH TRANSFER ANGLE DATA.
0700					26,2754	77824	1	CALL		
0701	REP	4	LAST	762	26,2755	58573	0		TPP/TRIG	GET SIN, COS DELF
0702					26,2756	77824	1	CALL		
0703	REP	3	LAST	762	26,2757	55027	1		FISHCALC	GET CORRESPONDING FISCHER RADIUS.
0704					26,2760	73015	1	DAD	LXA,2	SAVE HI-WORD FOR DOWNLIST.
0705	REP	2	LAST	764	26,2761	15022	0		400KPT	M (-29)
0706	REP	6	LAST	762	26,2762	03713	1		RTGO	(RANGE ANGLE FROM EMSALT)/360
0707	REP	2	LAST	763	26,2763	34023	1	STCALL	RTERM	
0708	REP	2	LAST	763	26,2764	55045	0		PREVGAM	VGAMCALC WITH NEW RTERM
0709					26,2765	67076	1	DCOMP	SXA,2	HI-WORD OF EACH ON DOWNLIST.
0710	REP	278	LAST	758	26,2766	00155	0		MPAC +1	
0711	REP	5	LAST	275	26,2767	17771	0	STODL	GAMMAEI	CONIC GAMMA/360 AT 400K PT. (HI-WORD)
A0712										CONIC RTGO/360 FROM EMSALT (LOW-WORD)
A0713										FOR TM, DP(GAMMAEI)= (GAMMA, RTGO)/360
A0714										VGAM FROM PDL+0 (-7)
0715					26,2770	77628	0	STADR		
0716	REP	6	LAST	275	26,2771	74010	0	STORE	VPRED	CONIC VELOCITY AT 400K FT
0717					26,2772	77634	0	RTB		
0718	REP	1			26,2773	54267	0		P61.1	
A0719										PDL BACK TO ZERO.
07192					26,2774	52145	0	LUNENT	DLOAD	GOTO
07193	REP	3	LAST	510	26,2775	08458	0			1/RIMUE
07194	REP	1			26,2776	54858	0			CALLCON
07195					26,2777	00002	0	290KPT	2DEC	88392.0 B-29
07195					26,3000	26244	1			
07196					26,3001	00052	0	KTETA1	2DEC*	.421844723 E2 B-14* 1100 2PI/16384(163.84)
07196					26,3002	05718	1			
0720					26,3003	33335	1	36KPT/S	2DEC	109.728 B-7 (-7) M/CS = 36 KPT/S (-7)
0720					26,3004	05707	1			
0721					26,3005	36365	1	20KPT/S	2DEC	121.92 B-7 (-6) M/CS = 2 20KPT/S (-7)
0721					26,3006	30244	0			
0722					26,3007	77113	1	KR1	2DEC	-.026666667 = -2.4 4 / 360
0722					26,3010	42770	1			
0723					26,3011	77354	0	-6.05DEG	2DEC	-.016805556 = -6.05 / 360
0723					26,3012	65030	1			
0724					26,3013	21450	0	KR2	2DEC	-.54931641 = (360/4) 100 (-14) = 9000 B-14
0724					26,3014	00001	0			
0725					26,3015	01750	1	KR3	2DEC	1000 B-14 = 100 (10.0) (-14) G,S
0725					26,3016	00000	1			

L P61-P67

USERS PAGE NO. 23 E6 S3

ASSUMES L/D = 0.3, BANK = 0.

A0726			26,3017	00305 1	RTRIAL	ZDEC	6460097.18	B-29	RPAD +284643	PT =21 194 545	PT
0727			26,3020	04541 0							
A0728									RPAD DEFINED AS 20 909 901.57	PT =8 373 338	M
0729			26,3021	00003 1	400KFT	ZDEC	121920	B-29	METERS		
0729			26,3022	27040 0							
R0730	300KFT	ZDEC	91440	B-29	(-29)	M					
R0731	EMSALT	ZDEC	88759.2	B-29	284643	PT (-29)	M		(ORBITAL REENTRY)		
R0732	EMSALT	ZDEC	90657	B-29	297431	PT (-29)	M		(LUNAR REENTRY)		
0733			26,3023	32525 1	KR4	ZDEC	.833333333				
0733			26,3024	12525 0							
0734	REP 3	LAST 510	23,2461		300KFT	EQUALS	MINPERS				
0735			26,3025	77777 0	VEMSCON	ZDEC	-.0389876	B-14	= -HS D /2	PI (-14)	M SQ/ CS SQ
0735			26,3028	76601 1							
A0736							== 16389	.05G 32.2	.3048	.3048/2	PI (-14)

L P61-P67

USER-S PAGE NO. 24 E6 S3

R0737 SUBROUTINE NAME' FISHCALC (USED BY S61.2) DATE' 01.21.67
 R0739 MOD NO' 0 LOG SECTION' P61-P67
 R0741 MOD BY' MORIH / BAIRNSPATHER
 R0742 MOD NO' 1 MOD BY' RR BAIRNSPATHER DATE' 11 MAY 67 INCLUDE GETERAD CALL
 R0744 FUNCTIONAL DESCRIPTION' GIVEN THE PRESENT POSITION, UNITR, CALCULATE A NEW UNITR THAT IS ROTATED THROUGH
 R0746 TRANSFER ANGLE, THETA, ALONG TRAJECTORY. THEN CALCULATE SIN(LAT) AND USE TO OBTAIN FISCHER RADIUS.
 R0748 SINCE FISHCALC USES UNI (LEFT BY ENTRY) EARTH SCALING IS ASSUMED. (WILL IMPROVE FOR SUITABLE TENANT)
 R0750 CALLING SEQUENCE' CALL
 R0751 FISHCALC
 R0752 ENTER WITH .5 SIN(THETA) IN MPAC.
 R0753 PUSHLOC IS AT PDL+0, AN ARBITRARY BASE VALUE IF LEQ 8D

R0754 SUBROUTINES CALLED' GETERAD
 R0755 NORMAL EXIT MODE' RVQ
 R0756 EXIT MODES' NONE
 R0757 OUTPUT' ERADM (-29) M IN MPAC ON RETURNING
 R0758 NEW UNIT VECTOR NOT SAVED.
 R0759 SIN(LAT) NOT SAVED.
 R0760 PUSHLOC AT PDL+0
 R0761 ERASEABLE INITIALIZATION REQUIRED'
 R0762 SDELF/2 =SIN(THETA) /2, IN MPAC LEFT BY TRFF/TRIG
 R0764 COELF/2 =COS(THETA) /2, STORED IN PDL 14D LEFT BY TRFF/TRIG
 R0766 RONE (-29) M LEFT BY UEBER
 R0768 VONE (-7) M/CS LEFT BY UEBER
 R0770 URONE UR/2 LEFT BY UEBER
 R0772 UNI .5 UNIT(V*R) LEFT BY UEBER / P61
 R0774 UNITW UNIT NORTH POLE LEFT BY EMBRY / P61
 R0776 DEBRIS' QPRET, PDL+0 ... PDL+5 LEFT BY HEAD LOAD
 R0777

A0778									
0779				26,3027	47315 0	FISHCALC PDVL	VXV		URPR = (UR COELF + UHOR SDELF
0780	REP	3	LAST 744	26,3030	02343 1		URONE		
0781	REP	3	LAST 744	26,3031	03502 0		UNI		
0782				26,3032	76561 1		VXSC	VSL1	
A0783									SIN(THETA) //2 FROM PDL+0
0784				26,3033	74315 0	PDVL	VXSC		TO PDL+0, +6
0785	REP	4	LAST 766	26,3034	02343 1		URONE		
0786	REP	2	LAST 634	26,3035	00017 1		COELF/2		COS(THETA) //2
0787				26,3036	45455 1	VAD	STADR		
07871	REP	1		26,3037	74235 0	STORE	URH		FOR USE IN HUGO FROM EMS DISPLAY
0788				26,3040	72441 0	DOT	SL1		
0789	REP	7	LAST 529	26,3041	01714 1		UNITW		FULL UNIT VECTOR UNIT NORTH
0790	REP	12	LAST 756	26,3042	02156 1	STORE	ALPHAV +4		= .5 SIN(LAT)
0791				26,3043	77650 1	DUMPFISH GOTO			
0792	REP	2	LAST 618	26,3044	26437 0		GETERAD		SAVES FISCHER RAD (-29) M IN ERADM AND
A0793									IN MPAC. RETURNS TO CALLER VIA QPRET.

L P61-P67

USER=3 PAGE NO. 25 E6 S3

```

P0794 SUBROUTINE NAME'  VGAMCALC                (USED BY  S61.2)                DATE'      01.21.67
R0796 MOD NO'      0
R0798 MOD BY'     MORTH / BAIRNSFATHER
R0799 MOD NO'     1      MOD BY'  RR BAIRNSFATHER    DATE'  11 APR 67
R0800 MOD NO'     2      MOD BY'  RR BAIRNSFATHER    DATE'  21 NOV 67    VARIABLE MU ADDED.
R0802 MOD NO'     3      MOD BY'  RR BAIRNSFATHER    DATE'  21 MAR 68    ACCEPT DIFFERENT EARTH/MOON SCALE
R0804 FUNCTIONAL DESCRIPTION'  EARTH CENTERED VIS VIVA CALCULATION OF TERMINAL VELOCITY AND GAMMA (REL TO
R0806 HORIZONTAL) GIVEN THE SCALAR QUANTITIES'  PRESENT RADIUS AND VELOCITY AND THE TERMINAL RADIUS.
R0808 THE USER MUST APPEND PROPER SIGN TO GAMMA, SINCE IT IS CALCULATED AS A POSITIVE NUMBER.
R0810 THE EQUATIONS ARE

R0811          VGAM = SQRT(VN VN/MU + 2(RN-RTERM)/(RN RTERM) ) RTMU

R0812          COSGAM = H /RTERM VGAM = SQRT(LCP) / (RTERM VGAM/RTMU)
R0813 VGAMCALC ASSUMES THAT THE TERMINAL RADIUS IS LESS THAN THE PRESENT RADIUS. BOTH CALCTPF AND CALCTPER
R0815 MAKE THIS ASSUMPTION.

R0816 CALLING SEQUENCE'  CALL          STCALL RTERM
R0817                   VGAMCALC      PREVGAM
R0818                   PUSHLOC AT PDL+0, ARBITRARY IF LEO 12D
R0819                   C(MPAC) UNSPECIFIED          C(MPAC)=NEW RTERM

R0820 SUBROUTINES CALLED'  NONE
R0821 NORMAL EXIT MODE'   RVQ
R0822 ALARMS'           NONE
R0823 OUTPUT'          GAMMA / 360 IN MPAC, POSITIVE NUMBER
R0824                   VGAM E'(-7) M'(-5)  M/CS IN PDL+0
R0825                   PUSHLOC AT PDL+2
R0826 ERASABLE INITIALIZATION REQD'
R0827                   TPF/RTMU E'(17) M'(14)  1/SQRT(MU)                LEFT BY TPFQCNIC
R0829                   RMAG1 E'(-29) M'(-27)  M  PRESENT RADIUS LENGTH      LEFT BY TPFQCNIC
R0831                   NRMAG E' (-29+NR)      M  NORM LENGTH OF PRESENT POSITION LEFT BY TPFQCNIC
R0833                   M' (-27+NR)
R0834                   RTERM E'(-29) M'(-27)  M  TERMINAL RADIUS LENGTH      LEFT BY CALCTPF
R0836                   NRTERM E' (-29+NR)     M  NORM LENGTH OF TERMINAL RADIUS  LEFT BY CALCTPF
R0838                   M' (-27+NR)
R0839                   TPFVSO E'(20) M'(18)  1/M  -(V SQ/MU)' PRESENT VELOCITY,NORM LEFT BY TPFQCNIC
R0841                   TPFNP E' (-38+2NR)    M  LCP, SEMI-LATUS RECTUM, WEIGHT NR LEFT BY TPFQCNIC
R0843                   M' (-38+2NR)
R0844 DEBRIS'         QPRET;  PDL+0 ... PDL+3
R0845                   RTERM, NRTERM IF PREVGAM ENTERED.
    
```

L P61-P67

USER=5 PAGE NO. 26 E6 83

P0846
 0847
 A0848 26,3045 77657 0 PREVGM SL*
 0849 26,3046 20201 0
 0850 REF 1 26,3047 00021 1 STORE NRTERM

 0851 26,3050 41345 0 VGAMCALC DLOAD DMP
 0852 REF 1 26,3051 00041 1 NRMAG
 0853 REF 2 LAST 768 26,3052 00021 1 NRTERM
 0854 26,3053 45325 1 PDDL DSJ
 0855 REF 2 LAST 768 26,3054 00041 1 NRMAG
 0856 REF 3 LAST 768 26,3055 00021 1 NRTERM
 0857 26,3056 56257 1 SL* DDV
 0858 26,3057 20171 1 0 -8D,1
 A0859
 0860 26,3060 77625 0 DSU
 0861 REF 1 26,3061 00025 0 TPFVSO
 0862 26,3062 41566 1 SORT PUSH
 0863 26,3063 65271 0 DDV PDDL
 A0864
 0865 REF 4 LAST 510 26,3064 00037 0 TPF/RIMU
 0866 26,3065 65205 0 DMP PDDL
 0867 REF 4 LAST 768 26,3066 00021 1 NRTERM
 0868 REF 1 26,3067 00035 1 TPFNP
 0869 26,3070 56366 1 SORT DDV
 A0870
 A08701
 0871 26,3071 65542 1 SR1 ACOS
 0872 26,3072 77616 0 DUMPVGAM RVQ

ENTER WITH NEW RTERM IN MPAC
 E' (-29) M' (-27)
 X1 = -NR
 RTERM M E'(-29+NR) M'(-27+NR)

 RMAG M E'(-29+NR) M'(-27+NR)
 RTERM M E'(-29+NR) M'(-27+NR)
 RMAG RTERM M E'(-58+2NR) M'(-54+2NR)
 RMAG M E'(-29+NR) M'(-27+NR)
 RTERM M E'(-29+NR) M'(-27+NR)
 2(RN-RTERM) E'(-30+NR) M'(-28+NR)
 (-8+NR)
 PUSH UP PRODUCT.

 -(V SQ/MU) E' (20) M' (18)
 SAVE VGAM/RT(MU) FOR NOW. E'(10) M'(9)
 XCH PDL+0, LEAVING VGAM FOR OUTPUT.
 VGAM TO PDL M/CS E' (-7) M' (-2)
 E' (17) M' (14)
 RTERM VGAM/RIMU E'(-19+NR) M'(-18+NR)
 RTERM M E'(-29+NR) M'(-27+NR)
 LC P =H.H/MU M E'(-38+2NR) M'(-36+2NR)
 E'(-19+NR) M'(-18+NR)
 PUSH UP DEN E'(-19+NR) M'(-18+NR)
 USE DDV OVFL AS LIMITER (YCOSY ±1.0)

A08721

CALLER MUST SUPPLY OWN SIGN ...

A0873

22W 27MS



L P61-P67

USER=3 PAGE NO. 28 E6 83

0930				27,2607	75415 0	DAD	SORT
0931	REP	1		27,2610	15322 0		HIDP1/4
0932				27,2611	43565 0	DUMPTRIG SIGN	RVO
0933	REP	2	LAST	769	27,2612	00045 0	TPPTM

APFIX SIGN(DELE/2)
RETURN WITH .5 SIN(THETA) IN MPAC

A0935

16W 15 MS

0936				27,2613	77620 0	DISPTARG STO	
0937	REP	4	LAST	759	27,2614	03373 0	60GENRET
0939				27,2615	45205 1	DMP	DSU
0940	REP	1		27,2616	15002 1		KTEIA1
0944	REP	4	LAST	762	27,2617	03733 0	TTE1
0945	REP	6	LAST	289	27,2620	37606 0	STCALL DTEAROT
0946	REP	2	LAST	289	27,2621	46225 0	EARROT2
0947				27,2622	77624 1	CALL	
0948	REP	2	LAST	762	27,2623	56626 0	VRCALC
0949				27,2624	77650 1	GOTO	
0950	REP	5	LAST	770	27,2625	03373 0	60GENRET
0951				27,2626	50375 0	VRCALC	VLOAD
0952	REP	2	LAST	766	27,2627	03542 1	DOT
0953	REP	3	LAST	289	27,2630	03474 0	URH
0954				27,2631	65512 1		RT
0956				27,2632	77616 0	SL2	ACOS
R0957	END OF PROGRAM		S61.2			RVO	

C(MPAC) = TRGO ESTIMATE

L P61-P67

USER=3 PAGE NO. 29 E6 S3

```

R0958
R0959 PROGRAM DESCRIPTION S62.3 DATE 10JAN67
R0960 MOD NO 1 LOG SECTION P60-P67
R0961 MOD BY ZELDIN
R0962 MOD NO' 2 MOD BY' RR BAINSFATHER DATE' 15 MAY 67 CHANGED TO REF COORDS.
R0964 MOD NO' 3 MOD BY' RR BAINSFATHER DATE' 17 JAN 68 ALFPAD CHANGES MADE.
R0966 FUNCTIONAL DESCRIPTION
R0967 COMPUTE DESIRED GIMBAL ANGLES FOR ENTRY ATTITUDE
R0968 THE FOLLOWING TRAJECTORY TRIAD IS AVAILABLE IN MEMORY AND IS COMPUTED EACH 2 SECONDS BY CM/POSE IN
R0970 REFERENCE COORDINATES (V = VELOCITY RELATIVE TO EARTH)

R0971 UXA = -UNIT(V)
R0972 UYA = UNIT(V)*R
R0973 UZA = UXA*UYA

R0974 GENERATE A DESIRED BODY TRIAD FOR TRIMMED FLIGHT WITH RESPECT TO THE RELATIVE VELOCITY VECTOR, USING
R0976 ROLL COMMAND AND TRIM ANGLE OF ATTACK

R0977 UXD = UNIT(UXD*UXA) SIN(ALPATRIM) + UXA COS(ALPATRIM)
R0978 UYD = UYA COS(ROLLC) + UZA SIN(ROLLC)
R0979 UZD = UXD * UYD

R0980 USE THE DESIRED SET (IN REFERENCE COORDS) AND REFSMAT TO CALL CALGCA AND OBTAIN GIMBAL ANGLES
R0982 IN 2S,C IN MPAC, +2 AND THETAD, +2.

R0983 CALLING SEQUENCE
R0984 L CALL
R0985 L+1 S62.3
R0986 NORMAL EXIT MODE
R0987 RETURN VIA QPRET DIRECTLY FROM CALGCA.
R0988 SUBROUTINES CALLED
R0989 CALGCA
R0990 ALARM OR ABORT MODES
R0991 NONE
R0992 ERASABLE INITIALIZATION REQUIRED
R0993 ROLLC ROLL COMMAND DP 1'S COMP AT 1REV
R0994 ALFPAD SP 1S,C /180 LEFT BY PAD LOAD ALPATRIM IS NEGATIVE.
R0996 UXA/2 REF COORDS LEFT BY CM/POSE
R0997 UYA/2 REF COORDS LEFT BY CM/POSE
R0998 UZA/2 REF COORDS LEFT BY CM/POSE
R0999 OUTPUT
R1000 CPHI GIMBAL ANGLES (O,I,M) 2'S COMP TP (O,I,M)/180
R1001 DEBRIS
R1002 QTEMP, QPRET,PUSHLIST
R1003

1004 10,2302 BANK 10
1005 REP 1 10,2000 SETLOC P60S4
1006 10,2302 BANK
    
```

L P61-P67

USER=S PAGE NO. 30 E6 S3

1007	REP	1				COUNT* \$5/S62.3	
1008				10,2302	67201 0	S62.3	SETPD SLOAD
1009				10,2303	00001 0		0
1010	REP	2	LAST	747	10,2304	03012 1	ALFAPAD
1011					10,2305	41542 1	ALPATRIM /180 , ALPA IS NEG.
1012					10,2306	65346 0	SR1 PUSH
1013					10,2307	65356 1	COS PDDL
1014	REP	7	LAST	747	10,2310	03316 0	XCH PDL, COS TO PDL0
1015					10,2311	74346 0	SIN TO PDL2
1016	REP	2	LAST	116	10,2312	03550 1	ROLLC
1017					10,2313	73525 1	COS VXSC
1018	REP	8	LAST	772	10,2314	03316 0	UYA/2
1019					10,2315	53361 0	PDDL SIN
1020	REP	2	LAST	116	10,2316	03556 1	PUSH VECTOR INTO PDL4, .9
A1021							ROLLC
1022							VXSC VAD
1023	REP	5	LAST	718	10,2317	77772 0	UZA/2
					10,2320	02722 1	VECTOR FROM PDL4, 9
							REF COORDS
1024							VSL1
1025	REP	3	LAST	116	10,2321	76435 1	STORE YNB
1026					10,2322	03542 1	= UYD
A1027					10,2323	65361 0	REF COORDS
A1028							VXV VSL1
1029							UYA/2
1030	REP	4	LAST	772	10,2324	53361 0	REF COORDS
A1031					10,2325	03542 1	PDDL
1032							SIN TRIM FROM PDL2
1033	REP	9	LAST	728	10,2326	77772 0	XCH PDL0 FOR COS TRIM
					10,2327	02714 1	FROM PDL0
							REF COORDS
1034							VXSC VAD
1035	REP	6	LAST	772	10,2330	76435 1	UYA/2
1036	REP	6	LAST	718	10,2331	02722 1	REF COORDS
1037	REP	29	LAST	758	10,2332	26730 1	VXV VSL1
1038	REP	33	LAST	728	10,2333	01736 1	YNB
1039	REP	30	LAST	772	10,2334	26672 0	STOVL ZNB
1040	REP	4	LAST	436	10,2335	01744 1	REFSMMAT
1041	REP	31	LAST	772	10,2336	26700 1	REFSMMAT +6
1042	REP	3	LAST	436	10,2337	01752 0	STOVL YSM
					10,2340	02706 1	REFSMMAT +12D
							STORE ZSM
1043							CLEAR GOTO
1044	REP	1			10,2341	52014 0	CPHIPLAG
1045	REP	3	LAST	728	10,2342	00260 0	CALCGA
A1046					10,2343	47244 0	CAUSE CALCGA TO STORE ANS IN TP CPHI
A1047							CALCGA WILL RETURN TO ORIGINAL CALLER VIA OPRET WITH 2,S COMP. ANGLES IN CPH1



L SERVICER207

USER'S PAGE NO. 1 E0 S3

R0001 PROGRAM NAME - PREREAD, READACCS, SERVICER, AVERAGE G.
 R0002 MOD NO. 00 BY M.HAMILTON DEC.12, 1968
 R0003 FUNCTIONAL DESCRIPTION

R0004 THE ROUTINES DESCRIBED BELOW ARE USED TO CALCULATE VALUES OF RN, VN, AND GDT/2 DURING ACCELERATED FLIGHT.
 R0006 THE SEVERAL ROUTINES COMPRISE A PACKAGE AND ARE NOT MEANT TO BE USED AS SEPARATE SUBROUTINES.

R0008 GENERAL REFERENCES TO SERVICER OR AVERAGE G ARE UNDERSTOOD TO REFER TO THE ENTIRE SET OF ROUTINES INCLUDING
 R0010 READACCS, SERVICER, AVERAGE G, INTEREAD, SMOOTHER, AND ANY ADDITIONAL ROUTINES ATTACHED AT AVGEXIT (SEE BELOW).

R0012 PROGRAMS INITIATING SERVICER ARE REQUIRED TO MAKE A WAITLIST CALL FOR PREREAD (OR, IF LIPTOFF, FOR BIBIBIAS)
 R0014 AT 2 SECONDS BEFORE THE FIRST AVERAGE G UPDATE IN ORDER TO INITIALIZE THE SEQUENCE, WHICH WILL RECUR EVERY
 R0016 2 SECONDS FROM THAT TIME ON AS LONG AS AVEGFLAG REMAINS SET.

R0017 THE USE OF ERASABLE AVGEXIT ALLOWS VARIOUS ROUTINES TO BE PERFORMED AS PART OF THE NORMAL CYCLE (SEE
 R0019 EXPLANATION OF AVGEXIT BELOW).

R0020 DESCRIPTIONS OF INDIVIDUAL ROUTINES FOLLOW.
 R0021 PREREAD

R0022 PREVIOUSLY EXTRAPOLATED VALUES COPIED FROM RN1, VN1, AND PIPTIME1 INTO RN, VN, AND PIPTIME.
 R0024 LASTBIAS JOB SCHEDULED.

R0025 PIPS READ AND CLEARED VIA PIPASR SUBROUTINE.

R0026 AVERAGE G FLAG SET ON.

R0027 DRIFT FLAG SET OFF.

R0028 V37 FLAG SET ON.

R0029 INITIALIZATION OF
 R0031 1) THRUST MONITOR (DVMON) - DVONTR SET TO ONE.
 R0033 2) TOTAL ACCUMULATED DELV VALUE (DVTOTAL) - SET TO ZERO.
 R0034 3) AXIS VECTOR (AXIS) - SET TO (.5,0,0).

R0035 NORMALIZE JOB SCHEDULED.

R0036 READACCS TASK CALLED IN 2 SECONDS.

R0037 NORMALIZE

R0038 GDT/2 INITIALIZED VIA CALCGRAV SUBROUTINE.

R0039 READACCS

R0041 IF ONMON FLAG SET QUIKREAD ROUTINE IS PERFORMED BEFORE PIPASR ZEROS THE PIPA REGISTERS, AND THE 1/2 SEC
 R0043 ONMONITOR LOOP IS INITIATED TO PROVIDE DOWNLINK INFORMATION DURING ENTRY.

R0044 PIPS READ AND CLEARED BY PIPASR SUBROUTINE.

R0045 IF CM/DSTBY IS ON, ENTRY VARIABLES INITIALIZED AND SETJTAG TASK CALLED.



L SERVICER207

USER=8 PAGE NO. 2 E0 S3

R0047 IF AVERAGEG FLAG ON READACCS CALLED TO RECYCLE IN 2 SECONDS.
R0048 IF AVERAGEG FLAG OFF AVERAGE G EXIT (AVGEXIT) SET TO ZCADR AVGEND FOR FINAL PASS.
R0050 SERVICER JOB SCHEDULED.
R0051 TEST CONNECTOR OUTBIT TURNED ON.
R0052 QNMNTR

R0053 A SEQUENCE OF THREE PASSES THROUGH QUIKREAD FOLLOWING A CALL TO READACCS WITH QNMNPLG SET AT 1/2
R0055 SEC INTERVALS. INTERVALS ARE COUNTED OUT BY PIPCTR, INITIALISED AT 3 BY READACCS

R0057 QUIKREAD

R0058 READS CURRENT PIPS INTO X,Y,ZPIPBUP. READS OLD X,Y,ZPIPBUP INTO X,Y,ZOLDBUP. VALUES ARE SENT TO
R0060 DOWNLIST DURING ENTRY.
R0061 SERVICER

R0062 DELV VALUES CHECKED TO DETECT RUNAWAY PIP -
R0063 IF BAD PIP 1) ALARM SENT.
R0064 2) COMPENSATION, DVTOTAL ACCUMULATION, AND DVMON BYPASSED. CONTROL
R0066 TRANSFERRED TO AVERAGE G.
R0067 PIPS COMPENSATED VIA 1/PIPA SUBROUTINE.
R0068 DVTOTAL INCREMENTED BY ABSOLUTE VALUE OF DELV.
R0069 THRUST MONITOR (DVMON) PERFORMED UNLESS IDLE FLAG IS ON.
R0070 CONTROL TRANSFERRED TO AVERAGE G.
R0071 DVMON

R0072 THRESHOLD VALUE (PLACED IN DVTHRUSH BY USER) CHECKED AGAINST ABSOLUTE VALUE OF DELV TO CHECK
R0074 THRUST LEVEL.
R0075 IF THRUST 1) ULLAGE OFF ROUTINE PERFORMED.
R0076 2) STEERING FLAG TURNED ON AT FIRST DETECTION OF THRUST.
R0078 3) CONTROL TRANSFERRED TO AVERAGE G.
R0079 IF NO THRUST 1) ON FIRST PASS THROUGH MONITOR, CONTROL TRANSFERRED TO AVERAGE G.
R0081 2) ON SUBSEQUENT PASSES, CONTROL TRANSFERRED TO ENGINE FAIL ROUTINE IF THRUST
R0083 HAS FAILED FOR 3 CONSECUTIVE PASSES.
R0084 ENGINE FAIL

R0085 ENGFAL1 TASK CALLED IN 2.5 SECONDS. THIS WILL RETURN CONTROL TO TIG-5 SO THAT THE IGNITION
R0087 SEQUENCE MAY BE REPEATED.
R0088 ENGINOF3 PERFORMED.
R0089 DAP SET UP FOR RCS.
R0090 AVERAGE G



L SERVICER207

USER=8 PAGE NO. 3 E0 S3

R0091 RN1, VN1, GDT1/2 CALCULATED VIA CALCRVG ROUTINE BY UPDATING RN, VN WITH DELV AND AN AVERAGED VALUE
R0093 OF GDT/2.
R0094 RN1, VN1, GDT1/2, PIPTIME1 COPIED INTO RN, VN, GDT/2, PIPTIME FOR RESTART PROTECTION.
R0096 CONTROL TRANSFERRED TO ADDRESS SPECIFIED BY USER (OR BY READACCS FOR LAST PASS) IN AVGEXIT.
R0098 LAST PASS (AVGEND) 1) FREE FALL GYRO COMPENSATION SET UP.
R0099 2) DRIFT FLAG TURNED ON.
R0100 3) STATE VECTOR TRANSFERRED VIA AVETOMID ROUTINE.
R0102 4) ONMONITOR FLAG RESET.
R0103 5) V37 FLAG RESET.
R0104 6) TEST CONNECTOR OUTBIT RESET.
R0105 7) CONTROL TRANSFERRED TO CANV37 TO CONTINUE MM CHANGE ROUTINE (ROO).
R0108 CALLING SEQUENCE

R0109 PREREAD ENTERED DIRECTLY FROM TIG-30 VIA POSTJUMP.
R0110 READACCS CALLED AS WAITLIST TASK.
R0112 SUBROUTINES CALLED

R0113 UTILITY ROUTINES - PHASCHNG FLAGUP FLAGDOWN NOVAC PINDVAC WAITLIST ALARM NEWPHASE 2PHSCHNG

R0115 OTHER - PIPASR 1/PIPA CALCGRAV CALCRVG AVETOMID
R0118 NORMAL EXIT MODES

R0117 ENDOPJOB TASKOVER CANV37

R0118 AVGEXIT - THIS IS A DOUBLE PRECISION ERASABLE LOCATION BY WHICH CONTROL IS TRANSFERRED AT THE END
R0120 OF EACH CYCLE OF AVERAGE G.
R0121 THE 2CADR OF A ROUTINE TO BE PERFORMED AT THAT TIME (E.G., STEERING EQUATIONS TO BE PERFORMED
R0123 AT 2 SECOND INTERVALS) MAY BE SET BY THE USER INTO AVGEXIT.
R0125 ALL SUCH ROUTINES SHOULD RETURN TO SERVEXIT, WHICH IS THE NORMAL EXIT FROM AVERAGE G.

R0127 SERVEXIT - DOES A PHASE CHANGE FOR RESTART PROTECTION AND GOES TO ENDOPJOB.
R0129 THE 2CADR OF SERVEXIT IS SET INTO AVGEXIT BY THE USER IF NO OTHER ROUTINE (SEE ABOVE).

R0131 AVGEND - LAST PASS OF AVERAGE G EXITS HERE, BYPASSING SPECIAL ROUTINE (SEE ABOVE UNDER READACCS).
R0133 FINAL EXIT IS TO CANV37. P AVERAGE G).
R0135 OUTPUT

R0136 DVTOTAL(2) PIPTIME(2) XPIPBUF(2) YPIPBUF(2) ZPIPBUF(2)
R0137 RN(6) REFERENCE COORD. SCALED AT 2(+29)M/CS
R0138 VN(6) REFERENCE COORD. SCALED AT 2(+7)M/CS
R0139 GDT/2(6) REFERENCE COORD. SCALED AT 2(+7)M/CS
R0140 DELV(6) STABLE MEMB. COORD. SCALED AT 2(+14)*5.85*10(-4)M/CS (KPIP1 USED TO GET DV/2 AT 2(+7))

L SERVICER207. USER-S PAGE NO. 4 E0 83

R0142 DELVREP(6) REFERENCE COORD. SCALED AT 2(+7)M/CS

R0143 INITIALIZATION

R0144 ONMONITOR FLAG SET BY ENTRY TO SHOW PIPEBUF VALUES REQUIRED.
 R0145 IDLE FLAG ON IF DVMON TO BE BYPASSED.
 R0146 DVTHRUSH SET TO APPROPRIATE VALUE FOR DVMON.
 R0147 AVGEXIT SET TO 2CADR OF ROUTINE, IF ANY, TO BE PERFORMED AFTER EACH CYCLE OF AVERAGE G. IF NO ROUTINE
 R0149 TO BE DONE, AVGEXIT SET TO SERVEXIT.
 R0150 VALUES NEEDED
 R0151 REFSMMAT
 R0152 UNITW - FULL UNIT VECTOR, IN REFERENCE COORD., OF EARTH'S ROTATIONAL VECTOR
 R0154 RN1, VN1, PIPTIME1 - IN REFERENCE COORD., CONSISTENT WITH TIME OF EXECUTION OF PREREAD
 R0156 DEBRIS

R0157 CENTRALS A, L, O
 R0158 OTHER INTERNAL - DVCNTR(1) PIPAGE(1) PIPCTR(1) AVGEXIT(2)
 R0159 EXTERNAL - ITEMP1(1) ITEMP2(1) RUPTREG1(1) TEMX(1) TEMY(1) TEMZ(1)
 R0161 USEFUL DEBRIS
 R0162 RN1(6) VN1(6) GDT1/2 PIPTIME1(2)
 R0163 THESE LOCATIONS USED AS BUFFER STORAGE FOR NEWLY CALCULATED VALUES OF RN, VN, GDT/2,
 R0165 AND PIPTIME DURING PERFORMANCE OF SERVICER ROUTINES.
 R0167 UNITR - HALF UNIT VECTOR OF RN, REFERENCE COORD.
 R0168 RMAG SCALED AT 2(+58) IN 36D.
 R0169 RMAGSQ SCALED AT 2(+58) IN 34D.
 R0170 (RE/RMAG)SQ IN 32D.

0171 27,2633 BANK 27
 0172 REP 1 37,2000 SETLOC SERVICES
 0173 37,2604 BANK

0174 REP 13 LAST 759 E7,1431 EBANK= DVCNTR
 R0175 ***** PREREAD *****
 R0177

0178 REP 1 COUNT 37/SERV

0185 REP 1 37,2604 3 4768 1 PREREAD CAP PRIO21 CALLER MUST PROTECT PREREAD
 0186 REP 26 LAST 752 37,2605 0 5027 1 TC NOVAC
 0187 REP 6 LAST 299 E3,1460 EBANK= NEDX
 0188 REP 1 37,2606 03636 1 2CADR LASTBIAS DO LAST GYRO COMPENSATION IN FREE FALL
 0188 REP 1 37,2607 14063 1

A01882 CALL-TO AND LASTBIAS ITSELF ARE NOT
 A01883 PROTECTED. REREADAC SETS 1/PIPADT
 A01884 TO 2.0 SECS IN CASE LASTBIAS LOST.
 A01885 (REDUNDANT IF LASTBIAS IS AOK)



L SERVICER207

USER=S PAGE NO. 5 ET 53

0189	REP	2	LAST	527	37,2810	0 2825 1	REDOS.31 TC	PREREAD1
0190	REP	4	LAST	225	37,2811	3 7687 1	CAP	PRI032
0191	REP	28	LAST	758	37,2812	0 5042 1	TC	FINDVAC
0192	REP	14	LAST	776	E7,1431		EBANK=	DVCNTR
0193	REP	3	LAST	530	37,2813	03141 0	2CADR	NORMLIZE
0193					37,2814	76087 1		
0194	REP	3	LAST	842	37,2815	3 4735 1	CAP	2SECS
0195	REP	37	LAST	758	37,2816	0 5140 1	TC	WAITLIST
0196	REP	19	LAST	758	E8,1861		EBANK=	AGG
0197	REP	2	LAST	530	37,2817	02847 0	2CADR	READACCS
0197					37,2820	76088 0		
0198	REP	33	LAST	583	37,2821	4 4711 0	CS	TWO
0199	REP	7	LAST	654	37,2822	0 4114 1	TC	NEWPHASE
0200					37,2823	00005 1	OCT	5
0201	REP	41	LAST	748	37,2824	1 5213 0	TCP	TASKOVER
0202					37,2825	0 0008 1	PREREAD1	EXTEND
0203	REP	17	LAST	217	37,2828	22 070 0	QXCH	RUPTREG1
0204	REP	1			37,2827	0 3157 1	TC	PIPASR
02042	REP	94	LAST	749	37,2830	3 4712 1	CAP	ONE
02043	REP	2	LAST	77	37,2831	55*230 0	TS	PIPAGE
0205	REP	19	LAST	689	37,2832	4 0075 1	CS	FLAGWRD1
0206	REP	58	LAST	724	37,2833	7 4712 0	MASK	BIT1
0207	REP	20	LAST	777	37,2834	26 075 1	ADS	FLAGWRD1
0208	REP	18	LAST	677	37,2835	3 4672 0	CA	POS MAX
0209	REP	14	LAST	657	37,2836	7 0076 1	MASK	FLAGWRD2
0210	REP	15	LAST	777	37,2837	54 076 1	TS	FLAGWRD2
0211	REP	17	LAST	688	37,2840	4 0103 1	CS	FLAGWRD7
0212	REP	35	LAST	700	37,2841	7 4705 0	MASK	BIT6
0213	REP	18	LAST	777	37,2842	26 103 1	ADS	FLAGWRD7
0218	REP	149	LAST	736	37,2843	3 4714 1	CAP	ZERO
0224	REP	5	LAST	641	37,2844	55*425 1	TS	DVTOTAL
0225	REP	6	LAST	777	37,2845	55*426 1	TS	DVTOTAL +1
0226	REP	18	LAST	777	37,2846	0 0070 0	TC	RUPTREG1

SET UP NORMLIZE JOB REQUIRED PRIOR TO FIRST AVERAGE G PASS

CLEAR + READ PIPS LAST TIME IN FREE FALL

SET UP PIPAGE FOR REREADAC IN CASE A RESTART OCCURS BEFORE READACCS

SET AVEG FLAG

KNOCK DOWN DRIFT FLAG

SET V37 FLAG

CLEAR DVTOTAL

L SERVICER207

USER=S PAGE NO. 6 ET 93

REP	LAST	777	E6,1661	READACCS	*****	*****
02227	REP 20	LAST 777	E6,1661	READACCS	EBANK= AOG	
0242	REP 2	LAST 777	37,2647 0 3157 1	READACCS TC	PIPASR	
0243	REP 17	LAST 724	37,2650 3 4715 0	PIPSQNE CAP	FIVE	
0244	REP 72	LAST 737	37,2651 54 001 1	TS	L	
0245			37,2652 4 0000 0	COM		
0246	REP 3	LAST 526	37,2653 52 763 1	DXCH	-PHASE5	
0247	REP 95	LAST 777	37,2654 3 4712 1	REDO5.5 CAP	ONE	SHOW PIPS HAVE BEEN READ
0248	REP 3	LAST 777	37,2655 55=230 0	TS	PIPAGE	
0249	REP 34	LAST 777	37,2656 3 4711 1	CA	TWO	SET PIPCTR FOR ONMINTOR
0250	REP 2	LAST 77	37,2657 55=227 0	TS	PIPCTR	AFTER ABOVE PHASCHNG
0251	REP 3	LAST 754	37,2660 4 0102 0	CS	CM/FLAGS	
0252	REP 33	LAST 695	37,2661 7 4711 0	MASK	BIT2	CM/DSTBY
0253	REP 180	LAST 737	37,2662 10 000 0	CCS	A	
0254	REP 2	LAST 212	37,2663 0 2736 1	TC	CHEKAVEG	
0255	REP 6	LAST 642	37,2664 4 1246 1	CS	PIPTIME1 +1	
0256	REP 2	LAST 659	37,2665 55=065 1	TS	TRASE6	FOR RESTARTS
0260			37,2666 0 0006 1	EXTEND		CONTINUE FOR ENTRY DAP
0261	REP 21	LAST 778	37,2667 3 1662 1	DCA	AOG	
0262	REP 2	LAST 109	37,2670 53=670 0	DXCH	AOG/PIP	
0263	REP 2	LAST 109	37,2671 3 1663 0	CA	AMG	
0264	REP 2	LAST 109	37,2672 57=671 0	XCH	AMG/PIP	
0265			37,2673 0 0006 1	EXTEND		
0266	REP 2	LAST 109	37,2674 3 1665 0	DCA	ROLL/180	
0267	REP 2	LAST 109	37,2675 53=673 0	DXCH	ROLL/PIP	
0268	REP 2	LAST 109	37,2676 3 1666 0	CA	BETA/180	
0269	REP 2	LAST 109	37,2677 57=674 0	XCH	BETA/PIP	
0270	REP 4	LAST 778	37,2700 3 0102 1	CA	CM/FLAGS	
0271	REP 26	LAST 662	37,2701 7 4677 1	MASK	BIT12	CM/DAPARM 93D BIT12
0272			37,2702 0 0006 1	EXTEND		DURING ENTRY, WHEN RCS DAP IS INACTIVE,
0273	REP 1		37,2703 1 2721 0	BZF	NOSAVPIP	SAVE PIPAS EACH 0.5 SEC FOR TM.
0274	REP 1		37,2704 3 2771 1	CA	0.5SEC	
0275	REP 38	LAST 777	37,2705 0 5140 1	TC	WAITLIST	
0276	REP 2	LAST 114	E6,1533	EBANK=	XPIPBUF	
0277	REP 1		37,2706 02772 1	ZCADR	QUIKREAD	
0277	REP 1		37,2707 76066 0			
A0278	REP 9	LAST 431	37,2710 3 1162 0	CA	DELVX	NO NEED TO RESTART PROTECT THIS.
0280	REP 3	LAST 778	37,2711 57=533 0	XCH	XPIPBUF	SAVE PIPAS AS READ (BUT NOT COMPENSATED)
0281	REP 2	LAST 114	37,2712 55=536 1	TS	XOLDBUF	
0282	REP 5	LAST 430	37,2713 3 1164 0	CA	DELVY	
0283	REP 2	LAST 114	37,2714 57=534 1	XCH	YPIPBUF	
0284	REP 2	LAST 114	37,2715 55=537 0	TS	YOLDBUF	

L SERVICER207

USER=3 PAGE NO. 7 E6 S3

0285	REP	4	LAST	430	37,2716	3 1166	1	CA	DELVZ
0286	REP	2	LAST	114	37,2717	57=535	0	XCH	ZPIBUP
0287	REP	1			37,2720	55=540	0	TS	ZOLDBUP
0288	REP	18	LAST	778	37,2721	3 4715	0	NOSAVPIP CA	FIVE
0289	REP	4	LAST	213	37,2722	55=725	1	TS	CM/GYMDT
0290	REP	1			37,2723	3 3138	0	CA	JTAGTIME
A0291									
0292	REP	39	LAST	778	37,2724	0 5140	1	TC	WAITLIST
0293	REP	22	LAST	778	E6,1661			EBANK=	AOC
0294	REP	2	LAST	206	37,2725	03227	0	ZCADR	SETJTAG
0294					37,2726	32066	0		
0295	REP	26	LAST	754	37,2727	4 6214	1	CS	THREE
0296	REP	8	LAST	777	37,2730	0 4114	1	TC	NEWPHASE
0297					37,2731	00001	0	OCT	1
0298	REP	4	LAST	646	37,2732	3 4362	1	CAP	OCT37
0299	REP	73	LAST	778	37,2733	54 001	1	TS	L
0300					37,2734	4 0000	0	COM	
0301	REP	4	LAST	778	37,2735	52 763	1	DXCH	-PHASE5
0302	REP	21	LAST	777	37,2736	4 0075	1	CHEKAVEG CS	FLAGWRD1
0303	REP	59	LAST	777	37,2737	7 4712	0	TC	BIT1
0304	REP	181	LAST	778	37,2740	10 000	0	CCS	A
0305	REP	1			37,2741	0 2761	0	TC	AVEGOUT
0306	REP	4	LAST	777	37,2742	3 4735	1	CAP	2SECS
0307	REP	40	LAST	779	37,2743	0 5140	1	TC	WAITLIST
0308	REP	23	LAST	779	E6,1661			EBANK=	AOC
0309	REP	3	LAST	777	37,2744	02647	0	ZCADR	READACCS
0309					37,2745	76066	0		
0310	REP	7	LAST	665	37,2746	3 4675	1	MAKESERV CAP	PRIO20
0311	REP	29	LAST	777	37,2747	0 5042	1	TC	FINDVAC
0312	REP	15	LAST	777	E7,1431			EBANK=	DVCNTR
0313	REP	2	LAST	211	37,2750	03007	0	ZCADR	SERVICER
0313					37,2751	76067	1		
0314	REP	8	LAST	429	37,2752	4 4710	1	CS	FOUR
0315	REP	9	LAST	779	37,2753	0 4114	1	TC	NEWPHASE
0316					37,2754	00005	1	OCT	5
0317	REP	27	LAST	721	37,2755	3 4702	0	CAP	BIT9
0318					37,2756	0 0008	1	EXTEND	
0319	REP	25	LAST	657	37,2757	05 011	1	WOR	DSALMOUT
0320	REP	42	LAST	777	37,2760	1 5213	0	TCF	TASKOVER

ACTIVATE CM/RCS AFTER PIPUP TO GO IN JTAGTIME +5 CS.

1.3SPOT FOR SETJTAG

IF AVEG FLAG DOWN SET FINAL EXIT AVEG

ESTABLISH SERVICER ROUTINE

RESTART SERVICER AND READACCS

TURN TEST CONNECTOR OUTBIT ON

END PREVIOUS READACCS WAITLIST TASK



L SERVICR207

USER=8 PAGE NO. 6 E6 83

0321				37,2761	0 0006	1	AVEGOUT	EXTEND
0322	REP	1		37,2762	3 2766	1	DCA	AVOUTCAD
0323	REP	2	LAST 529	37,2763	53=223	1	DXCH	AVGEXIT
0324	REP	1		37,2764	1 2746	1	TCP	MAKESERV
0325	REP	16	LAST 779	E7,1431			EBANK=	DVCNTR
0326	REP	1		37,2765	03070	0	AVOUTCAD	2CADR
0326	REP	1		37,2766	76067	1	AVGEND	

L SERVICER207

USER=8 PAGE NO. 9 E8 93

R0327 ROUTINE NAME: QNMNITOR
R0328 MOD 04 BY BAIRNSFATHER 30 APR 1968
R0330 MOD 03 BY FISHER DECEMBER 1967
R0331 MOD 02 BY RYE SEPT 1967
R0332 MOD 01 BY KOSWALA 23 MAR 1967
R0333 MOD 00 BY KOSWALA 27 FEB 1967

REDO QNMNITOR TO SAVE PIPAS EACH 0.5 SEC FOR TM,ENTRY.

R0334 FUNCTIONAL DESCRIPTION

R0335 THE PURPOSE OF QNMNITOR IS TO PROVIDE 1/2 SEC. READING OF PIPAS FOR DOWNLIST DURING ENTRY.
R0337 X,Y,ZPIPRUF CONTAIN PRESENT VALUES X,Y,ZOLDRUF CONTAIN VALUES FROM PREVIOUS READING.

R0339 CALLING SEQUENCE

R0340 CALL AS WAITLIST TASK. TERMINATES ITSELF IN TASKOVER

R0341 INITIALISATION

R0342 PIPCTR = 2 (FOR DT = 0.5 SEC)
R0343 X,Y,ZPIPRUF SET TO PREVIOUS PIPAX,Y,Z

R0344 OUTPUT

R0345 X,Y,ZPIPRUF, X,Y,ZOLDRUF
R0346 DEBRIS

R0347 X,Y,ZPIPRUF CONTAIN LAST PIPAX,Y,Z VALUES
R0348 X,Y,ZOLDRUF CONTAIN LAST-BUT-ONE PIPAX,Y,Z VALUES
R0349 RUPTREG1
R0350 PIPCTR

0351	REF	3	LAST	778	37,2767	55*227	0	QNMNITOR	TS	PIPCTR	
0352	REF	12	LAST	687	37,2770	0	5156	0	TC	FIXDELAY	WAIT
0353					37,2771	00082	0	0.5SEC	DEC	50	
0354	REF	35	LAST	778	37,2772	3	4711	1	QUIKREAD	CAP	TWO
0355	REF	19	LAST	777	37,2773	54	070	1	TS	RUPTREG1	
0356	REF	182	LAST	779	37,2774	50	000	1	INDEX	A	
0357	REF	8	LAST	430	37,2775	3	0037	0	CA	PIPAX	SAVE ACTUAL PIPAS FOR TM.
0358	REF	20	LAST	781	37,2776	50	070	0	INDEX	RUPTREG1	
0359	REF	4	LAST	778	37,2777	57*533	0		XCH	XPIPRUF	UPDATE X,Y,ZPIPRUF
0360	REF	21	LAST	781	37,3000	50	070	0	INDEX	RUPTREG1	
0361	REF	3	LAST	778	37,3001	55*536	1		TS	XOLDRUF	AND X,Y,ZOLDRUF
0362	REF	22	LAST	781	37,3002	10	070	1	CHKCTR	CCS	RUPTREG1
0363	REF	2	LAST	778	37,3003	1	2773	1	TCF	QUIKREAD	+1
0364	REF	4	LAST	781	37,3004	11*227	0		CCS	PIPCTR	
0365	REF	1			37,3005	1	2787	1	TCF	QNMNITOR	
0366	REF	43	LAST	779	37,3006	0	5213	1	TC	TASKOVER	LOOP AGAIN



L SERVICER207

USER=8 PAGE NO. 10 E6 53

***** SERVICER *****

0370	REP	17	LAST	780	E7,1431		EBANK=	DVONTR	
0371	REP	36	LAST	781	37,3007	3 4711 1	SERVICER	CAP TWO	
0372					37,3010	0 0004 0		INHINT	
0373	REP	23	LAST	781	37,3011	54 070 1	PIP CHECK	TS RUPTRREG1	
0374					37,3012	6 0000 1		DOUBLE	
0375	REP	183	LAST	781	37,3013	50 000 1		INDEX A	
0376	REP	10	LAST	778	37,3014	11=162 1		CCS DELVX	
0377					37,3015	0 3017 1		TC +2	
0378	REP	1			37,3016	0 3025 0		TC PIPLOOP	
0379	REP	1			37,3017	6 3135 0		AD -MAXDELV	DO PIPA-SATURATION TEST BEFORE
0380					37,3020	0 0008 1		EXTEND	
0381	REP	2	LAST	782	37,3021	6 3025 0		BZMP PIPLOOP	COMPENSATION.
0382	REP	32	LAST	759	37,3022	0 5537 0		TC ALARM	
0383					37,3023	00205 0		OCT 00205	SATURATED-PIPA ALARM ***CHANGE LATER
0384	REP	1			37,3024	0 3046 0		TC AVERAGEG	
0385	REP	24	LAST	782	37,3025	10 070 1	PIP LOOP	CCS RUPTRREG1	
0386	REP	1			37,3026	1 3011 0		TCF PIPCHECK	
0387	REP	80	LAST	758	37,3027	0 5301 0		TC PHASCHNG	RESTART REREADAC + SERVICER
0388					37,3030	16035 0		OCT 16035	
0389					37,3031	20000 0		OCT 20000	
0390	REP	18	LAST	782	E7,1431			EBANK= DVONTR	
0391	REP	1			37,3032	03036 1		ZCADR DVOTOTUP	
0391	REP	1			37,3033	76067 1			
0392	REP	232	LAST	759	37,3034	0 4555 0		TC BANKCALL	PIPA COMPENSATION CALL
0393	REP	2	LAST	431	37,3035	15262 0		CADR 1/PIPA	
0394	REP	200	LAST	758	37,3036	0 6006 1	DVOTOTUP	TC INTPRET	
0395					37,3037	51575 1		VLOAD ABVAL	GET ABS VALUE OF DELV
0396	REP	8	LAST	174	37,3040	01163 1		DELV	
0397					37,3041	77405 0		DMP EXIT	
0398	REP	1			37,3042	37354 1		KPIP1	SCALE AT 2(+7)
0399					37,3043	0 0006 1		EXTEND	
0400	REP	279	LAST	764	37,3044	3 0155 0		DCA MPAC	
0401	REP	7	LAST	777	37,3045	21=426 1		DAS DVTOTAL	ACCUMULATE DVTOTAL
0402	REP	81	LAST	782	37,3046	0 5301 0	AVERAGEG	TC PHASCHNG	
0403					37,3047	10035 0		OCT 10035	
0404	REP	201	LAST	782	37,3050	0 6006 1		TC INTPRET	
0405					37,3051	77624 1		CALL	



L SERVICER207

USER'S PAGE NO. 11 E7 S3

0406	REP	1		37,3052	77323	0
0407				37,3053	77776	1
0408	REP	82	LAST	782	37,3054	0 5301 0
0409				37,3055	10035	0
0410	REP	3	LAST	536	37,3056	3 4113 0
0411	REP	11	LAST	648	37,3057	0 5475 1
0412	REP	8	LAST	528	37,3060	01231 0
0413	REP	14	LAST	758	37,3061	01170 0
04131				37,3062	0 0003 1	
0414	REP	83	LAST	783	37,3063	0 5301 0
0415				37,3064	10035	0
0416				37,3065	0 0006 1	
0417	REP	3	LAST	780	37,3066	3 1223 0
0418	REP	15	LAST	474	37,3067	52 006 0
0419	REP	12	LAST	756	37,3070	3 1205 1
0420	REP	1		37,3071	55<074	1
0421	REP	47	LAST	754	37,3072	0 5435 0
0422	REP	3	LAST	722	37,3073	00036 1
0425	REP	26	LAST	758	37,3074	0 5261 1
0426				37,3075	00005 1	
0427				37,3076	05022 1	
0428				37,3077	20000 0	
0429	REP	202	LAST	782	37,3100	0 6006 1
0430				37,3101	77624 1	
0431	REP	1		37,3102	27472 0	
0432				37,3103	77776 1	
043201	REP	150	LAST	777	37,3104	3 4714 1
043202	REP	9	LAST	574	37,3105	55<125 1
043203	REP	6	LAST	574	37,3106	55<126 1
04321	REP	233	LAST	782	37,3107	0 4555 0
04322	REP	1		37,3110	17112 0	
04323	REP	28	LAST	779	37,3111	4 4702 1
043235	REP	16	LAST	575	37,3112	55<734 1
04324				37,3113	0 0006 1	
04325	REP	26	LAST	779	37,3114	03 011 1
043255	REP	50	LAST	752	37,3115	0 5447 0
043256	REP	1		37,3116	00147 0	
04326	REP	51	LAST	783	37,3117	0 5447 0
04327	REP	3	LAST	635	37,3120	00162 1

CALCRVG
 EXIT
 TC PHASCHNG
 OCT 10035
 CAP OCT31
 TC CENTRAN
 ADRES RN1
 ADRES RN
 RELINT
 TC PHASCHNG
 OCT 10035
 EXTEND
 DCA AVGEXIT
 DXCH Z
 CA PIPTIME +1
 TS CLDBT1
 TC UPFLAG
 ADRES DRIFTPLG
 TC 2PHSCHNG
 OCT 5
 OCT 05022
 OCT 20000
 TC INTPRET
 CALL AVETOMID
 EXIT
 CAP ZERO
 TS VHFCONT
 TS TRMKCNT
 TC BANKCALL
 CADR PIPFREE
 CS BIT9
 TS MRKBUF2
 EXTEND
 WAND DSALMOUT
 TC DOWNFLAG
 ADRES CM/DSTBY
 TC DOWNFLAG
 ADRES V37FLAG

COPY RN1, VN1, GOT102, GOBL1/2, PIPTIME1
 INTO RN ,VN ,OCT/12 ,GOBL/2 ,PIPTIME
 CENTRAN DOES AN INHINT
 AVERAGED EXIT
 FINAL AVERAGE G EXIT
 SET UP FREE FALL GYRO COMPENSATION
 SET DRIFTPLG
 BIT 15 FLAG 2
 GROUP 5 OFF
 GROUP 2 ON FOR AVETOMID
 CONVERT STATE VECTOR TO REFERENCE SCALE.
 ZERO MARK COUNTERS.
 INVALIDATE MARK BUFFER



L SERVICE207

USER-S PAGE NO. 12 ET S3

0433	REP	42	LAST	700	37,3121	3	4704	0	CAP	BIT7
0434	REP	10	LAST	253	37,3122	7	0074	0	MASK	FLAGWRD0
0435					37,3123	0	0006	1	EXTEND	
0436					37,3124	1	3130	1	BZF	+4
0437	REP	27	LAST	783	37,3125	0	5261	1	TC	2PHSCHNG
0438					37,3126	0	0111	0	OCT	111
0439					37,3127	0	0132	1	OCT	132
0445	REP	46	LAST	758	37,3130	0	4574	0	TC	POSTJUMP
0446	REP	2	LAST	195	37,3131	1	10123	0	CADR	CANV37
0447	REP	84	LAST	783	37,3132	0	5301	0	SERVEXIT	TC PHASCHNG
0448					37,3133	0	0035	1	OCT	00035
0449	REP	99	LAST	758	37,3134	1	5112	1	TCF	ENDOPJOB
0450	REP	4	LAST	379	4717				DVTHRUSH	EQUALS ELEVEN
A0451										
A0452										
0453					37,3135	6	3401	1	-MAXDELV	DEC -6398
0454					37,3136	0	0170	1	JTAGTIME	DEC 120
0455					37,3137	0	0372	1	2.5SEC	DEC 250
0456					37,3140	0	0044	1	MODIFAIL	DEC 144.0 B-16
A0457										
A0458										

RESTORE GROUP 1 + 2 IP P20 IS RUNNING.

1.11SPOT
2.13SPOT

A, 5.3 = REREADAC (ONLY)

15 PERCENT OF 2SEC PIPA ACCUMULATION,
FOR 503-FULL CSM/LEM...DELV SC.AT
5.85 CM/SEC.

3200 PPS FOR 2 SEC CCS TAKES 1
= 1 SEC + T CDU, T CDU = .1 SEC

5 SEC MASS LOSS AT 28.8 KG/SEC
SHOULD BE 2-4 SECS FOR NO START
6-8 SECS FOR FAILURE



L SERVICER207

USER=5 PAGE NO. 13 E7 S3

P0459	NORMLIZE PERFORMS THE INITIALIZATION REQUIRED PRIOR TO THE FIRST ENTRY TO AVERAGEG, AND SCALES RN SO THAT IT							
R0461	HAS 1 LEADING BINARY ZERO. IN MOST MISSIONS, RN WILL BE SCALED AT 2(+29), BUT IN THE 208 MISSION, RN WILL BE							
R0463	SCALED AT 2(+24)M.							
0464	REP	1		37,3141	3 4720 0	NORMLIZE CAP	THIRTEEN	SET UP TO COPY 14 REGS- RN1, VN1, PIPTIME1
0465	REP	12	LAST 783	37,3142	0 5475 1	TC	GENTRAN	INTO RN, VN, PIPTIME
0466	REP	7	LAST 783	37,3143	0 1231 0	ADRES	RN1	FROM HERE
0467	REP	15	LAST 783	37,3144	0 1170 0	ADRES	RN	TO HERE
0468				37,3145	0 0003 1	RELINT		
0469	REP	203	LAST 783	37,3146	0 6008 1	TC	INTPRET	
0470				37,3147	45175 0	VLOAD	CALL	LOAD RN FOR CALCGRAV
0471	REP	16	LAST 785	37,3150	0 1171 1	RN		
0472	REP	3	LAST 669	37,3151	77256 0	CALCRAV		INITIALISE UNTR RMAG GDT1
0473	REP	3	LAST 680	37,3152	25207 0	STOVL	GDT/2	
0474	REP	2	LAST 78	37,3153	0 1256 1		GOBL1/2	
0475	REP	3	LAST 680	37,3154	0 1215 0	STORE	GOBL/2	
0476				37,3155	77778 1	EXIT		
0477	REP	100	LAST 784	37,3156	1 5112 1	TCF	ENDOFJOB	



L SERVICER207

USER'S PAGE NO. 14 ET 53

R0478 ***** PIPA READER *****
 R0479 MOD NO. 00 BY D. LICKLY DEC. 9 1968
 R0480 FUNCTIONAL DESCRIPTION

R0481 SUBROUTINE TO READ PIPA COUNTERS, TRYING TO BE VERY CAREFUL SO THAT IT WILL BE RESTARTABLE.
 R0483 PIPA READINGS ARE STORED IN THE VECTOR DELV. THE HIGH ORDER PART OF EACH COMPONENT CONTAINS THE PIPA READING,
 R0485 RESTARTS BEGIN AT REREADAC.
 R0486 AT THE END OF THE PIPA READER THE CDUS ARE READ AND STORED AS A
 R0487 VECTOR IN CDUTEMP. THE HIGH ORDER PART OF EACH COMPONENT CONTAINS
 R0488 THE CDU READING IN 2S COMP IN THE ORDER CDUX, Y, Z. THE THRUST
 R0489 VECTOR ESTIMATOR IN FINDCDUD REQUIRES THE CDUS BE READ AT PIPTIME.

R0490 CALLING SEQUENCE AND EXIT

R0491 CALL VIA TC, ISWCALL, ETC.

R0492 EXIT IS VIA Q.

R0493 INPUT

R0494 INPUT IS THROUGH THE COUNTERS PIPAX, PIPAY, PIPAZ, AND TIME2.

R0495 OUTPUT

R0496 HIGH ORDER COMPONENTS OF THE VECTOR DELV CONTAIN THE PIPA READINGS.

R0497 PIPTIME CONTAINS TIME OF PIPA READING.

R0498 DEBRIS (ERASABLE LOCATIONS DESTROYED BY PROGRAM)

R0499 LOW ORDER DELV'S ARE ZEROED FOR TM INDICATION.

REP	DELV	TEMP	TEMP	TEMP	PIPAGE	PIPASR	EXTEND
0501					0 0006 1		
0502	REP 26	LAST 738	37,3157	37,3160	3 0025 0		DCA TIME2
0503	REP 7	LAST 778	37,3161	37,3162	4 4714 0		DXCH PIPTIME1
0504	REP 151	LAST 783	37,3163	37,3164	55*224 0		CS ZERO
0505	REP 2	LAST 77	37,3165	37,3166	55*225 1		TS TEMX
0506	REP 2	LAST 77	37,3165	37,3166	55*226 1		TS TEMY
0507	REP 2	LAST 77	37,3165	37,3166	55*226 1		TS TEMZ

CURRENT TIME POSITIVE VALUE
 INITIALIZE THESE AT NEG ZERO.

L SERVICER207

USER=3 PAGE NO. 15 E7 S3

0508	REP	152	LAST	786	37,3166	3 4714 1	CA	ZERO
0509	REP	5	LAST	779	37,3187	55*166 0	TS	DELVZ
0510	REP	6	LAST	778	37,3170	55*164 1	TS	DELVY
0511	REP	11	LAST	782	37,3171	55*163 0	TS	DELVX +1
0512	REP	7	LAST	787	37,3172	55*165 0	TS	DELVY +1
0513	REP	6	LAST	787	37,3173	55*167 1	TS	DELVZ +1
A0514								
0515	REP	4	LAST	778	37,3174	55*230 0	TS	PIPAGE
0516					37,3175	0 0006 1	REPIP1	EXTEND
0517	REP	9	LAST	781	37,3176	4 0040 1	DCS	PIPAX
0518	REP	3	LAST	786	37,3177	53*225 1	DxCH	TEMX
0519	REP	10	LAST	787	37,3200	52 040 1	DxCH	PIPAX
0520	REP	12	LAST	787	37,3201	55*162 1	TS	DELVX
0521	REP	8	LAST	787	37,3202	23*164 0	LXCH	DELVY
0522	REP	3	LAST	430	37,3203	4 0041 0	REPIP3	CS
0523	REP	3	LAST	786	37,3204	57*226 0	XCH	TEMZ
0524	REP	4	LAST	787	37,3205	56 041 1	XCH	PIPAX
0525	REP	7	LAST	787	37,3206	55*166 0	DODELVZ	TS
0526	REP	170	LAST	692	37,3207	0 0002 0	TC	0
0527	REP	24	LAST	779	E6,1661		EBANK=	AGC
0528	REP	3	LAST	649	37,3210	10 763 1	REREADAC	CCS
0529					37,3211	1 3213 0	TCP	+2
0530	REP	44	LAST	781	37,3212	1 5213 0	TCP	TASKOVER
05302	REP	3	LAST	529	37,3213	3 7665 0	CAP	PRI031
05303	REP	11	LAST	724	37,3214	55*074 1	TS	1/PIPADT
A05304								
A05305								
A05306								
A05307								
0531	REP	5	LAST	787	37,3215	11*230 0	CCS	PIPAGE
0532	REP	4	LAST	779	37,3216	1 2847 1	TCP	READACCS
0533	REP	1			37,3217	3 3255 0	CAP	DONEADR
0534	REP	171	LAST	787	37,3220	54 002 1	TS	0
0535	REP	8	LAST	787	37,3221	11*166 0	CCS	DELVZ
0536	REP	172	LAST	787	37,3222	0 0002 0	TC	0
0537					37,3223	1 3226 0	TCP	+3
0538	REP	173	LAST	787	37,3224	0 0002 0	TC	0
0539	REP	174	LAST	787	37,3225	0 0002 0	TC	0

OTHER DELVS OK INCLUDING LOW ORDER

LOW ORDER DELVS ARE ZEROED FOR TM' THUS IF DNLNK=0 LOW ORDER DELVS ARE NZ, THEY CONTAIN PROPER COMPENSATION. IF=0, THEN THE TM VALUES ARE BEFORE COMPENSATION.

SHOW PIPA READING IN PROGRESS

X AND Y PIPS READ

PIPAS SET TO NEG ZERO AS READ.

REPEAT PROCESS FOR Z PIP

LAST PASS CHECK

RESTART MAY HAVE WIPED OUT LASTBIAS, AN UNPROTECTED NOVAC FROM PREREAD, WHICH SET(S) UP 1/PIPADT (THUSLY) FOR NON-COASTING COMPENSATION....BE SURE 1/PIPADT IS ACK. (PRI031 IS 2.0SEC SC.AT B+8CS)

PIP READING NOT STARTED. GO TO BEGINNING

SET UP RETURN FROM PIPASR

Z DONE, GO DO CDUS
Z NOT DONE, CHECK Y.



L BRVICR207

USER-S PAGE NO. 16 E6 93

0540				37,3228	22 007 0		ZL		
0541	REP	9	LAST	787	37,3227	11*184 1	CCS	DELVY	
0542					37,3230	1 3233 1	TCP	+3	
0543	REP	1			37,3231	1 3242 1	TCP	CHKTEMX	
0544					37,3232	1 3233 1	TCP	+1	
0545	REP	5	LAST	787	37,3233	22 041 1	LXCH	PIPZ	
0546	REP	4	LAST	787	37,3234	11*228 1	CCS	TEMZ	
0547	REP	5	LAST	788	37,3235	4 1226 1	CS	TEMZ	
0548	REP	1			37,3236	1 3208 1	TCP	DODELVZ	
0549					37,3237	1 3235 1	TCP	-2	
0550	REP	9	LAST	787	37,3240	23*188 1	LXCH	DELVZ	
0551	REP	175	LAST	787	37,3241	0 0002 0	TC	0	
0552	REP	4	LAST	787	37,3242	11*224 0	CHKTEMX	CCS	TEMX
0553	REP	5	LAST	788	37,3243	4 1224 0	CS	TEMX	
0554					37,3244	1 3247 1	TCP	+3	
0555					37,3245	1 3243 0	TCP	-2	
0556	REP	1			37,3246	1 3175 0	TCP	REPPIP1	
0557	REP	13	LAST	787	37,3247	55*182 1	TS	DELVX	
0558	REP	3	LAST	788	37,3250	4 1225 1	CS	TEMY	
0559	REP	10	LAST	788	37,3251	55*184 1	TS	DELVY	
0560	REP	153	LAST	787	37,3252	4 4714 0	CS	ZERO	
0561	REP	11	LAST	787	37,3253	52 040 1	DXCH	PIPAX	
0562	REP	1			37,3254	1 3203 1	TCP	REPPIP3	
0563	REP	1			37,3255	02850 0	DONEADR	GENADR	PIPSDONE

Y NOT DONE, CHECK X.

Y DONE, ZERO Z PIP.

TEMZ NOT = -0, CONTAINS -PIPZ VALUE.

TEMZ = -0, L HAS ZPIP VALUE.

HAS THIS CHANGED

YES

YES

YES

NO

ZERO X AND Y PIPS
L STILL ZERO FROM ABOVE



L SERVICER207 USER'S PAGE NO. 17 E6 S3

R0564 *****

R0566 ROUTINE CALCRVG INTEGRATES THE EQUATIONS OF MOTION BY AVERAGING THE THRUST AND GRAVITATIONAL
R0568 ACCELERATIONS OVER A TIME INTERVAL OF 2 SECONDS.

R0569 FOR THE EARTH-CENTERED GRAVITATIONAL FIELD, THE PERTURBATION DUE TO OBLATENESS IS COMPUTED TO THE FIRST
R0571 HARMONIC COEFFICIENT J.

R0572 ROUTINE CALCRVG REQUIRES...
R0573 1) THRUST ACCELERATION INCREMENTS IN DELV SCALED SAME AS PIPAX,Y,Z IN STABLE MEMBER COORDS.
R0575 2) VN SCALED 2(+7)M/CS IN REFERENCE COORDS.
R0576 3) RN SCALED AT 2(+29) METERS IN REFERENCE COORDS.
R0577 4) UNITW THE EARTH S UNIT ROTATIONAL VECTOR (SCALED AS A FULL UNIT VECTOR) IN REFERENCE COORDS.

R0579 IT LEAVES RN1 UPDATED (SCALED AT 2(+29)M, VN1 (SCALED AT 2(+7)M/CS), AND GDT1/2 (SCALED AT 2(+7)M/CS). ALSO HALF
R0581 UNIT VECTOR UNITR, RMAG IN 36D SCALED AT 2(+29)M, R MAG SQ. IN 34D SCALED AT 2(+58) M SQ.
R0583

0584				37,3256	41456 0	CALCRVAV UNIT	PUSH	ENTER WITH RN IN MPAC
0585	REP	1		37,3257	01760 1	STORE	UNITR	
0586				37,3260	67340 1	LXC,1	SLOAD	
0587	REP	14	LAST 680	37,3261	03746 1		RIX2	
05871	REP	34	LAST 741	37,3262	00047 1		X1	
0588				37,3263	77240 1	BMN	VLOAD	
05881	REP	1		37,3264	77312 1		ITISMOON	
0589				37,3265	41441 0	DOT	PUSH	
0590	REP	8	LAST 766	37,3266	01714 1		UNITW	
0591				37,3267	44316 0	DSQ	BDSU	
0592	REP	1		37,3270	37364 1		DP1/20	
0593				37,3271	56325 0	PDDL	DOV	
0594	REP	1		37,3272	37366 0		RESQ	
0595				37,3273	00043 0		34D	(RN)SQ
0596				37,3274	00041 1	STORE	32D	TEMP FOR (RE/RN)SQ
0597				37,3275	41205 0	DMP	DMP	
0598	REP	1		37,3276	37370 1		20J	
0599				37,3277	65361 0	VXSC	PDDL	
0600	REP	2	LAST 789	37,3300	01760 1		UNITR	
0601				37,3301	41205 0	DMP	DMP	
0602	REP	1		37,3302	37372 0		2J	
0603				37,3303	00041 1		32D	
0604				37,3304	53361 0	VXSC	VAD	
0605	REP	9	LAST 789	37,3305	01714 1		UNITW	
0606				37,3306	77626 0	STADR		
0607	REP	3	LAST 785	37,3307	76521 0	STORE	GOBL1/2	
0608				37,3310	41455 0	VAD	PUSH	
0609	REP	3	LAST 789	37,3311	01760 1		UNITR	
0610				37,3312	60345 0	ITISMOON	DLOAD	NORM
0611				37,3313	00043 0		34D	
0612	REP	14	LAST 741	37,3314	00050 1		X2	
06121				37,3315	53663 1	BDOV*	SLR*	

